according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2020
1.1	26.01.2021	MAT000412222	Date of first issue: 19.05.2020
		GB / EN	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product code	:	41222203
Trade name	:	SPEKTRA DOMFLOK VARNISH gloss

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: SU19 Building and construction work
stance/Mixture	Professional and consumer use of coatings, Roller application
	or brushing, Non industrial spraying
	PC9a Coatings and paints, thinners, paint removers

### **1.3** Details of the supplier of the safety data sheet

Company	:	Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
Telephone Company	:	00386 1 722 4383
Telefax Company	:	1 722 4310
Responsible/issuing person	:	00386 1 722 4383 productsafety@helios.si

### 1.4 Emergency telephone number

Call 999 for emergency medical attention

professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

allergic reaction.

Version 1.1	Revision Date: 26.01.2021	SDS Number: MAT000412222 GB / EN	Date of last issue: 19.05.2020 Date of first issue: 19.05.2020
Precau	itionary statements	: P101 If medical advi label at hand. P102 Keep out of re	ce is needed, have product container or ach of children.
Additional Labelling			
EUH20		Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1). May produce an	

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Waterborne paint

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - < 0,025
reaction mass of: 5-chloro-2- me- thyl-4-isothiazolin-3-one and 2-	55965-84-9	Acute Tox. 3; H301 Acute Tox. 2; H330	>= 0,0002 - < 0,0015
methyl-2H -isothiazol-3- one (3:1)	613-167-00-5 01-2120764691-48	Acute Tox. 2; H310 Skin Corr. 1C; H314	· ·

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version 1.1	Revision Date: 26.01.2021	SDS Number: MAT000412222 GB / EN	Date of last issue: 19.05.2020 Date of first issue: 19.05.2020
			Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %

### **SECTION 4: First aid measures**

<b>4.1 Description of first aid me</b> General advice	easures : Do not leave the victim unattended.
If inhaled	: If breathed in, move person into fresh air.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.
In case of eye contact	<ul> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If eye irritation persists: Get medical advice/ attention.</li> </ul>
If swallowed	: Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

### **4.2 Most important symptoms and effects, both acute and delayed** None known.

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2020
1.1	26.01.2021	MAT000412222	Date of first issue: 19.05.2020
		GB / EN	

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
5.2 Special hazards arising from t	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	The product itself does not burn. Standard procedure for chemical fires.

Use a water spray to cool fully closed containers.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

on i oloonal probadiono, protoc	sive equipment and emergency procedured
Personal precautions	<ul> <li>Avoid contact with skin and eyes.</li> <li>Do not flush into surface water or sanitary sewer system.</li> <li>Prevent further leakage or spillage if safe to do so.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
6.3 Methods and material for co	ntainment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2020
1.1	26.01.2021	MAT000412222 GB / EN	Date of first issue: 19.05.2020

### **SECTION 7: Handling and storage**

7.1	7.1 Precautions for safe handling			
	Advice on safe handling	:	No special technical protective measures required. For personal protection see section 8.	
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
	Hygiene measures	:	When using do not eat, drink or smoke. Wash thoroughly after handling.	
7.2	Conditions for safe storage, i	nc	luding any incompatibilities	
	Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Perishable if frozen. To main- tain product quality, do not store in heat or direct sunlight.	
	Advice on common storage	:	No materials to be especially mentioned.	
	Further information on stor- age stability	:	Protect from frost.	
7.3	Specific end use(s)			
	Specific use(s)	:	Consult the technical guidelines for the use of this sub- stance/mixture.	

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m3	GB EH40
		TWA (Total va- pour and parti-	150 ppm 474 mg/m3	GB EH40
		cles)	-	

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic	0,345 mg/kg

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version	
1.1	

Revision Date: 26.01.2021

SDS Number: MAT000412222 GB / EN

Date of last issue: 19.05.2020 Date of first issue: 19.05.2020

			effects	bw/day
reaction mass of: 5- chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1)	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg bw/day
	Consumers	Oral	Acute systemic ef- fects	0,11 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Intermittent use/release	0,0011 mg/l
		0,000403 mg/l
	Marine water	ÿ
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg dry
		weight (d.w.)
	Marine sediment	0,00499 mg/kg
		dry weight (d.w.)
	Soil	3 mg/kg dry
		weight (d.w.)
reaction mass of: 5-chloro-2-	Soil	0,01 mg/kg dry
methyl-4-isothiazolin-3-one and		weight (d.w.)
2-methyl-2H -isothiazol-3- one		5 ( )
(3:1)		
	Marine water	0,00339 mg/l
	Fresh water	0,00339 mg/l
	Marine sediment	0,027 mg/kg dry
		weight (d.w.)
	Fresh water sediment	0,027 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	0,23 mg/l
	Intermittent use/release	0,00339 mg/l

### 8.2 Exposure controls

### Personal protective equipment

Eye protection	: Goggles
Hand protection	
Material	: Nitrile rubber
Glove thickness	: 0,2 mm
Protective index	: Class 3
Remarks	: Wear suitable gloves.

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version 1.1	Revision Date: 26.01.2021	SDS Number: MAT000412222 GB / EN	Date of last issue: 19.05.2020 Date of first issue: 19.05.2020
Skin a	and body protection		clothing protection according to the amount and con- ne dangerous substance at the work place.
Respi	ratory protection	: No personal re quired.	espiratory protective equipment normally re-

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

	Physical state	:	liquid
	Colour	:	in accordance with the product description
	Odour	:	No information available.
	Odour Threshold	:	No data available
	Flammability	:	Not applicable
	Flash point	:	Not applicable
	рН	:	No data available
	Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
	Solubility(ies) Water solubility	:	completely miscible
	Solubility in other solvents	:	No data available
	Partition coefficient: n- octanol/water	:	No data available
	Density	:	1,00 - 1,05 g/cm3
<b>9.2</b> VOC	Other information	(Directi 80 g/l	ve 2004/42/EC)

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version 1.1	Revision Date: 26.01.2021	SDS Number: MAT000412222 GB / EN	Date of last issue: 19.05.2020 Date of first issue: 19.05.2020
	nical stability e under recommend	led storage conditions.	
10.3 Poss	sibility of hazardou	s reactions	
Haza	rdous reactions	: No data availab	le
10.4 Cond	ditions to avoid		
Cond	litions to avoid	: Protect from fro	st, heat and sunlight.
10.5 Inco	mpatible materials		
Mate	rials to avoid		th oxidizing agents. th strong acids and bases.
	ardous decomposit	ion products ed and applied as directed	L
SECTION	N 11: Toxicologic	al information	
11.1 Infor	mation on hazard	classes as defined in Re	gulation (EC) No 1272/2008
	<b>e toxicity</b> lassified based on a	vailable information.	
<u>Com</u>	ponents:		
1,2-b	enzisothiazol-3(2H	)-one:	
Acute	e oral toxicity	: Assessment: Th single ingestion.	e component/mixture is moderately toxic after
	corrosion/irritatior	n vailable information.	
Com	ponents:		
1.2-b	enzisothiazol-3(2H	)-one:	
Resu	•	: irritating	
	ous eye damage/ey lassified based on a	<b>e irritation</b> wailable information.	
<u>Com</u>	ponents:		
1,2-b	enzisothiazol-3(2H	)-one:	
Resu	•	: Corrosive	
Resp	piratory or skin sen	sitisation	

# Skin sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2020
1.1	26.01.2021	MAT000412222	Date of first issue: 19.05.2020
		GB / EN	

### **Respiratory sensitisation**

Not classified based on available information.

### Components:

### 1,2-benzisothiazol-3(2H)-one:

Result

Probability or evidence of skin sensitisation in humans

### Germ cell mutagenicity

Not classified based on available information.

2

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

5

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

### Ecotoxicology Assessment

Chronic aquatic toxicity

: Toxic to aquatic life with long lasting effects.

### reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3one (3:1):

Toxicity to fish

: LC50 (Salvelinus namaycush (lake trout)): >= 10,85 mg/l Exposure time: 96 h

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version 1.1	Revision Date: 26.01.2021		Number: 000412222 EN	Date of last issue: 19.05.2020 Date of first issue: 19.05.2020
Toxic plants	ity to algae/aquatic s	:	LC50 (algae): > Exposure time:	
			LC50 (algae): 0 Exposure time:	
M-Fa icity)	ctor (Acute aquatic t	:0X- :	100	
M-Fa toxici	ctor (Chronic aquati ty)	c :	100	
	<b>istence and degrac</b> ata available	lability		
12.3 Bioa	ccumulative poten	tial		
Com	ponents:			
Partit	<b>enzisothiazol-3(2H</b> ion coefficient: n- ol/water	)-one: :	log Pow: 1,3	
	i <b>lity in soil</b> ata available			
12.5 Resı	llts of PBT and vPv	B asse	ssment	
Prod Asse	<u>uct:</u> ssment	:	to be either pers	mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting p	ropertie	S	
Prod	uct:			
	ssment	:	ered to have en REACH Article	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.
12.7 Othe	r adverse effects			
No da	ata available			

### 13.1 Waste treatment methods

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version 1.1	Revision Date: 26.01.2021	SDS Number:Date of last issue: 19.05.202MAT000412222Date of first issue: 19.05.202GB / ENDate of first issue: 19.05.202	-	
Product		: Do not release the product to the aquatic environment		
Contaminated packaging		Empty containers should be taken to an approved waste han- dling site for recycling or disposal.		
Waste Code		08 01 20, aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19		

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufa- the market and use of certain danger preparations and articles (Annex XVI	ous substances,	Not applicable
Regulation (EC) No 649/2012 of the I ment and the Council concerning the of dangerous chemicals		Not applicable
Seveso III: Directive 2012/18/EU of the pean Parliament and of the Council of control of major-accident hazards invidangerous substances.	on the	t applicable
5 1	rective 2004/42/EC platile organic compound	ds (VOC) content: 80 g/l

according to Regulation (EC) No. 1907/2006



# SPEKTRA DOMFLOK VARNISH gloss

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2020
1.1	26.01.2021	MAT000412222	Date of first issue: 19.05.2020
		GB / EN	

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

### **SECTION 16: Other information**

#### Full text of H-Statements

H301	:	Toxic if swallowed.		
H302	:	Harmful if swallowed.		
H310	:	Fatal in contact with skin.		
H314	:	Causes severe skin burns and eye damage.		
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H330	:	Fatal if inhaled.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
H411	:	Toxic to aquatic life with long lasting effects.		
EUH071	:	Corrosive to the respiratory tract.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic		Long-term (chronic) aquatic hazard		

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office



# SPEKTRA DOMFLOK VARNISH gloss

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2020
1.1	26.01.2021	MAT000412222 GB / EN	Date of first issue: 19.05.2020

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.