According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
3.0	01.04.2025	MAT0GA00_004	Date of first issue: 24.03.2021
		GB/EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	BORI thin-layer woodstain
	Product code	:	Please see section 16 for detailed data
1.2	Relevant identified uses of the	e s	ubstance or mixture and uses advised against
	Use of the Sub-	:	Consumer uses
	stance/Mixture		Roller application or brushing Coatings and paints, thinners, paint removers
1.3	Details of the supplier of the	sa	fety data sheet
	Company	:	KANSAI HELIOS Slovenija d.o.o. Količevo 65 1230 Domžale Slovenia
	Telephone Company	:	386 (1) 722 4383
	Telefax Company	:	386 (1) 722 4310
	Responsible/issuing person	:	386 (1) 722 4383 productsafety@kansai-helios.si

1.4 Emergency telephone number

Call 999 (or 112) for emergency medical attention professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
3.0	01.04.2025	MAT0GA00_004 GB/EN	Date of first issue: 24.03.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Precautionary statements : P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

Additional Labelling

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solvent-borne coatings

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics	Not Assigned 918-481-9 01-2119457273-39	Asp. Tox. 1; H304	>= 50 - < 70
fatty acids, C-18, unsatd. trimers, compd.	147900-93-4 01-2119971821-33	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
fatty acids, tall-oil, compounds with oleylamine	85711-55-3 288-315-1 01-2119974148-28	Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 2; H373	>= 0,1 - < 1
Substances with a workplace exposure limit :			
C.I. pigment yellow 42	51274-00-1 257-098-5 01-2119457554-33		>= 1 - < 10

For explanation of abbreviations see section 16.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.			
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.			
In case of skin contact :	If on skin, rinse well with water. If on clothes, remove clothes.			
In case of eye contact :	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.			
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known ucts

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version 3.0	Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021
for fire	efighters		
	engriters		
Furthe	er information	: For safety reason rately in closed co	s in case of fire, cans should be stored sepa- ontainments.

Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
6.2 Environmental precautions		
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

sorbent material, (e.g. sand, earth, diatomaceous earth, ve	5 (,	er-
---	-------	-----

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
-------------------------	--

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version 3.0	Revision Date: 01.04.2025		Number: 0GA00_004 N	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021
Advice on protection against : fire and explosion				aked flame or any incandescent material. en flames, hot surfaces and sources of
Hygie	ene measures	:	Wash hands before breaks and at the end of workday.	
7.2 Condi	tions for safe storag	je, inc	luding any incompa	tibilities
Requirements for storage : areas and containers		No smoking. Keep in a well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.		
	er information on stor stability	- :	No decomposition in	f stored and applied as directed.
			No decomposition in	f stored and applied as directed.
7.3 Speci	fic end use(s)			
Spec	ific use(s)	:	For further informat sheet.	ion, refer to the product technical data
			Consult the technic stance/mixture.	al guidelines for the use of this sub-

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
C.I. pigment yellow 42	51274-00-1	TWA (Fumes)	5 mg/m3 (Iron)	GB EH40
		STEL (Fumes)	10 mg/m3 (Iron)	GB EH40

Derived No Effect Level (DNEL):

according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef-	Value
		•	fects	
C.I. pigment yellow 42	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
Fatty acids, C18- unsatd., trimers, compds. with oleyla- mine	Workers	Dermal	Long-term systemic effects	0,024 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	0,012 mg/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

 Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021

	Consumers	Oral	Long-term systemic effects	0,012 mg/kg bw/day
Fatty acids, tall-oil, compds. with oleyla- mine	Workers	Dermal	Long-term systemic effects	0,024 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	0,012 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,012 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Fatty acids, C18-unsatd., trimers,	Soil	0,28 mg/kg dry
compds. with oleylamine		weight (d.w.)
	Marine water	0,0006 mg/l
	Fresh water	0,006 mg/l
	Marine sediment	0,25 mg/kg dry
		weight (d.w.)
	Fresh water sediment	2,46 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment				
Eye/face protection :	Equipment should conform to EN 166 Eye wash bottle with pure water Tightly fitting safety goggles			
Hand protection				
Remarks :	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.			
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.			
Respiratory protection :	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Equipment should conform to EN 14387			
Filter type :	Organic vapour type (A)			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2025
3.0	01.04.2025	MAT0GA00_004	Date of first issue: 24.03.2021
		GB/EN	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	
Colour	:	in accordance with the product description
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
рН	:	No data available
Flash point	:	65 °C (calculation method (principal components, lowest val-ue))
Upper explosion limit / Upper flammability limit	:	6,1 %(V) (calculation method (principal components, highest value))
Lower explosion limit / Lower flammability limit	:	0,6 %(V) (calculation method (principal components, highest value))
Density	:	0,84 - 0,92 g/cm3
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	> 21 mm2/s (40 °C)
Flow time	:	65 - 75 s at 20 °C Cross section: 2 mm Method: DIN 53211
Explosive properties	:	No data available
Oxidizing properties	:	No data available
9.2 Other information		

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version 3.0	Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021
VOC		: (Directive 2004 660 g/l	/42/EC)
SECTION	N 10: Stability and	d reactivity	
10.1 Read	-	od and applied as directed	
	•	ed and applied as directed	
	mical stability ecomposition if store	ed and applied as directed	L.
	sibility of hazardou		
Haza	ardous reactions	: No decomposit	ion if stored and applied as directed.
		Vapours may fo	orm explosive mixture with air.
10.4 Cond	ditions to avoid		
Cond	litions to avoid	: Heat, flames ar	nd sparks.
10 5 Inco	mpatible materials		
	rials to avoid	: Not applicable	
10.6 Haza	ardous decomposit	ion products	
No ha	azardous decompos	ition products are known.	
SECTION	N 11: Toxicologic	al information	
11.1 Infor	mation on toxicolo	gical effects	
Acut	e toxicity		
	classified based on a classified due to lack	vailable information. of data.	
<u>Com</u>	ponents:		
hvdr	ocarbons. C10-C13	n-alkanes, isoalkanes,	cyclic, <2% aromatics:
•	e oral toxicity	: LD50 Oral (Rat,	male and female): > 5.000 mg/kg Test Guideline 401
Acute	e inhalation toxicity	: LC50 (Rat): > 5.	000 mg/l

Acute inhalation toxicity	:	LC50 (Rat): > 5.000 mg/l Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

	ners, compds. with oleylamine:			
Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.			
Skin corrosion/irritation				
Repeated exposure may caus Repeated exposure may caus				
Product:				
Remarks	: May cause skin irritation and/or dermatitis.			
Components:				
hydrocarbons, C10-C13 n-al	kanes, isoalkanes, cyclic, <2% aromatics:			
Species	: Rabbit			
Method	: OECD Test Guideline 404			
Result GLP	: No skin irritation : yes			
GEI	. yes			
Result	: Repeated exposure may cause skin dryness or cracking.			
Serious eye damage/eye irri	tation			
Not classified based on availa Not classified due to lack of da				
Product:				
Remarks	: Vapours may cause irritation to the eyes, respiratory system and the skin.			
Components:				
hydrocarbons, C10-C13 n-al	kanes, isoalkanes, cyclic, <2% aromatics:			
Species	: Rabbit			
Method	: OECD Test Guideline 405			
Result	: No eye irritation			
Fatty acids, tall-oil, compds. with oleylamine:				
Result	: Corrosive			
Respiratory or skin sensitis	ation			

Skin sensitisation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version 3.0	Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021	
		GB/EN		

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks

: Causes sensitisation.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

:	Skin contact
:	Guinea pig
:	OECD Test Guideline 406
:	Not a skin sensitizer.
	:

Fatty acids, C18-unsatd., trimers, compds. with oleylamine:

Result	:	Probability or evidence of skin sensitisation in humans
--------	---	---

Fatty acids, tall-oil, compds. with oleylamine:

Result : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information. Not classified due to lack of data.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Genotoxicity in vitro	: Result: negative
-----------------------	--------------------

Genotoxicity in vivo : Result: negative

Carcinogenicity

Not classified based on available information. Not classified due to lack of data.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Result : negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version 3.0	Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021
		OD/LIN	

Reproductive toxicity

Not classified based on available information. Not classified due to lack of data.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Effects on foetal development : Fertility and developmental toxicity tests did not reveal any effect on reproduction.

STOT - single exposure

Not classified based on available information. Not classified due to lack of data.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

Not classified based on available information. Not classified due to lack of data.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:			
Remarks	:	Based on available data, the classification criteria are not met.	

Fatty acids, C18-unsatd., trimers, compds. with oleylamine:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Fatty acids, tall-oil, compds. with oleylamine:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

May be fatal if swallowed and enters airways. Not classified due to lack of data.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

May be fatal if swallowed and enters airways.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version 3.0	Revision Date: 01.04.2025	SDS Number: MAT0GA00_004 GB/EN	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021
		GB/EN	

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product: Toxicity to fish :	Information given is based on data obtained from similar sub- stances.
Toxicity to daphnia and other : aquatic invertebrates	No data is available on the product itself.
Toxicity to algae/aquatic : plants	Information given is based on data obtained from similar sub- stances.
Components:	
hydrocarbons, C10-C13 n-alka	nes, isoalkanes, cyclic, <2% aromatics:
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 : > 1.000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	NOEC (Pseudokirchneriella subcapitata (microalgae)): 1.000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1.000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Fatty acids, C18-unsatd., trimers, compds. with oleylamine:

Ecotoxicology Assessment

Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
--------------------------	---	--

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

12.2 Persistence and degradability

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Biodegradability

: Result: Readily biodegradable. Biodegradation: 80 % Exposure time: 28 d Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:			
Assessment	:	Substance is not persistent, bioaccumulative, and toxic (PBT).	

12.6 Other adverse effects

Product:

Endocrine disrupting poten- tial	:	This substance/mixture does not contain components consid- ered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).
Additional ecological infor- mation	:	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Versi 3.0	ion Revision Date 01.04.2025	SDS Numb MAT0GA00 GB/EN	
	Contaminated packag	Disp Do n	ty remaining contents. ose of as unused product. ot re-use empty containers. ot burn, or use a cutting torch on, the empty drum.
,	Waste Code		1 11, waste paint and varnish containing organic solvents her hazardoussubstances

SECTION 14: Transport information

14.1 UN number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.:	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)			
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group			
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

4.2025 MATO	GA00_004	Date of last issue: 31.01.2025 Date of first issue: 24.03.2021
	4.2025 MATO	

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Naphtha (petroleum), hydrodesulfu- rized heavy; Low boiling point hy- drogen treated naphtha (Number on list 29, 28)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	Not applicable
Volatile organic compounds : Directive 2004/42/EC Volatile organic compo	ounds (VOC) content: 660 g/l

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.		
H304	:	May be fatal if swallowed and enters airways.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H373	:	May cause damage to organs through prolonged or repeated		
		exposure.		
H411	:	Toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		
Eye Dam.	:	Serious eye damage		
Skin Sens.	:	Skin sensitisation		
STOT RE	:	Specific target organ toxicity - repeated exposure		
GB EH40		LIK EH40 WEL - Workplace Exposure Limits		

GB EH40:UK. EH40 WEL - Workplace Exposure LimitsGB EH40 / TWA:Long-term exposure limit (8-hour TWA reference period)GB EH40 / STEL:Short-term exposure limit (15-minute reference period)ADN - European Agreement concerning the International Carriage of Dangerous Goods by International Carriage of Danger

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



BORI thin-layer woodstain

Version	Revision Date:	SDS Number:	0
3.0	01.04.2025	MAT0GA00_004	0
		GB/EN	

Date of last issue: 31.01.2025 Date of first issue: 24.03.2021

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Material codes (bulk) for	:	404301; 404302; 404303; 404304; 404305; 404307; 404308;
which the SDS is valid		404309; 404310; 404311; 404312; 404313; 404315; 419379

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.