according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date: 09.02.2021	SDS Number:	Date of last issue: -
1.0		MAT0GA00_114	Date of first issue: 09.02.2021
		GB / EN	

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Product code	:	Please see section 16 for detailed data
Trade name	:	TESSAROL PRO Protect
Unique Formula Identifier (UFI)	:	MUT1-P0EH-T002-RRNX

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: SU19 Building and construction work
stance/Mixture	Professional and consumer use of coatings, Roller application
	or brushing, Non industrial spraying
	PC9a Coatings and paints, thinners, paint removers

### **1.3** Details of the supplier of the safety data sheet

Company	: Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
Telephone Company	: 00386 1 722 4383
Telefax Company	: 17224310
Responsible/issuing person	: 00386 1 722 4383 productsafety@helios.si

### 1.4 Emergency telephone number

Call 999 for emergency medical attention

professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Flammable liquids, Category 3	H226: Flammable liquid and vapour.			
Specific target organ toxicity - single ex- posure, Category 3, Central nervous	H336: May cause drowsiness or dizziness.			

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.02.2021	MAT0GA00_114 GB / EN	Date of first issue: 09.02.2021

system

### 2.2 Label elements

Labelling (REGULATION (EC) Hazard pictograms :	No 1272/2008)
Signal word :	Warning
Hazard statements :	<ul><li>H226 Flammable liquid and vapour.</li><li>H336 May cause drowsiness or dizziness.</li></ul>
Precautionary statements :	<ul><li>P101 If medical advice is needed, have product container or label at hand.</li><li>P102 Keep out of reach of children.</li></ul>
	<b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open
	flames and other ignition sources. No smoking. P271 Use only outdoors or in a well-ventilated area.
	Response:
	P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	Storage:
	P405 Store locked up.
	Disposal:
	P501 Dispose of contents/ container to an approved waste disposal plant.

### Hazardous components which must be listed on the label:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics

## Additional Labelling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.02.2021	MAT0GA00_114 GB / EN	Date of first issue: 09.02.2021

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
hydrocarbons, C9-C11, n-alkanes,	64742-48-9	Flam. Liq. 3; H226	>= 30 - < 50
isoalkanes, cyclic, <2% aromatics	919-857-5	STOT SE 3; H336	
	01-2119463258-33	(Central nervous	
		system)	
		Asp. Tox. 1; H304	
titanium dioxide	13463-67-7	Carc. 2; H351	>= 20 - < 30
	236-675-5		
	01-2119489379-17		
hydrocarbons, C10-C13 n-	-	Asp. Tox. 1; H304	>= 1 - < 10
alkanes, isoalkanes, cyclic, <2%			
aromatics			
	01-2119457273-39		
2-ethylhexanoic acid, zirconium	22464-99-9	Repr. 2; H361d	>= 0,1 - < 1
salt	245-018-1		
	01-2119979088-21		

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear.

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Versior 1.0	Revision Date: 09.02.2021		Number: 0GA00_114 EN	Date of last issue: - Date of first issue: 09.02.2021
			Do not give milk or a Never give anything If symptoms persist, Take victim immedia	by mouth to an unconscious person. call a physician.
4.2 Mo	st important symptom	s and o	effects, both acute a	nd delayed
Ris	sks	:	May cause drowsine	ess or dizziness.
4.3 Ind	ication of any immedia	ate me	dical attention and s	pecial treatment needed
	eatment	:	Treat symptomatica	-
SECT	ON 5: Firefighting m	easur	es	
5.1 Ext	inguishing media			
Su	itable extinguishing me	dia :	Alcohol-resistant foa Carbon dioxide (CO Dry chemical	
	suitable extinguishing edia	:	High volume water j	et
5.2 Special hazards arising from the s			e substance or mixtu	Ire
	ecific hazards during fir hting	e- :	Do not allow run-off courses.	from fire fighting to enter drains or water
Ha uc	-	od- :	No hazardous comb	oustion products are known
5.3 Adv	vice for firefighters			
Sp	ecial protective equipm firefighters	ent :	In the event of fire, v	wear self-contained breathing apparatus.
Fu	rther information	:	must not be dischar Fire residues and co be disposed of in ac For safety reasons i rately in closed cont	ontaminated fire extinguishing water must cordance with local regulations. n case of fire, cans should be stored sepa-

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions	:	Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra-	

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021	
		tions. Vapours	s can accumulate in low areas.	
6.2 Enviro	onmental precautio	ns		
Environmental precautions :		Prevent furthe If the product	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3 Metho	ods and material fo	r containment and cle	aning up	
Methods for cleaning up :		sorbent mater miculite) and p	ge, and then collect with non-combustible ab- ial, (e.g. sand, earth, diatomaceous earth, ver- place in container for disposal according to local ilations (see section 13).	

# 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.
	Hygiene measures	:	Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	No smoking. Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be care- fully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.02.2021	MAT0GA00_114 GB / EN	Date of first issue: 09.02.2021

### 7.3 Specific end use(s)

Specific use(s)

For further information, refer to the product technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

:

### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
2-ethylhexanoic acid, zirconium salt	22464-99-9	TWA	5 mg/m3 (Zirconium)	GB EH40
		STEL	10 mg/m3 (Zirconium)	GB EH40

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,	• •		
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
titanium dioxide	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Oral	Long-term systemic effects	700 mg/kg bw/day
2-ethylhexanoic acid, zirconium salt	Workers	Inhalation	Long-term systemic effects	32 mg/m3
	Consumers	Inhalation	Long-term systemic effects	8 mg/m3
	Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day
	Workers	Dermal	Long-term systemic effects	6,49 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	3,25 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Soil	100 mg/kg dry weight (d.w.)
	Marine water	0,0184 mg/l
	Fresh water	0,184 mg/l
	Marine sediment	100 mg/kg dry weight (d.w.)
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Intermittent use/release	0,193 mg/l

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021

2-ethylhexanoic acid, zirconium salt	Soil	1,06 mg/kg dry weight (d.w.)
	Marine water	0,036 mg/l
	Fresh water	0,36 mg/l
	Marine sediment	0,637 mg/kg dry weight (d.w.)
	Fresh water sediment	6,37 mg/kg dry weight (d.w.)
	Sewage treatment plant	71,7 mg/l
	Intermittent use/release	0,493 mg/l

# 8.2 Exposure controls

Personal protective equipment Eye protection :		Safety glasses with side-shields conforming to EN166
Hand protection Directive :		Equipment should conform to EN 374
Material Rate of permeability Protective index	:	Viton® > 480 min Class 6
Material Rate of permeability Protective index	::	PVA > 480 min Class 6
Glove thickness	:	> 0,5 mm
Remarks	:	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The obtained break through times according to EN 374 Part III are not measured under normal operating conditions. Therefore a maximum usage time of 50% of the break through time is recommended. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Nitrile gloves are not suitable. Take note of the information given by the producer concerning permeability, degradation and break through times, and of special work
Skin and body protection	:	Long sleeved clothing Safety shoes
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.
		EN-143; EN-149; EN-529
Filter type	:	A/P2
Protective measures	:	Wash thoroughly after handling.

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.02.2021	MAT0GA00_114 GB / EN	Date of first issue: 09.02.2021

Avoid contact with skin, eyes and clothing. Keep away from food, drink and animal feedingstuffs.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	in accordance with the product description
Odour	:	solvent-like
Odour Threshold	:	No data available
Melting point/freezing point	:	Not applicable
Flammability	:	Static-accumulating flammable liquid., Combustible Solids
Upper explosion limit / Upper flammability limit	:	6 %(V) (calculation method (principal components, highest value))
Lower explosion limit / Lower flammability limit	:	0,7 %(V) (calculation method (principal components, highest value))
Flash point	:	43 °C (calculation method (principal components, lowest value))
Decomposition temperature Decomposition temperature	:	No decomposition if stored and applied as directed. Hazardous decomposition products formed under fire condi- tions.
рН	:	No data available
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Flow time	:	> 40 s at 23 °C Cross section: 6 mm Method: ISO 2431
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	Description: miscible with most organic solvents
Partition coefficient: n- octanol/water	:	No data available

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021
	Density		1,18 g/cm3 1: ISO 2811
9.2	<b>2 Other information</b> Explosives Oxidizing properti	: Not ap	plicable ns combustion
VOC		: (Directive 2004 500 g/l	/42/EC)

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### **10.3 Possibility of hazardous reactions**

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

#### 10.5 Incompatible materials

Materials to avoid	:	Not applicable
--------------------	---	----------------

### **10.6 Hazardous decomposition products**

Adequate ventilation is required. Heating can release vapours which can be ignited. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

### Components:

### hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021
Acute	dermal toxicity	: LD50 (Rabbit):	> 2.000 mg/kg
hydro	carbons, C10-C13	n-alkanes, isoalkanes,	cyclic, <2% aromatics:
Acute	oral toxicity		male and female): > 5.000 mg/kg Test Guideline 401
Acute	inhalation toxicity	: LC50 (Rat): > 5 Test atmospher Method: OECD	•
Acute	dermal toxicity		Rabbit, male and female): > 5.000 mg/kg Test Guideline 402
	corrosion/irritation assified based on a	vailable information.	

#### **Components:**

### hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Species Method	÷	Rabbit OECD Test Guideline 404
Result GLP	:	No skin irritation yes
Result	:	Repeated exposure may cause skin dryness or cracking.

### Serious eye damage/eye irritation

Not classified based on available information.

# Components:

### hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

### **Components:**

#### hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021
	<b>cell mutagenicity</b> lassified based on a	vailable information.	
Com	ponents:		
-	ocarbons, C10-C13 toxicity in vitro	n-alkanes, isoalkanes, c : Result: negative	yclic, <2% aromatics:
Geno	toxicity in vivo	: Result: negative	
	i <b>nogenicity</b> lassified based on a	vailable information.	
Com	ponents:		
<b>hydro</b> Resu		n-alkanes, isoalkanes, c : negative	yclic, <2% aromatics:
•	oductive toxicity lassified based on a	vailable information.	
Com	ponents:		
-	ts on foetal develop-	n-alkanes, isoalkanes, c : Fertility and deve effect on reprodu	lopmental toxicity tests did not reveal any
2-eth	ylhexanoic acid, zi	rconium salt:	
	oductive toxicity - As		f adverse effects on development, based on hts.
	<b>Γ - single exposure</b> cause drowsiness or	dizziness.	
Com	ponents:		
-	ocarbons, C9-C11, ssment	n-alkanes, isoalkanes, c : May cause drows	<b>/clic, &lt;2% aromatics:</b> siness or dizziness.
<b>hydro</b> Rema		n-alkanes, isoalkanes, c : Based on availab	<b>yclic, &lt;2% aromatics:</b> le data, the classification criteria are not met.
	<b>Γ - repeated exposι</b> lassified based on a		
Com	ponents:		
<b>hydro</b> Rema		n-alkanes, isoalkanes, c : Based on availab	<b>yclic, &lt;2% aromatics:</b> le data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.02.2021	MAT0GA00_114 GB / EN	Date of first issue: 09.02.2021

## Aspiration toxicity

Not classified based on available information.

#### **Components:**

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics: May be fatal if swallowed and enters airways.

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics: May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

<u> </u>	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks	<ul> <li>Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.</li> <li>Concentrations substantially above the TLV value may cause narcotic effects.</li> <li>Solvents may degrease the skin.</li> </ul>

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Components:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics:			
Toxicity to fish	:	LC50 (Fish): > 1.000 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia (water flea)): > 1.000 mg/l	
hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:			
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021		Number: 0GA00_114 EN	Date of last issue: - Date of first issue: 09.02.2021
	ity to daphnia and oth tic invertebrates	ner :	EC50 : > 1.000 mg/l Exposure time: 48 h Method: OECD Test	Guideline 202
Toxic plants	ity to algae/aquatic s	:	NOEC (Pseudokirch mg/l Exposure time: 72 h Method: OECD Test	neriella subcapitata (microalgae)): 1.000 Guideline 201
			EC50 (Pseudokirchn mg/l Exposure time: 72 h Method: OECD Test	eriella subcapitata (microalgae)): > 1.000 Guideline 201
Toxic icity)	tity to fish (Chronic to	<b>x-</b> :	NOELR: 0,10 mg/l Exposure time: 28 d Species: Oncorhyncl	hus mykiss (rainbow trout)
	ity to daphnia and oth tic invertebrates (Chro icity)		NOELR: 0,18 mg/l Exposure time: 21 d Species: Daphnia (w	vater flea)
12.2 Pers	istence and degrada	ability		
Com	ponents:			
-	ocarbons, C10-C13 ı egradability	n-alka :	nes, isoalkanes, cycl Result: Readily biode	

Biodegradability	:	Result: Readily biodegradable.
		Biodegradation: 80 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301F
		Method: OECD Test Guideline 301F

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## Components:

### hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Assessment	:	This substance is not considered to be persistent, bioaccumu-
		lating and toxic (PBT).

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.02.2021	MAT0GA00_114 GB / EN	Date of first issue: 09.02.2021

## **12.6 Endocrine disrupting properties**

# Product:

Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--------------	---

### 12.7 Other adverse effects

Pr	od	uc	t:	
-				

Additional ecological infor-	:	No data available
mation		

# **SECTION 13:** Disposal considerations

#### 13.1 Waste treatment methods

Product	:	Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.
Waste Code	:	08 01 11, waste paint and varnish containing organic solvents or other hazardous substances

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADN	:	UN 1263
ADR	:	UN 1263
RID	:	UN 1263
IMDG	:	UN 1263
ΙΑΤΑ	:	UN 1263
14.2 UN proper shipping name		
ADN	:	PAINT
ADR	:	PAINT
RID	:	PAINT
IMDG	:	PAINT
ΙΑΤΑ	:	Paint

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021
14.3 Tran	sport hazard class(	es)	
ADN		: 3	
ADR		: 3	
RID		: 3	
IMDO	6	: 3	
ΙΑΤΑ		: 3	
14.4 Pack	ting group		
ADN			
Pack	ing group	: 111	
	sification Code rd Identification Num	: F1 ber : 30	
Labe		: 3	
ADR			
	ing group	: 111	
	sification Code rd Identification Num	: F1 ber : 30	
Labe		: 3	
Tunn	el restriction code	: (D/E)	
RID			
	ing group sification Code	: III : F1	
	rd Identification Num		
Labe		: 3	
IMDO			
Pack Labe	ing group	: III : 3	
	Code	: F-E, <u>S-E</u>	
	(Cargo)		
Pack	ing instruction (cargo	: 366	
aircra			
	ing instruction (LQ) ing group	: Y344 : III	
Labe		: Flammable Liqu	ids
	(Passenger)		
	ing instruction (passe	n- : 355	
	ircraft) ing instruction (LQ)	: Y344	
Pack	ing group	: 111	
Labe		: Flammable Liqu	ids
14.5 Envi	ronmental hazards		
ADN Frovin	opportally barrad		
	onmentally hazardou	s : no	
ADR Envir	onmentally hazardou	s : no	
	onmentally hazardou	5 . HU	

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version 1.0	Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN	Date of last issue: - Date of first issue: 09.02.2021		
IMDG	onmentally hazardoi i e pollutant	us : no : no			
14.6 Special precautions for user					
Rema	•	: ADR: Package goods/merchar IMDG: Package	s smaller than or equal to 450 litres, not ndise of Class 3 (exemption ADR 2.2.3.1.5) es smaller than or equal to 450 litres, not ndise of Class 3; "transport acc. IMDG-code		
The t	ransport classificatio	on(s) provided herein are	for informational purposes only and solely		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
	benzene (Number on list 72, 5, 29, 28)
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
Seveso III: Directive 2012/18/EU of the Euro-P5c pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	FLAMMABLE LIQUIDS

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Versio 1.0	n Revision Date: 09.02.2021	SDS Number: MAT0GA00_114 GB / EN		Date of last issue: - Date of first issue: 09.02.2021
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
V	olatile organic compour			C npounds (VOC) content: 500 g/l

## Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

# **SECTION 16: Other information**

Full text of H-Statements	
H226 :	Flammable liquid and vapour.
H304 :	May be fatal if swallowed and enters airways.
H336 :	May cause drowsiness or dizziness.
H351 :	Suspected of causing cancer if inhaled.
H361d :	Suspected of damaging the unborn child.
Full text of other abbreviations	5
Asp. Tox. :	Aspiration hazard
Carc. :	Carcinogenicity
Flam. Liq. :	Flammable liquids
Repr. :	Reproductive toxicity
STOT SE :	Specific target organ toxicity - single exposure
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL :	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada);

according to Regulation (EC) No. 1907/2006



# **TESSAROL PRO Protect**

Version	Revision Date: 09.02.2021	SDS Number:	Date of last issue: -
1.0		MAT0GA00_114	Date of first issue: 09.02.2021
		GB / EN	

ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# Further information

Classification of the mi	xture:	Classification procedure:	
Flam. Liq. 3	H226	Based on product data or assessment	
STOT SE 3	H336	Calculation method	
atorial and an (hulle) for	404740.404744.4	04745.404740.404747.404740.404740.	

Material codes (bulk) for which the SDS is valid

401713;401714;401715;401716;401717;401718;401719;

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.