

## SPEKTRA LEVEL MEDIUM

Version	Revision Date:	SDS Number:	Date of last issue: 27.02.2020
1.3	20.04.2021	MAT000401688 GB / EN	Date of first issue: 20.01.2020
		GD/EN	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product code	:	40168806
	Trade name	:	SPEKTRA LEVEL MEDIUM
	Unique Formula Identifier (UFI)	:	6VD1-806K-J00C-V6P6
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	SU19 Building and construction work Professional and consumer use of coatings Putty/filler
1.3	Details of the supplier of the	e sa	fety data sheet
	Company	:	Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
	Telephone Company	:	386 (1) 722 4383
	Telefax Company	:	386 (1) 722 4310
	Responsible/issuing person	:	386 (1) 722 4383 productsafety@helios.si

#### 1.4 Emergency telephone number

Call 999 for emergency medical attention

professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



### SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021		Number 0004016 EN	
Hazar	d pictograms	:	<u>(</u> !	
Signa	l word	:	Warnin	g
Hazar	d statements	:	H317	May cause an allergic skin reaction.
Preca	utionary statements	:	P101 label at P102	If medical advice is needed, have product container or hand. Keep out of reach of children.
			Preven	tion:
			P261 P280	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves.
			Respo	nse:
			P302 +	P352 IF ON SKIN: Wash with plenty of water.
			<b>Dispos</b> P501 disposa	Dispose of contents/ container to an approved waste

#### Hazardous components which must be listed on the label:

2-methylisothiazol-3(2H)-one reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
2-methylisothiazol-3(2H)-one	2682-20-4	Acute Tox. 3; H301	>= 0,0025 - <
	220-239-6	Acute Tox. 2; H330	0,025

according to Regulation (EC) No. 1907/2006



# SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021	SDS N MAT00 GB / El	0401688	Date of last issue: 27.02.2 Date of first issue: 20.01.2	
			613-326-00-9 01-2120764690-50	Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
thyl-4	ion mass of: 5-chloro -isothiazolin-3-one a yl-2H -isothiazol-3- ol	nd 2-	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100	>= 0,0002 - < 0,0015
				M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= $0,6\%$ Skin Irrit. 2; H315 0,06 - < 0,6% Eye Irrit. 2; H319 0,06 - < 0,6% Skin Sens. 1A; H317 >= $0,0015\%$ Eye Dam. 1; H318 >= $0,6\%$	

according to Regulation (EC) No. 1907/2006



## SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021	SDS Number: MAT000401688 GB / EN	Date of last issue: 27.02.2020 Date of first issue: 20.01.2020			

### **SECTION 4: First aid measures**

4.1 Description of first aid measures						
General advice	:	Do not leave the victim unattended.				
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.				
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.				
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.				
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.				
4.2 Most important symptoms a	and e	effects, both acute and delayed				
Risks	:	May cause an allergic skin reaction.				
4.3 Indication of any immediate	mer	lical attention and special treatment needed				
<b>4.3 Indication of any immediate</b> Treatment	e meo :	dical attention and special treatment needed Treat symptomatically.				
•	:	Treat symptomatically.				
Treatment	:	Treat symptomatically.				
Treatment SECTION 5: Firefighting mea	: asur	Treat symptomatically.				
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	asur	Treat symptomatically. es Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.				
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	asur a : n the	Treat symptomatically. es Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.				
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod	asur a : n the	Treat symptomatically. es Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. esubstance or mixture				



## SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021	SDS Number: MAT000401688 GB / EN	Date of last issue: 27.02.2020 Date of first issue: 20.01.2020		
Furth	er information	Use exting	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
	N 6: Accidental re				
6.1 Perso	nal precautions, pro	otective equipmen	t and emergency procedures		
Perso	onal precautions	Do not flus	act with skin and eyes. h into surface water or sanitary sewer system. ther leakage or spillage if safe to do so.		
6 2 Envir	onmental precautio	IS			
	onmental precaution	s : If the prod	uct contaminates rivers and lakes or drains inform authorities.		
6.3 Metho	ods and material for	containment and	cleaning up		
	ods for cleaning up		ith absorbent material (e.g. cloth, fleece).		

Methods for cleaning up	wipe up with absorbent material (e.g. cloth, flee
	Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handlin	g	
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	General industrial hygiene practice.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult the technical guidelines for the use of this sub- stance/mixture.



## SPEKTRA LEVEL MEDIUM

Version	Revision Date:	SDS Number:	Date of last issue: 27.02.2020
1.3	20.04.2021	MAT000401688 GB / FN	Date of first issue: 20.01.2020

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
limestone	1317-65-3	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,		• •	
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
reaction mass of: 5- chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1)	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg bw/day
	Consumers	Oral	Acute systemic ef- fects	0,11 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	Soil	0,01 mg/kg dry weight (d.w.)
	Marine water	0,00339 mg/l
	Fresh water	0,00339 mg/l
	Marine sediment	0,027 mg/kg dry weight (d.w.)
	Fresh water sediment	0,027 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,23 mg/l
	Intermittent use/release	0,00339 mg/l

#### 8.2 Exposure controls

#### Personal protective equipment

:	Safety glasses
:	Nitrile rubber
:	0,2 mm
	:



## SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021		Number: 000401688 EN	Date of last issue: 27.02.2020 Date of first issue: 20.01.2020
Re Skin a	otective index marks ind body protection ratory protection	:	Class 3 Wear suitable glove Protective suit No personal respirat quired.	s. ory protective equipment normally re-

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	: :	liquid in accordance with the product description No information available. No data available
Flammability	:	Not applicable
Flash point	:	Not applicable
рН	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility Solubility in other solvents		completely miscible No data available
Partition coefficient: n- octanol/water	:	No data available
Density	:	1,64 - 1,67 g/cm3

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazard	lous react	ions

- : Stable under recommended storage conditions. No hazards to be specially mentioned.
- 10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006



## SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021	SDS Number:Date of last issue: 27.02.2020MAT000401688Date of first issue: 20.01.2020GB / ENContemport
Cond	itions to avoid	: No data available
	mpatible materials rials to avoid	: Incompatible with oxidizing agents. Incompatible with strong acids and bases.
No de	•	d and applied as directed.
	N 11: Toxicologic	al information classes as defined in Regulation (EC) No 1272/2008
Not c		vailable information.
	ponents: thylicethicsel 2(24	
	thylisothiazol-3(2H e oral toxicity	: Assessment: The component/mixture is toxic after single in- gestion.
Acute	e inhalation toxicity	: Test atmosphere: vapour Assessment: The component/mixture is highly toxic after short term inhalation.
Acute	e dermal toxicity	: Assessment: The component/mixture is toxic after single con- tact with skin.
-	corrosion/irritation lassified based on a	vailable information.
Com	ponents:	
<b>2-me</b> Resu	thylisothiazol-3(2H <sup>It</sup>	<ul><li>)-one:</li><li>: Corrosive after 3 minutes to 1 hour of exposure</li></ul>
	ous eye damage/ey lassified based on a	e irritation vailable information.
Resp	iratory or skin sen	sitisation
-	<b>sensitisation</b> cause an allergic ski	n reaction.
-	<b>iratory sensitisatio</b> lassified based on a	n vailable information.
Com	ponents:	
2-me	thylisothiazol-3(2H	)-one:

according to Regulation (EC) No. 1907/2006



## SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021	SDS Number: MAT000401688 GB / EN	Date of last issue: 27.02.2020 Date of first issue: 20.01.2020
----------------	---------------------------	--	---

Result

Probability or evidence of skin sensitisation in humans

#### Germ cell mutagenicity

Not classified based on available information.

5

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Further information**

#### Product:

Remarks

: No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### 2-methylisothiazol-3(2H)-one:

M-Factor (Acute aquatic tox- : 10 icity) M-Factor (Chronic aquatic : 1 toxicity)

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006



## SPEKTRA LEVEL MEDIUM

Version 1.3	Revision Date: 20.04.2021		Number:Date of last issue: 27.02.2020000401688Date of first issue: 20.01.2020EN
	ction mass of: 5-chlo (3:1):	ro-2- n	nethyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-
	icity to fish	:	LC50 (Salvelinus namaycush (lake trout)): >= 10,85 mg/l Exposure time: 96 h
Tox plar	icity to algae/aquatic ts	:	LC50 (algae): >= 0,82 mg/l Exposure time: 48 h
			LC50 (algae): 0,018 mg/l Exposure time: 72 h
M-F icity	actor (Acute aquatic to )	)X- :	100
M-F toxic	actor (Chronic aquatic city)	:	100
12.2 Per	sistence and degrada	ability	
<u>Cor</u>	nponents:		
	<b>ethylisothiazol-3(2H)</b> legradability	-one: :	Result: Biodegradable
	<b>accumulative potenti</b> data available	al	
	<b>bility in soil</b> data available		
12.5 Res	ults of PBT and vPvI	3 asse	essment
	<u>duct:</u> essment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6 End	locrine disrupting pro	opertie	es
Pro	duct:		
Ass	essment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Oth	er adverse effects		
	<b>duct:</b> itional ecological infor- ion	:	No data available



## SPEKTRA LEVEL MEDIUM

Version	Revision Date:	SDS Number:	Date of last issue: 27.02.2020
1.3	20.04.2021	MAT000401688	Date of first issue: 20.01.2020
		GB / EN	

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Do not release the product to the aquatic environment
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
Waste Code	:	08 01 20, aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

- : Conditions of restriction for the following entries should be considered: Number on list 3
- : Not applicable

Not applicable

Volatile organic compounds : Directive 2004/42/EC



### SPEKTRA LEVEL MEDIUM

Version	Revision Date:	SDS Number:	Date of last issue: 27.02.2020
1.3	20.04.2021	MAT000401688	Date of first issue: 20.01.2020
		GB / EN	

#### Not applicable

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H301 :	Toxic if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Sens.	:	Skin sensitisation
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -



## SPEKTRA LEVEL MEDIUM

Version	Revision Date: 20.04.2021	SDS Number:	Date of last issue: 27.02.2020
1.3		MAT000401688	Date of first issue: 20.01.2020
110	2010 11202 1	GB / EN	

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

### Classification of the mixture:

H317

# Classification procedure:

Skin Sens. 1

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.