according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date: 20.08.2021	SDS Number:	Date of last issue: -
1 0		MAT000409547	Date of first issue: 20.08.2021
1.0	20.00.2021	GB / EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
	Product code	:	409547	
	Trade name	:	MOBIHEL Cleaner for plastics low VOC	
	Unique Formula Identifier (UFI)	:	X7K0-W0TV-Y00D-24EW	
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against	
	Use of the Sub- stance/Mixture	:	PC9a Coatings and paints, thinners, paint removers	
	Recommended restrictions on use	:	Reserved for industrial and professional use.	
1.3	Details of the supplier of the	e sa	afety data sheet	
	Company	:	Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia	
	Telephone Company	:	386 (1) 722 4383	
	Telefax Company	:	386 (1) 722 4310	
	Responsible/issuing person	:	386 (1) 722 4383 productsafety@helios.si	

1.4 Emergency telephone number

Call 999 for emergency medical attention

professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.08.2021	MAT000409547 GB / EN	Date of first issue: 20.08.2021

Specific target organ toxicity - single exposure, Category 3, Central nervous system

H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms				
Signal word	Danger			
Hazard statements	H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.			
Precautionary statements :	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. 			
	Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.			

Hazardous components which must be listed on the label:

propan-2-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.08.2021	MAT000409547	Date of first issue: 20.08.2021
		GB / EN	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		· · ·
	Registration number		
propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 90 - <= 100
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	
	01-2119457558-25	(Central nervous	
		system)	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.			
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.			
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.			
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 			
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 			
4.2 Most important symptoms and effects, both acute and delayed				
Risks	: Causes serious eye irritation. May cause drowsiness or dizziness.			
4.3 Indication of any immediate medical attention and special treatment needed				

Treatment

: Treat symptomatically.

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date: 20.08.2021	SDS Number:	Date of last issue: -
1.0		MAT000409547	Date of first issue: 20.08.2021
-		GB / EN	

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa- rately in closed containments. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive conceptra-
	Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0	Revision Date: 20.08.2021	SDS Number: MAT000409547 GB / EN	Date of last issue: - Date of first issue: 20.08.2021
			(a manufacture distance and a soft

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

:	Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
incl	uding any incompatibilities
:	No smoking. Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be care- fully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
:	No decomposition if stored and applied as directed.
:	For further information, refer to the product technical data sheet.
	Consult the technical guidelines for the use of this sub- stance/mixture.
	: incl :

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

DS Number:	Date of last issue: -
	Date of first issue: 20.08.2021
4	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m3	GB EH40
		STEL	500 ppm 1.250 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
	Workers	Dermal	Long-term systemic effects	888 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	319 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	26 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propan-2-ol	Soil	28 mg/kg
	Marine water	140,9 mg/l
	Fresh water	140,9 mg/l
	Fresh water sediment	552 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	2251 mg/l
	Intermittent use/release	140,9 mg/l

8.2 Exposure controls

Personal protective equipme	ent
Eye protection	 Equipment should conform to EN 166 Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection	
Gloves	: Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374 butyl- rubber (> 0,6 mm; < 240 min); DIN EN374 Viton® (> 0,6 mm; < 240 min); DIN EN374 PE laminate (> 0,1 mm; < 240 min); DIN EN374
Remarks	: Please observe the instructions regarding permeability and

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0	Revision Date: 20.08.2021	SDS Number: MAT000409547 GB / EN	Date of last issue: - Date of first issue: 20.08.2021
	and body protection iratory protection	gloves. Also take i tions under which cuts, abrasion, and Impervious clothin Choose body prote centration of the da Use respiratory pro- ventilation is provid that exposures are	g ection according to the amount and con- angerous substance at the work place. otection unless adequate local exhaust ded or exposure assessment demonstrates within recommended exposure guidelines.
Fil	lter type	Equipment should : Organic vapour typ	conform to EN 14387 be (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	:	liquid colourless solvent-like No data available
Melting point/freezing point	:	-90,0 °C (calculation method (principal components, lowest value))
Boiling point/boiling range	:	83 °C (calculation method (principal components, lowest val- ue))
Flammability	:	Static-accumulating flammable liquid., Combustible Solids
Upper explosion limit / Upper flammability limit	:	12,7 %(V) (calculation method (principal components, highest value))
Lower explosion limit / Lower flammability limit	:	2 %(V) (calculation method (principal components, highest value))
Flash point	:	12 °C
Ignition temperature	:	399 °C (calculation method (principal components, highest value))
Decomposition temperature Decomposition temperature	:	No decomposition if used as directed. Hazardous decomposition products formed under fire condi- tions.
рН	:	Not applicable
Viscosity Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0	Revision Date: 20.08.2021		lumber: 0040954 N	Date of last issue: - 7 Date of first issue: 20.08.2021
	Solubility(ies) Water solubility Solubility in other	solvents	:	immiscible, partly soluble No data available
	Partition coefficien octanol/water	nt: n-	:	log Pow: 0,05 (calculation method (principal components, highest value))
	Vapour pressure		:	42 hPa (calculation method (principal components, highest value)) (20 °C)
	Relative density		:	0,79 (calculation method (principal components, highest value))
	Density		:	0,786 g/cm3
	Relative vapour d	ensity	:	2,07 (calculation method (principal components, lowest value))
				(Air = 1.0)
9.2	2 Other information	1		
	Explosives		:	Not applicable
	Oxidizing properti	es	:	Sustains combustion
	Evaporation rate		:	No data available
VOC		:	(Directi 800 g/l	ve 2004/42/EC)

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.08.2021	MAT000409547 GB / EN	Date of first issue: 20.08.2021

10.5 Incompatible materials

Materials to avoid : Incompatible with strong acids and bases.

10.6 Hazardous decomposition products

Adequate ventilation is required. Heating can release vapours which can be ignited. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified based on available information.

Components:

propan-2-ol: Acute oral toxicity	:	LD50 Oral (Rat): >= 5.840 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): >= 13.900 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation in susceptible persons.

Eye irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product: Remarks

: May cause irreversible eye damage.

Components:

propan-2-ol:	
Result	:

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.08.2021	MAT000409547 GB / EN	Date of first issue: 20.08.2021

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

propan-2-ol:

Assessment

: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

 Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
 Concentrations substantially above the TLV value may cause narcotic effects.
 Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

propan-2-ol:

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0	Revision Date: 20.08.2021		Number: 000409547 EN	Date of last issue: - Date of first issue: 20.08.2021	
Тох	icity to fish	:	LC50 (Fish): > 100 Exposure time: 48		
	icity to daphnia and ot atic invertebrates	her :	LC50 (Daphnia (wa Exposure time: 48		
Тох	icity to microorganism	s :	EC50 (Bacteria): >	1.000 mg/l	
	sistence and degrad	ability			
12.3 Bio	accumulative potent	ial			
<u>Cor</u>	nponents:				
Par	pan-2-ol: tition coefficient: n- anol/water	:	log Pow: 0,05		
	bility in soil data available				
12.5 Res	sults of PBT and vPv	B asse	essment		
Pro	duct:				
Ass	essment	:	to be either persiste	cture contains no components considered ent, bioaccumulative and toxic (PBT), or I very bioaccumulative (vPvB) at levels of	
12.6 End	locrine disrupting pr	opertie	es		
<u>Pro</u>	duct:				
Ass	essment	:	ered to have endoo REACH Article 57(ture does not contain components consid- crine disrupting properties according to f) or Commission Delegated regulation Commission Regulation (EU) 2018/605 at igher.	
12.7 Oth	er adverse effects				
	duct: litional ecological infor- ion	- :	No data available		
SECTIO	SECTION 13: Disposal considerations				
	ste treatment method duct	ds :	cal or used contain	e ponds, waterways or ditches with chemi-	

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0	Revision Date: 20.08.2021	SDS Number: MAT000409547 GB / EN	Date of last issue: - Date of first issue: 20.08.2021
Conta	minated packaging	: Empty remaining of Dispose of as unus Do not re-use empti Do not burn, or use	ed product.
Waste Code		FORMULATION, S (PAINTS, VARNISI ADHESIVES, SEA 08 01 00, wastes fr nish 08 01 11*, waste pa vents or other haza 15 00 00, WASTE CLOTHS, FILTER CLOTHING NOT C 15 01 00, packagin packaging waste) 15 01 10*, packagin by hazardous subs HP3, Flammable	PACKAGING; ABSORBENTS, WIPING MATERIALS AND PROTECTIVE OTHERWISE SPECIFIED g (including separately collected municipal ng containing residues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	UN 1219
ADR	:	UN 1219
RID	:	UN 1219
IMDG	:	UN 1219
ΙΑΤΑ	:	UN 1219
14.2 UN proper shipping name		
ADN	:	ISOPROPANOL
ADR	:	ISOPROPANOL
RID	:	ISOPROPANOL
IMDG	:	ISOPROPANOL
ΙΑΤΑ	:	Isopropanol
14.3 Transport hazard class(es)		
ADN	:	3
ADR	:	3
RID	:	3

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0		DS Number: Date of last issue: AT000409547 Date of first issue: 3 / EN	
IMD	G	: 3	
IATA	N Contraction of the second seco	: 3	
14.4 Pacl	king group		
Clas	ting group sification Code ard Identification Numb	: II : F1 : 33 : 3	
Clas Haza Labe	ting group sification Code ard Identification Numb	: II : F1 : 33 : 3 : (D/E)	
Clas	ting group sification Code ard Identification Numb els	: II : F1 : 33 : 3	
Labe	king group	: II : 3 : F-E, S-D	
Pack aircra Pack	king instruction (LQ)	: 364 : Y341 : II : Flammable Liquids	
Pack ger a Pack	A (Passenger) king instruction (passen aircraft) king instruction (LQ) king group	: 353 : Y341 : II : Flammable Liquids	
14.5 Envi	ironmental hazards		
ADN Envir	ronmentally hazardous	: no	
ADR Envi	ronmentally hazardous	: no	
RID Envii	ronmentally hazardous	: no	
IMD Marii	G ne pollutant	: no	

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.08.2021	MAT000409547 GB / EN	Date of first issue: 20.08.2021

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3 Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	FLA	AMMABLE LIQUIDS
Volatile organic compounds : Directive 2004/42/EC Volatile organic comp		ds (VOC) content: 800 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H225	:	Highly flammable liquid and vapour.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.

Full text of other abbreviations

according to Regulation (EC) No. 1907/2006



MOBIHEL Cleaner for plastics low VOC

Version 1.0	Revision Date: 20.08.2021	 ate of last issue: - ate of first issue: 20.08.2021
	Liq. SE	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.