According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version	Revision Date:	SDS Number:	Date of last issue: 19.02.2021
1.3	05.05.2023	MAT000479334	Date of first issue: 19.05.2020
		GB/EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SPEKTRA Classic Plus

Product code : 47933466

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Building and construction work
stance/Mixture	Professional and consumer use of coatings, Roller application or brushing, Non industrial spraying
	Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company	: Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
Telephone Company	: 386 (1) 722 4383
Telefax Company	: 386 (1) 722 4310
Responsible/issuing person	: 386 (1) 722 4383 productsafety@helios.si

1.4 Emergency telephone number

Call 999 (or 112) for emergency medical attention professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111 consumer: National Health Service (NHS) 24h national number, England & Scotland 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version	Revision Date:	SDS Number:	Date of last issue: 19.02.2021
1.3	05.05.2023	MAT000479334	Date of first issue: 19.05.2020
		GB/EN	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Precautionary statements : P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Waterborne paint
	-	riatorbonno pann

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 specific concentra- tion limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - < 0,025
mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1;	>= 0,0002 - < 0,0015

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version 1.3	Revision Date: 05.05.2023	SDS Number: MAT000479334 GB/EN	Date of last issue: 19.02.2021 Date of first issue: 19.05.2020		
			H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100100 M-Factor (Chronic aquatic toxicity): 100100 specific concentra- tion limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %		

SECTION 4: First aid measures

4.1 Description of first aid measures					
General advice	:	Do not leave the victim unattended.			
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.			
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.			
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.			
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version	Revision Date:	SDS Number:	Date of last issue: 19.02.2021
1.3	05.05.2023	MAT000479334	Date of first issue: 19.05.2020
		GB/EN	

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	:	Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
	Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Avoid contact with skin and eyes. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.			
6.2 Environmental precautions				
Environmental precautions :	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version	Revision Date:	SDS Number:	Date of last issue: 19.02.2021
1.3	05.05.2023	MAT000479334 GB/EN	Date of first issue: 19.05.2020

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling						
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.				
Advice on protection against fire and explosion	:	•				
Hygiene measures	:	General industrial hygiene practice.				
7.2 Conditions for safe storage,	incl	uding any incompatibilities				
Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / work- ing materials must comply with the technological safety stand- ards.				
Advice on common storage	:	No materials to be especially mentioned.				
Further information on stor- age stability	:	No decomposition if stored and applied as directed.				
7.3 Specific end use(s)	7.3 Specific end use(s)					
Specific use(s)	:	For further information, refer to the product technical data sheet.				
		Consult the technical guidelines for the use of this sub- stance/mixture.				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Calcium carbonate	Workers	Inhalation	Long-term local ef- fects	4,26 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1,06 mg/m3
titanium dioxide	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Oral	Long-term systemic effects	700 mg/kg bw/day
1,2-benzisothiazol-	Workers	Inhalation	Long-term systemic	6,81 mg/m3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version	Revision Date:	SDS Number:
1.3	05.05.2023	MAT000479334
		GB/EN

Date of last issue: 19.02.2021 Date of first issue: 19.05.2020

3(2H)-one			effects	
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg bw/day
reaction mass of: 5- chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1)	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg bw/day
	Consumers	Oral	Acute systemic ef- fects	0,11 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Calcium carbonate	Sewage treatment plant	100 mg/l
titanium dioxide	Soil	100 mg/kg dry weight (d.w.)
	Marine water	0,0184 mg/l
	Fresh water	0,184 mg/l
	Marine sediment	100 mg/kg dry weight (d.w.)
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Intermittent use/release	0,193 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Intermittent use/release	0,0011 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg dry weight (d.w.)
	Marine sediment	0,00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	Soil	0,01 mg/kg dry weight (d.w.)
	Marine water	0,00339 mg/l
	Fresh water	0,00339 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

1.3	05.05.2023	MAT000479334 GB/EN	Date of first issue: 19.05.2020
1.3	05.05.2023		Date of first issue: 19.05.2020

Marine sediment	0,027 mg/kg dry weight (d.w.)
Fresh water sediment	0,027 mg/kg dry weight (d.w.)
Sewage treatment plant	0,23 mg/l
Intermittent use/release	0,00339 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection	:	Equipment should conform to EN 166
Gloves	:	Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374 butyl-rubber (> 0,6 mm; < 240 min); DIN EN374 Viton® (> 0,6 mm; < 240 min); DIN EN374 PE laminate (> 0,1 mm; < 240 min); DIN EN374
Remarks	:	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Skin and body protection Respiratory protection	:	Protective suit No personal respiratory protective equipment normally re- quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	 liquid in accordance with the product description No information available. No data available
рН	: No data available
Melting point/freezing point Boiling point/boiling range	 : 0,0 °C (calculation method (principal components, lowest value)) : 100 °C (calculation method (principal components, lowest value))
Flash point	: Not applicable
Flammability (solid, gas)	: Not applicable
Vapour pressure	 23 hPa (calculation method (principal components, highes value)) (20 °C)
Relative density	: 1,63 (calculation method (principal components, highest vaue))

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version 1.3	Revision Date: 05.05.2023	SDS Number: MAT000479334 GB/EN	Date of last issue: 19.02.2021 Date of first issue: 19.05.2020
----------------	------------------------------	--------------------------------------	---

Density	:	1,58 - 1,64 g/cm3
Solubility(ies) Water solubility Solubility in other solvents	:	completely miscible No data available
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
9.2 Other information		

No data available	
VOC	: (Directive 2004/42/EC) 1 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid Conditions to avoid	:	No data available
10.5 Incompatible materials Materials to avoid	:	Incompatible with strong acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

ersion 3	Revision Date: 05.05.2023	SDS Number: MAT000479334 GB/EN	Date of last issue: 19.02.2021 Date of first issue: 19.05.2020
Acute	oral toxicity	: Assessment: single ingestic	The component/mixture is moderately toxic afte
	corrosion/irritation assified based on a	n available information.	
<u>Comp</u>	oonents:		
1,2-b e Resul	enzisothiazol-3(2H t	l)-one: : irritating	
Not cl	us eye damage/ey assified based on a ponents:	e irritation available information.	
1,2-b e Resul	enzisothiazol-3(2H t	l)-one: : Corrosive	
Resp	iratory or skin sen	sitisation	
-	sensitisation assified based on a	available information.	
-	i ratory sensitisatio assified based on a	on available information.	
<u>Comp</u>	oonents:		
1,2-be Resul	enzisothiazol-3(2H t	•	evidence of skin sensitisation in humans
	cell mutagenicity assified based on a	available information.	
	nogenicity assified based on a	available information.	
-	oductive toxicity assified based on a	available information.	
	- single exposure assified based on a	e available information.	
	- repeated expos assified based on a	ure available information.	
-	ation toxicity assified based on a	available information.	
Furth	er information		
Produ	uct:		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version 1.3	Revision Date: 05.05.2023		Number:Date of last issue: 19.02.2021000479334Date of first issue: 19.05.2020N
Rema	arks	:	No data available
SECTION	N 12: Ecological ir	nforma	ation
12.1 Toxic	city		
Com	ponents:		
1,2-b	enzisothiazol-3(2H)	-one:	
Ecoto	oxicology Assessm	ent	
Chror	nic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
react one (ro-2- m	nethyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-
Toxic	ity to fish	:	LC50 (Salvelinus namaycush (lake trout)): >= 10,85 mg/l Exposure time: 96 h
Toxic plants	ity to algae/aquatic s	:	LC50 (algae): >= 0,82 mg/l Exposure time: 48 h
			LC50 (algae): 0,018 mg/l Exposure time: 72 h
M-Fa icity)	ctor (Acute aquatic to	DX- :	100
M-Fa	ctor (Chronic aquatic ty)	:	100
	istence and degrada ata available	ability	
12.3 Bioa	ccumulative potenti	ial	
<u>Com</u>	ponents:		
Partit	enzisothiazol-3(2H) ion coefficient: n- ol/water	-one: :	log Pow: 1,3
	l ity in soil ata available		
12.5 Resu	llts of PBT and vPvI	B asse	ssment
Prod	uct:		
Asses	ssment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

12.6 Other adverse effects

Product:Endocrine disrupting potential:tial:Construction:Additional ecological information:Additional ecological information:Additional ecological information:Additional ecological information:Additional ecological information:Environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
Waste Code	:	08 00 00, WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 01 00, wastes from MFSU and removal of paint and var- nish 08 01 11, waste paint and varnish containing organic solvents or other hazardoussubstances 15 00 00, WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED 15 01 00, packaging (including separately collected municipal packaging waste) 15 01 10, packaging containing residues of or contaminated by hazardoussubstances

SECTION 14: Transport information

14.1 UN number

ADN	Not regu	lated as a dangerous good
ADR	Not regu	lated as a dangerous good
RID	Not regu	lated as a dangerous good
IMDG	Not regu	lated as a dangerous good
ΙΑΤΑ	Not regu	lated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

14.2 UN proper shipping name

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	B Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	Not applicable Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as
	tattoo ink, please contact your ven-

dor.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Zinc pyridinethione (Number on list 30)

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable	
The Persistent Organic Pollutants Regulations (retained	: Not applicable	
Regulation (EU) 2019/1021 as amended for Great Brit- ain)		
Regulation (EC) No 1005/2009 on substances that de-	: Not applicable	
plete the ozone layer UK REACH List of substances subject to authorisation	: Not applicable	
(Annex XIV)		
	lot applicable	
pean Parliament and of the Council on the control of major-accident hazards involving		
dangerous substances.		
, ,	lot applicable	
2015 (COMAH)		
Volatile organic compounds · Directive 2004/42/EC		

Volatile organic compounds : Directive 2004/42/EC Volatile organic compounds (VOC) content: 1 g/l

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.	
H302 :	Harmful if swallowed.	
H310 :	Fatal in contact with skin.	
H314 :	Causes severe skin burns and eye damage.	
H315 :	Causes skin irritation.	
H317 :	May cause an allergic skin reaction.	
H318 :	Causes serious eye damage.	
H330 :	Fatal if inhaled.	
H400 :	Very toxic to aquatic life.	
H410 :	Very toxic to aquatic life with long lasting effects.	
H411 :	Toxic to aquatic life with long lasting effects.	

Full text of other abbreviations

Acute Tox.

Acute toxicity

:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version 1.3	Revision Date: 05.05.2023	SDS Number: MAT000479334 GB/EN	Date of last issue: 19.02.2021 Date of first issue: 19.05.2020	
Aquat	tic Acute	: Short-term (acute	aquatic bazard	
Aquatic Chronic		: Long-term (chronic) aquatic hazard		
Eye Dam.		: Serious eye damage		
Skin (Corr.	: Skin corrosion	-	
Skin Irrit.		: Skin irritation	Skin irritation	

Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Classic Plus

Version Revision Date: SDS Number: 1.3 05.05.2023 MAT000479334 GB/EN Date of last issue: 19.02.2021 Date of first issue: 19.05.2020