

SPEKTRA SUPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.05.2023	MAT000479338	Date of first issue: 17.05.2023
		BE/EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade name	:	SPEKTRA SUPER

Product code : 47933806

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: SU19Building and construction work
stance/Mixture	, PROC10, PROC11 Professional and consumer use of coat-
	ings, Roller application or brushing, Non industrial spraying
	PC9a Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company	: Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
Telephone Company	: 386 (1) 722 4383
Telefax Company	: 386 (1) 722 4310
Responsible/issuing person	: 386 (1) 722 4383 productsafety@helios.si

1.4 Emergency telephone number

BELGISCH ANTIGIFCENTRUM 070 245 245

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Precautionary statements : P101 If medical advice is needed, have product container or label at hand.



SPEKTRA SUPER

	e of last issue: - e of first issue: 17.05.2023
--	----------------------------------------------------

P102 Keep out of reach of children.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Waterborne paint

Components

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 	>= 0,0025 - < 0,025
reaction mass of: 5-chloro-2- me- thyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3- one (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310	>= 0,0002 - < 0,0015
	01-2120764691-48	Skin Corr. 1C; H314	

according to Regulation (EC) No. 1907/2006



SPEKTRA SUPER

rsion)	Revision Date: 17.05.2023	SDS Number: MAT000479338 BE/EN	Date of last issue: - Date of first issue: 17.05.2023
			Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
	tances with a workp	lace exposure limit :	
Talc		14807-96-6 238-877-9 01-21201402	78-58

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear.



SPEKTRA SUPER

Version 1.0	Revision Date: 17.05.2023		Number: 000479338 N	Date of last issue: - Date of first issue: 17.05.2023
			Never give any	c or alcoholic beverages. hing by mouth to an unconscious person. rsist, call a physician.
4.2 Most in None knov	mportant symptoms	and e	effects, both acu	ite and delayed
4.3 Indicat	tion of any immediat	e med	dical attention a	nd special treatment needed
Treatr	ment	:	Treat symptomatically.	
SECTION	I 5: Firefighting me	easur	es	
5.1 Exting	uishing media			
Suitat	ble extinguishing med	ia :	cumstances an	ng measures that are appropriate to local cir- d the surrounding environment. y, alcohol-resistant foam, dry chemical or car-
5.2 Specia	al hazards arising fro	om the	e substance or r	nixture
Speci [:] fightin	fic hazards during fire g	- :	Do not allow run courses.	n-off from fire fighting to enter drains or water
Hazar ucts	dous combustion pro	d- :	No hazardous o	combustion products are known
5.3 Advice	e for firefighters			
	al protective equipme efighters	nt :	Wear self-conta essary.	ined breathing apparatus for firefighting if nec-
Furthe	er information	:	must not be dis Fire residues ar	nated fire extinguishing water separately. This charged into drains. nd contaminated fire extinguishing water must in accordance with local regulations.

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions	 Avoid contact with skin and eyes. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. 		

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	-----------------------------------------------------------------------------------------------------------------------------------



SPEKTRA SUPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.05.2023	MAT000479338 BE/EN	Date of first issue: 17.05.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / work- ing materials must comply with the technological safety stand- ards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s) Specific use(s)	:	For further information, refer to the product technical data sheet.

Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	TLV 8 hr	10 mg/m3	BE OEL
	13403-07-7		TO HIG/HIS	BEUEL
Talc	14807-96-6	TLV 8 hr (Res-	2 mg/m3	BE OEL
		pirable dust)		
		TWA (Respirable	0,1 mg/m3	2004/37/EC

according to Regulation (EC) No. 1907/2006



sion	Revision Date 17.05.2023	e: SDS Nu MAT000 BE/EN		8		e of last issue: - e of first issue: 17.05.20)23
1			dust)		1		
		Further inform		Carcinogens	or mu	utagens	
Limes	stone	1317-65-3	TLV 8			mg/m3	BE OEL
silicic	acid, alumi-	1344-00-9	TLV 8	3 hr (respir-		ng/m3	BE OEL
num s	sodium salt		able f	raction)	(Alu	uminium)	
Deriv	ed No Effect Le	evel (DNEL) a	ccordi	ng to Regula	tion	(EC) No. 1907/2006:	
Subst	ance name	End Use		Exposure rou	ites	Potential health ef- fects	Value
Calciu	um carbonate	Workers		Inhalation		Long-term local ef- fects	4,26 mg/m
		Consumer		Inhalation		Long-term local ef- fects	1,06 mg/m
titaniu	ım dioxide	Workers		Inhalation		Long-term local ef- fects	10 mg/m3
		Consumer		Oral		Long-term systemic effects	700 mg/kg bw/day
Talc		Workers		Inhalation		Acute systemic ef- fects	2,16 mg/m
		Workers		Inhalation		Acute local effects	3,6 mg/m3
		Consumer		Inhalation		Acute systemic ef- fects	1,08 mg/m
		Consumer		Inhalation		Acute local effects	1,8 mg/m3
		Consumer	S	Dermal		Long-term local ef- fects	2,27 mg/cr
		Workers		Dermal		Long-term local ef- fects	4,54 mg/cr
		Consumer		Oral		Long-term systemic effects	160 mg/kg bw/day
		Consumer		Oral		Acute systemic ef- fects	160 mg/kg bw/day
		Workers		Dermal		Long-term systemic effects	43,2 mg/kg bw/day
		Consumer		Dermal		Long-term systemic effects	21,6 mg/kg bw/day
sodiu	acid, aluminum m salt			Inhalation		Long-term local ef- fects	4 mg/m3
1,2-be 3(2H)	enzisothiazol- -one	Workers		Inhalation		Long-term systemic effects	6,81 mg/m
		Workers		Dermal		Long-term systemic effects	0,966 mg/l bw/day
		Consumer		Inhalation		Long-term systemic effects	1,2 mg/m3
		Consumer		Dermal		Long-term systemic effects	0,345 mg/l bw/day
chloro isothia 2-met	on mass of: 5- o-2- methyl-4- azolin-3-one and hyl-2H - azol-3- one (3:1)		ſS	Inhalation		Acute local effects	0,04 mg/m
		Workers		Inhalation		Long-term local ef- fects	0,02 mg/m

according to Regulation (EC) No. 1907/2006



sion	Revision Date: 17.05.2023		lumber)04793			ast issue: - irst issue: 17.05.	2023	
l		Workers		Inhalation	Aci	ite local effects),04 mg/m
		Consume	ers	Inhalation		g-term local ef-),02 mg/m
		Consume	ers	Oral		g-term systemic	b),09 mg/kg w/day
		Consume	ers	Oral	Acu fect	ite systemic ef-),11 mg/kg w/day
Predi	cted No Effect Co	oncentrati	on (PN	EC) accordir	ng to Regu	lation (EC) No.	1907	/2006:
Subst	ance name		Envir	onmental Cor	npartment		Valu	le
	im carbonate			age treatment				mg/l
	m dioxide		Soil	ge acament	plant			mg/kg dry
			••••					ght (d.w.)
			Marir	ne water				84 mg/l
			Fresh	n water				34 mg/l
			Marir	ne sediment			100	mg/kg dry
								ght (d.w.)
			Fresh water sedime				1000	0 mg/kg di
								ght (d.w.)
				age treatment				mg/l
			Interr	mittent use/rel	ease)3 mg/l
Talc			Marine water				,26 mg/l	
				n water				,97 mg/l
			Marir	ne sediment			weig	3 mg/kg dr ght (d.w.)
			Fresh	n water sedim	ent		weig	33 mg/kg d ght (d.w.)
				nittent use/rel	ease		597,	,97 mg/l
1,2-be	enzisothiazol-3(2H)-one		n water)403 mg/l
				mittent use/rel	ease)11 mg/l
				ne water)0403 mg/l
				age treatment				3 mg/l
			Fresh	n water sedim	ent			l99 mg/kg ght (d.w.)
			Marir	ne sediment			-)499 mg/kg weight (d.)
			Soil				3 mg weig	g/kg dry ght (d.w.)
methy	on mass of: 5-chlo /I-4-isothiazolin-3-(hyl-2H -isothiazol-	one and	Soil				0,01	mg/kg dry ght (d.w.)
()			Marir	ne water			0,00)339 mg/l
				n water)339 mg/l
				ne sediment			0,02	27 mg/kg d ght (d.w.)
			Fresh	n water sedim	ent		0,02	27 mg/kg d ght (d.w.)
			Sewa	age treatment	plant			8 mg/l
				nittent use/rel)339 mg/l

according to Regulation (EC) No. 1907/2006



SPEKTRA SUPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.05.2023	MAT000479338 BE/EN	Date of first issue: 17.05.2023

8.2 Exposure controls

Personal protective equipment Eye/face protection	t Equipment should conform to EN 166
Hand protection	
Gloves	Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374
Remarks	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Skin and body protection	Protective suit
Respiratory protection	No personal respiratory protective equipment normally re- quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	in accordance with the product description
Odour	:	No information available.
Odour Threshold	:	No data available
Melting point/freezing point	:	0,0 °C (calculation method (principal components, lowest val- ue))
Boiling point/boiling range	:	100 °C (calculation method (principal components, lowest value))
Flammability	:	Not applicable
Flash point	:	Not applicable
рН	:	No data available
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		

according to Regulation (EC) No. 1907/2006



SPEKTRA SUPER

Version 1.0	Revision Date: 17.05.2023		lumber: 00479338 I	Date of last issue: - Date of first issue: 17.05.2023
W	ater solubility	:	completely miscible	
S	olubility in other solver	nts :	No data available	
	ion coefficient: n- ol/water	:	No data available	
Relat	ive density	:	5,50 (calculation me ue))	ethod (principal components, highest val-
Dens	ity	:	1,64 - 1,68 g/cm3	
9.2 Other	information			
No da	ata available			
SECTION 10: Stability and rea			/ity	

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available

10.5 Incompatible materials

Materials to avoid : Incompatible with strong acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity

: Assessment: The component/mixture is moderately toxic after single ingestion.

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 17.05.2023	SDS Number: MAT000479338 BE/EN	Date of last issue: - Date of first issue: 17.05.2023
Skin o	corrosion/irritatior	1	
Not cl	assified based on a	vailable information.	
Comp	oonents:		
1,2-be	enzisothiazol-3(2H)-one:	
Resul	t	: irritating	
	us eye damage/ey assified based on a	e irritation vailable information.	
<u>Comp</u>	oonents:		
1,2-be	enzisothiazol-3(2H)-one:	
Resul	t	: Corrosive	
Respi	iratory or skin sen	sitisation	
Skin s	sensitisation		
Not cl	assified based on a	vailable information.	
-	i ratory sensitisatic assified based on a	on vailable information.	
<u>Comp</u>	oonents:		
1,2-be	enzisothiazol-3(2H)-one:	
Resul	t	: Probability or	evidence of skin sensitisation in humans
	cell mutagenicity assified based on a	vailable information.	
	nogenicity assified based on a	vailable information.	
-	oductive toxicity assified based on a	vailable information.	
	• single exposure assified based on a	vailable information.	
	- repeated exposition assified based on a	ure vailable information.	
-	ation toxicity assified based on a	vailable information.	
11.2 Inform	mation on other ha	zards	
Endo	crine disrupting p	roperties	
<u>Produ</u> Asses	<u>uct:</u> sment		e/mixture does not contain components consident of the consident of the consident of the constant of the const

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 17.05.2023		Number: 000479338 N	Date of last issue: - Date of first issue: 17.05.2023		
				57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.		
Furth	er information					
Produ	uct:					
Rema	arks	:	No data available			
SECTION	12: Ecological inf	orma	ation			
12.1 Toxic	city					
Com	oonents:					
1,2-b	enzisothiazol-3(2H)-	one:				
Ecoto	oxicology Assessme	nt				
Chror	nic aquatic toxicity	:	Toxic to aquation	c life with long lasting effects.		
react one (o-2- n	nethyl-4-isothiaz	zolin-3-one and 2-methyl-2H -isothiazol-3-		
Toxic	ity to fish	:	LC50 (Salvelini Exposure time:	us namaycush (lake trout)): >= 10,85 mg/l 96 h		
	Toxicity to algae/aquatic:LC50 (algae): >= 0,82 mg/lplantsExposure time: 48 h					
			LC50 (algae): 0 Exposure time:			
M-Fae icity)	ctor (Acute aquatic to)	k- :	100			
M-Fa toxicit	ctor (Chronic aquatic ty)	:	100			
	i stence and degrada ata available	bility				
12.3 Bioa	ccumulative potentia	al				
Com	oonents:					
Partit	enzisothiazol-3(2H)-o ion coefficient: n- ol/water		log Pow: 1,3			
	lity in soil ata available					
			11 / 16			



SPEKTRA SUPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.05.2023	MAT000479338 BE/EN	Date of first issue: 17.05.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Hamiliu to aquatic life with long lasting effects.	Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
----------------------------------------------------	----------------------------------------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 13: Disposal considerations

13.1 Waste treatment methods					
Product	:	The product should not be allowed to enter drains, water courses or the soil.			
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.			
Waste Code	:	08 00 00, WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 01 00, wastes from MFSU and removal of paint and var- nish 08 01 11, waste paint and varnish containing organic solvents or other hazardoussubstances 15 00 00, WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED 15 01 00, packaging (including separately collected municipal packaging waste) 15 01 10, packaging containing residues of or contaminated by hazardoussubstances			



SPEKTRA SUPER

Version Revisio	on Date: SDS Nu	umber: E	Date of last issue: -
1.0 17.05.2	2023 MAT00 BE/EN	0479338 E	Date of first issue: 17.05.2023

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental bazards		

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.



SPEKTRA SUPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.05.2023	MAT000479338	Date of first issue: 17.05.2023
		BE/EN	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisl	ation specific for the substance or mix-
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	 Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor. Zinc pyridinethione (Number on list 30)
	,
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not applicable
Volatile organic compounds : Directive 2004/42/E0 Volatile organic com	C pounds (VOC) content: 9 g/l
15.2 Chamical actaty accomment	

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006



SPEKTRA SUPER

Version 1.0	Revision Date: 17.05.2023		Number: 00479338 N	Date of last issue: - Date of first issue: 17.05.2023	
H315 H317 H318 H330 H400 H410 H411 EUH071 Full text of other abbrevi			 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract. 		
Full te		ations			
Aquatio	• • • •	:	Acute toxicity Short-term (acute) aquatic hazard		
Aquatic Chronic		:	Long-term (chronic) aquatic hazard		
Eye Dam.		:	Serious eye damage		
Skin Corr.		:	Skin corrosion		
Skin Irrit. Skin Sens.		:	Skin irritation Skin sensitisation		
2004/3		:	 Europe. Directive 2004/37/EC on the protection of work from the risks related to exposure to carcinogens or mu at work 		
BE OEL:Belgium. Occupational exposure limit values2004/37/EC / TWA:Long term exposure limitBE OEL / TLV 8 hr:Long term exposure limit			limit		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -



SPEKTRA SUPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	17.05.2023	MAT000479338 BE/EN	Date of first issue: 17.05.2023

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.