according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Version	Revision Date:	SDS Number:	Date of last issue: 18.08.2020
1.2	19.03.2021	MAT000477093 GB / EN	Date of first issue: 17.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product code	:	47709303
Trade name	:	TESSAROL VARNISH FOR BOATS
Unique Formula Identifier (UFI)	:	3CC0-E0M4-F00S-5TTR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: SU19 Building and construction work
stance/Mixture	Professional and consumer use of coatings, Roller application
	or brushing, Non industrial spraying
	PC9a Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company	: Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia	
Telephone Company	: 386 (1) 722 4383	
Telefax Company	: 386 (1) 722 4310	
Responsible/issuing person	: 386 (1) 722 4383 productsafety@helios	.si

1.4 Emergency telephone number

Call 999 (or 112) for emergency medical attention professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111 consumer: National Health Service (NHS) 24h national number, England & Scotland 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Flammable liquids, Category 3	H226: Flammable liquid and vapour.			
Specific target organ toxicity - single ex-	H336: May cause drowsiness or dizziness.			



TESSAROL VARNISH FOR BOATS

Version	Revision Date:	SDS Number:	Date of last issue: 18.08.2020
1.2	19.03.2021	MAT000477093	Date of first issue: 17.08.2020
		GB / EN	

posure, Category 3, Central nervous system

2.2 Label elements

Labelling (REGULATION (EC) Hazard pictograms :) No 127			
Signal word :	Warni	ng		
Hazard statements :	H226 H336			
Precautionary statements :	P101 label a P102	If medical advice is needed, have product container or at hand. Keep out of reach of children.		
	Preve	ntion:		
	P210 flames P271	and other ignition sources. No smoking.		
	Resp	onse:		
		+ P378 In case of fire: Use dry sand, dry chemical or ol-resistant foam to extinguish.		
	Stora	Storage:		
	P405	Store locked up.		
	Dispo	Disposal:		
	P501 dispos	Dispose of contents/ container to an approved waste al plant.		

Hazardous components which must be listed on the label:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics 1-methoxy-2-propanol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Version	Revision Date:	SDS Number:	Date of last issue: 18.08.2020
1.2	19.03.2021	MAT000477093	Date of first issue: 17.08.2020
		GB / EN	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		· · · ·
	Registration number		
hydrocarbons, C9-C11, n-alkanes,	64742-48-9	Flam. Liq. 3; H226	>= 30 - < 50
isoalkanes, cyclic, <2% aromatics	919-857-5	STOT SE 3; H336	
	01-2119463258-33	(Central nervous	
		system)	
		Asp. Tox. 1; H304	
1-methoxy-2-propanol	107-98-2	Flam. Liq. 3; H226	>= 1 - < 10
	203-539-1	STOT SE 3; H336	
	603-064-00-3	(Central nervous	
	01-2119457435-35	system)	
hydrocarbons, C10-C13 n-	-	Asp. Tox. 1; H304	>= 1 - < 10
alkanes, isoalkanes, cyclic, <2%			
aromatics			
	01-2119457273-39		
2-ethylhexanoic acid, zirconium	22464-99-9	Repr. 2; H361d	>= 0,1 - < 1
salt	245-018-1		
	01-2119979088-21		

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



TESSAROL VARNISH FOR BOATS

Version 1.2	Revision Date: 19.03.2021		Number: 000477093 EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
				sist, call a physician. ediately to hospital.
4.2 Mos	t important symptoms	s and o	effects, both acut	e and delayed
Ris	ks	:	May cause drows	siness or dizziness.
			May cause drows	siness or dizziness.
	-	te me	dical attention an	d special treatment needed
Tre	atment	:	Treat symptomat	ically.
SECTIO	ON 5: Firefighting m	easur	es	
5.1 Exti	nguishing media			
Sui	table extinguishing mec	lia :	Alcohol-resistant Carbon dioxide (Dry chemical	
Uns me	suitable extinguishing dia	:	High volume wat	er jet
5.2 Spe	cial hazards arising fr	om the	e substance or m	ixture
	ecific hazards during fire	ə- :	Do not allow run- courses.	off from fire fighting to enter drains or water
Haz ucts	-	od- :	No hazardous co	mbustion products are known
5.3 Adv	ice for firefighters			
•	ecial protective equipme firefighters	ent :	In the event of fir	e, wear self-contained breathing apparatus.
Fur	ther information	:	must not be disc Fire residues and be disposed of in For safety reason rately in closed of	ated fire extinguishing water separately. This harged into drains. d contaminated fire extinguishing water must accordance with local regulations. hs in case of fire, cans should be stored sepa- ontainments. by to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions,	protective equipment and emergency procedures
Personal precautions	: Use personal protective equipment.

iai productions	•	
		Remove all sources of ignition.
		Evacuate personnel to safe areas.

according to Regulation (EC) No. 1907/2006





Version 1.2	Revision Date: 19.03.2021		Number: 000477093 EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
			•	accumulating to form explosive concentra- accumulate in low areas.
6.2 Environmental precautions Environmental precautions :			age or spillage if safe to do so. ninates rivers and lakes or drains inform	
6.3 Method	s and material for	contai	inment and cleaning	up
Metho	ds for cleaning up	:	sorbent material, (e.	d then collect with non-combustible ab- g. sand, earth, diatomaceous earth, ver- n container for disposal according to local s (see section 13).

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	No smoking. Keep container tightly closed in a dry and well-
areas and containers		ventilated place. Containers which are opened must be care-

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Vers 1.2	sion	Revision Date: 19.03.2021		Number: 000477093 EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
				label precauti	and kept upright to prevent leakage. Observe ons. Electrical installations / working materials with the technological safety standards.
	Furthe age sta	r information on stor ability	r- : No decomp		sition if stored and applied as directed.
7.3 Specific end use(s)					
	Specifi	c use(s)	:	For further inf sheet.	ormation, refer to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
1-methoxy-2- propanol	107-98-2	TWA	100 ppm 375 mg/m3	2000/39/EC
	Further inform skin, Indicativ		possibility of significant uptak	e through the
		STEL	150 ppm 568 mg/m3	2000/39/EC
	Further inform skin, Indicativ		possibility of significant uptak	e through the
		TWA	100 ppm 375 mg/m3	GB EH40
		nose for which there	bed through the skin. The as are concerns that dermal abs	
		STEL	150 ppm 560 mg/m3	GB EH40
		nose for which there	bed through the skin. The as are concerns that dermal abs	•
2-ethylhexanoic acid, zirconium salt	22464-99-9	TWA	5 mg/m3 (Zirconium)	GB EH40
		STEL	10 mg/m3 (Zirconium)	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
1-methoxy-2-propanol	Workers	Inhalation	Long-term systemic effects	369 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	553,5 mg/m3
	Workers	Inhalation	Acute local effects	553,5 mg/m3
	Workers	Inhalation	Long-term systemic	43,9 mg/m3

according to Regulation (EC) No. 1907/2006



3,25 mg/kg bw/day

TESSAROL VARNISH FOR BOATS

Versior 1.2	n Revision Date: 19.03.2021	SDS Number MAT0004770 GB / EN	-	Date of last issue: 18.08.20 Date of first issue: 17.08.20	-
Í				effects	
		Workers	Dermal	Long-term systemic effects	183 mg/kg bw/day
		Consumers	Dermal	Long-term systemic effects	78 mg/kg bw/day
		Consumers	Oral	Long-term systemic effects	33 mg/kg bw/day
	ethylhexanoic acid, rconium salt	Workers	Inhalation	Long-term systemic effects	32 mg/m3
		Consumers	Inhalation	Long-term systemic effects	8 mg/m3
		Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day
		Workers	Dermal	Long-term systemic effects	6,49 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Dermal

Long-term systemic

effects

Consumers

Substance name	Environmental Compartment	Value
1-methoxy-2-propanol	Soil	4,59 mg/kg dry
		weight (d.w.)
	Marine water	1 mg/l
	Fresh water	10 mg/l
	Marine sediment	5,2 mg/kg dry
		weight (d.w.)
	Fresh water sediment	52,3 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	100 mg/l
	Intermittent use/release	100 mg/l
2-ethylhexanoic acid, zirconium	Soil	1,06 mg/kg dry
salt		weight (d.w.)
	Marine water	0,036 mg/l
	Fresh water	0,36 mg/l
	Marine sediment	0,637 mg/kg dry
		weight (d.w.)
	Fresh water sediment	6,37 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	71,7 mg/l
	Intermittent use/release	0,493 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection	: Safety glasses with side-shields conforming to EN166
Hand protection Directive	: Equipment should conform to EN 374
Material Rate of permeability Protective index	: Viton® : > 480 min : Class 6

according to Regulation (EC) No. 1907/2006

TESSAROL VARNISH FOR BOATS



Version 1.2	Revision Date: 19.03.2021		Number: 00477093 EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
R P	aterial ate of permeability rotective index love thickness	:	PVA > 480 min Class 6 > 0,5 mm	
Remarks		:	 The choice of an appropriate glove does not only dependits material but also on other quality features and is different from one producer to the other. The obtained break through times according to EN 374 F III are not measured under normal operating conditions. Therefore a maximum usage time of 50% of the break through time is recommended. Gloves should be discard and replaced if there is any indication of degradation or chemical breakthrough. Nitrile gloves are not suitable. Ta note of the information given by the producer concerning permeability, degradation and break through times, and special work 	
Skin	and body protection	:	Long sleeved clothin Safety shoes	g
Resp	iratory protection	:	No personal respirat quired.	ory protective equipment normally re-
Prote	ective measures	:		er handling. kin, eyes and clothing. d, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	in accordance with the product description
Odour	:	solvent-like
Odour Threshold	:	No data available
Melting point/freezing point	:	0,0 °C (calculation method (principal components, lowest value))
Boiling point/boiling range	:	100 °C (calculation method (principal components, lowest value))
Flammability	:	Static-accumulating flammable liquid., Combustible Solids
Upper explosion limit / Upper flammability limit	:	6 %(V) (calculation method (principal components, highest value))

according to Regulation (EC) No. 1907/2006





Version 1.2	19.03.2021 I	SDS Numbo MAT000477 GB / EN		Date of last issue: 18.08.2020 3 Date of first issue: 17.08.2020
	Lower explosion limit / Lower flammability limit		:	0,7 %(V) (calculation method (principal components, highest value))
	Flash point		:	43 °C (calculation method (principal components, lowest value))
				40 °C
	Decomposition temp Decomposition temp		:	No decomposition if stored and applied as directed. Hazardous decomposition products formed under fire condi- tions.
	рН		:	No data available
	Viscosity Viscosity, kinematic		:	> 20,5 mm2/s (40 °C)
	Flow time		:	> 60 s at 23 °C Cross section: 6 mm Method: ISO 2431
	Solubility(ies) Water solubility		:	insoluble
	Solubility in other so	olvents	:	Description: miscible with most organic solvents
	Partition coefficient: octanol/water	n-	:	No data available
	Relative density		:	78,09 (calculation method (principal components, highest value))
	Density		:	0,90 - 0,93 g/cm3
9.2	Other information			
	Explosives		:	Not applicable
	Oxidizing properties		:	Sustains combustion
VOC		: (Dire 400		ive 2004/42/EC)

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Version 1.2	Revision Date: 19.03.2021	SDS Number: MAT000477093 GB / EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions :	:	No decomposition if stored and applied as directed.
-----------------------	---	---

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid

: Strong oxidizing agents

10.6 Hazardous decomposition products

Adequate ventilation is required. Heating can release vapours which can be ignited. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

-. -----

hydrocarbons, C9-C11, n-alk	kan	es, isoalkanes, cyclic, <2% aromatics:
Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg
1-methoxy-2-propanol:		
Acute oral toxicity	:	LD50 Oral (Rabbit): > 2.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg
hydrocarbons, C10-C13 n-al	kar	nes, isoalkanes, cyclic, <2% aromatics:
Acute oral toxicity	:	LD50 Oral (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 5.000 mg/l
		10 / 20

according to Regulation (EC) No. 1907/2006





2	19.03.2021	SDS Number: MAT000477093 GB / EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
		Test atmosphe Method: OECI	ere: vapour D Test Guideline 403
Acute	dermal toxicity	: LD50 Dermal Method: OECI	(Rabbit, male and female): > 5.000 mg/kg D Test Guideline 402
Skin d	corrosion/irritation		
Not cla	assified based on a	vailable information.	
<u>Produ</u>	<u>ict:</u>		
Rema	rks	: May cause ski	n irritation and/or dermatitis.
<u>Comp</u>	oonents:		
-		n-alkanes, isoalkanes	s, cyclic, <2% aromatics:
Speci		: Rabbit	
Metho Result		: OECD Test G : No skin irritatio	
GLP	ι	: yes	/11
Resul	t	: Repeated exp	osure may cause skin dryness or cracking.
	us eye damage/ey assified based on a	e irritation vailable information.	
Produ	ıct:		
Rema		: Vapours may and the skin.	cause irritation to the eyes, respiratory system
<u>Comp</u>	oonents:		
hydro	carbons, C10-C13	n-alkanes, isoalkanes	s, cyclic, <2% aromatics:
Specie	es	: Rabbit	
Metho		: OECD Test G	
Resul	t	: No eye irritatio	n
Respi	ratory or skin sen	sitisation	
	sensitisation		
		vailable information.	
-	ratory sensitisation assified based on a	n vailable information.	
<u>Prodι</u> Rema		: Causes sensit	ination
Reilla	IKS	. Causes sensit	
<u>Comp</u>	oonents:		
hydro	carbons, C10-C13	n-alkanes, isoalkanes	s, cyclic, <2% aromatics:
		11/2	0

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

	Revision Date: 19.03.2021		lumber: 00477093 N	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
Expo Speci Metho Resu	bd		Skin contact Guinea pig OECD Test Gu Not a skin sens	
	cell mutagenicity lassified based on a	vailable i	nformation.	
<u>Com</u>	ponents:			
-	ocarbons, C10-C13 toxicity in vitro			cyclic, <2% aromatics:
Geno	toxicity in vivo	:	Result: negative	9
	i nogenicity lassified based on a	vailable i	nformation.	
Com	ponents:			
hydro	ocarbons, C10-C13	n-alkan	es, isoalkanes,	cyclic, <2% aromatics:
Resu	lt	:	negative	
•	oductive toxicity lassified based on a	vailable i	nformation.	
Not c	•	vailable i	nformation.	
Not c <u>Com</u>	lassified based on a ponents:			cyclic, <2% aromatics:
Not c Com	lassified based on a ponents:	n-alkan	es, isoalkanes,	relopmental toxicity tests did not reveal any
Not c <u>Com</u> hydro Effect ment	lassified based on a ponents: ocarbons, C10-C13	n-alkan	es, isoalkanes, Fertility and dev effect on reproc	velopmental toxicity tests did not reveal any
Not c Com hydro Effect ment 2-eth	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As	n-alkan : : rconium	es, isoalkanes, Fertility and dev effect on reproc	of adverse effects on development, based on
Not c Com hydro Effect ment 2-eth Repro sessr STOT	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent Γ - single exposure	rconium	es, isoalkanes, Fertility and dev effect on reproc salt: Some evidence animal experim	of adverse effects on development, based on
Not c Com hydro Effect ment 2-eth Repro sessr STOT May o	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent T - single exposure cause drowsiness or	rconium	es, isoalkanes, Fertility and dev effect on reproc salt: Some evidence animal experim	of adverse effects on development, based on
Not c Com hydro Effect ment 2-eth Repro sessr STOT May o Com	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent F - single exposure cause drowsiness or ponents:	n-alkan rconium s-	es, isoalkanes, Fertility and dev effect on reproc salt: Some evidence animal experim	of adverse effects on development, based on ents.
Not c Com hydro Effect ment 2-eth Repro sessr STOT May c Com hydro	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent F - single exposure cause drowsiness or ponents:	n-alkan rconium s-	es, isoalkanes, Fertility and dev effect on reproc salt: Some evidence animal experim ss.	of adverse effects on development, based on
Not c Com hydro Effect ment 2-eth Repro sessr STOT May o Com hydro Asses	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent Γ - single exposure cause drowsiness or ponents: ocarbons, C9-C11,	n-alkan rconium s-	es, isoalkanes, Fertility and dev effect on reproc salt: Some evidence animal experim ss.	of adverse effects on development, based on ents.
Not c Com hydro Effect ment 2-eth Reprosessor STOT May c Com hydro Asses 1-me	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent r - single exposure cause drowsiness or ponents: ocarbons, C9-C11, ssment	n-alkan rconium s-	es, isoalkanes, Fertility and dev effect on reproc salt: Some evidence animal experim ss. es, isoalkanes, May cause drov	of adverse effects on development, based on ents.
Not c Com hydro Effect ment 2-eth Repro sessr STOT May c Com hydro Asses 1-me Asses	lassified based on a ponents: ocarbons, C10-C13 ts on foetal develop- ylhexanoic acid, zi oductive toxicity - As nent T - single exposure cause drowsiness or ponents: ocarbons, C9-C11, ssment thoxy-2-propanol: ssment	n-alkan rconium - dizzines n-alkane	es, isoalkanes, Fertility and development effect on reprod salt: Some evidence animal experim ss. es, isoalkanes, May cause drow	<pre>velopmental toxicity tests did not reveal any luction. of adverse effects on development, based on ents. cyclic, <2% aromatics: vsiness or dizziness.</pre>

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Version	Revision Date:	SDS Number:	Date of last issue: 18.08.2020
1.2	19.03.2021	MAT000477093	Date of first issue: 17.08.2020
		GB / EN	

STOT - repeated exposure

Not classified based on available information.

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Remarks : Based on available data, the classification criteria are not met.

Aspiration toxicity

Not classified based on available information.

Components:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics: May be fatal if swallowed and enters airways.

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

 Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
 Concentrations substantially above the TLV value may cause narcotic effects.
 Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics:

Toxicity to fish

: LC50 (Fish): > 1.000 mg/l Exposure time: 96 h

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Versio 1.2	on	Revision Date: 19.03.2021		Number: 00477093 EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
		to daphnia and oth invertebrates	ier :	LC50 (Daphnia (wate	er flea)): > 1.000 mg/l
	1-meth Toxicity	oxy-2-propanol: to fish	:	LC50 (Fish): > 1.000 Exposure time: 96 h	mg/l
		to daphnia and oth invertebrates	ier :	LC50 (Daphnia (wate	er flea)): > 1.000 mg/l
	Toxicity plants	to algae/aquatic	:	LC50 (algae): > 1.00	0 mg/l
	h ydroc Toxicity	-	n-alkar :	es, isoalkanes, cycli LC50 (Oncorhynchus Exposure time: 96 h Method: OECD Test	s mykiss (rainbow trout)): > 1.000 mg/l
		to daphnia and oth invertebrates	ier :	EC50 : > 1.000 mg/l Exposure time: 48 h Method: OECD Test	Guideline 202
	Toxicity plants	to algae/aquatic	:	NOEC (Pseudokirch mg/l Exposure time: 72 h Method: OECD Test	neriella subcapitata (microalgae)): 1.000 Guideline 201
				EC50 (Pseudokirchn mg/l Exposure time: 72 h Method: OECD Test	eriella subcapitata (microalgae)): > 1.000 Guideline 201
	Toxicity city)	to fish (Chronic tox	(- :	NOELR: 0,10 mg/l Exposure time: 28 d Species: Oncorhynch	nus mykiss (rainbow trout)
a		to daphnia and oth invertebrates (Chro ty)		NOELR: 0,18 mg/l Exposure time: 21 d Species: Daphnia (w	ater flea)
40.01	.		L 1114		

12.2 Persistence and degradability

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:				
Biodegradability	:	Result: Readily biodegradable. Biodegradation: 80 % Exposure time: 28 d Method: OECD Test Guideline 301F		

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

GB / EN	Version 1.2	Revision Date: 19.03.2021	SDS Number: MAT000477093 GB / EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
---------	----------------	------------------------------	--	---

12.3 Bioaccumulative potential

Components:

1-methoxy-2-propanol:

Partition coefficient: n- : log Pow: -0,437 octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

Components:

hydrocarbons, C10-C13 n-alkanes, isoalkanes, cyclic, <2% aromatics:

Assessment	:	This substance is not considered to be persistent, bioaccumu-
		lating and toxic (PBT)

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components ered to have endocrine disrupting properties accordin REACH Article 57(f) or Commission Delegated regula (EU) 2017/2100 or Commission Regulation (EU) 2017/2100 levels of 0.1% or higher.
--

12.7 Other adverse effects

_		-	
D	-	4	~ +.
г	ιU	uu	ct:

Additional ecological infor-	:	No data available
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents.



TESSAROL VARNISH FOR BOATS

Version 1.2	Revision Date: 19.03.2021	SDS Number: MAT000477093 GB / EN	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
		Dispose of as unu Do not re-use emp Do not burn, or us	•
Waste	Code	: 08 01 11, waste pa or other hazardous	aint and varnish containing organic solvents s substances

SECTION 14: Transport information

14.1 UN number or ID number

:	UN 1263 UN 1263 UN 1263 UN 1263
:	UN 1263
-	
:	LINI 4060
	UN 1203
:	UN 1263
:	PAINT
:	3
:	3
:	3
:	3
:	3
	III F1 30 3
	III F1 30 3 (D/E)

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Version 1.2	Revision Date: 19.03.2021	SDS Nu MAT000 GB / EN	0477093	Date of last issue: 18.08.2020 Date of first issue: 17.08.2020
Clas	king group sification Code ard Identification Numb els	: F	 = 1 30 3	
Labe	king group	: II : 3 : F		
Pack aircr Pack	king instruction (LQ) king group	: Y : II	366 /344 II Flammable Liquids	
Pack ger a Pack	A (Passenger) king instruction (passe aircraft) king instruction (LQ) king group els	: Y : II	355 (344 II Flammable Liquids	
14.5 Env	ironmental hazards			
ADN Envi ADR	ronmentally hazardous	: : n	10	
	ronmentally hazardous	: : n	10	
RID Envi	ronmentally hazardous	; : n	10	
IMD Mari	G ne pollutant	: n	10	
14.6 Spe	cial precautions for u	ser		
Rem	narks	g II g	goods/merchandise (MDG: Packages sm	ller than or equal to 450 litres, not of Class 3 (exemption ADR 2.2.3.1.5) aller than or equal to 450 litres, not of Class 3; "transport acc. IMDG-code
Tho	transport alogaification	(c) provid	dad barain ara far in	formational purposes only, and solely

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



TESSAROL VARNISH FOR BOATS

Vers 1.2	ion	Revision Date: 19.03.2021	SDS Number: MAT000477093 GB / EN			e of last issue: 18.08.2020 e of first issue: 17.08.2020
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
						benzene (Number on list 72, 5, 29, 28)
		H - Candidate List on for Authorisation	of Substances of Very (Article 59).	/ High	:	Not applicable
	REACH (Annex		es subject to authoris	ation	:	Not applicable
		tion (EC) No 1005/ ne ozone layer	2009 on substances	that de-	:	Not applicable
	Regula tants (r		1 on persistent orgar	nic pollu-	:	Not applicable
	ment a		012 of the European cerning the export an		:	Not applicable
	pean P control	o III: Directive 2012 arliament and of th of major-accident I ous substances.		P5c	FLA	AMMABLE LIQUIDS
				34	and (inc (inc hea stre alte purj ties env	roleum products: (a) gasolines I naphthas, (b) kerosenes Iuding jet fuels), (c) gas oils Iuding diesel fuels, home ting oils and gas oil blending eams),(d) heavy fuel oils (e) rnative fuels serving the same poses and with similar proper- as regards flammability and ironmental hazards as the ducts referred to in points (a) d)
	Volatile	e organic compound				ds (VOC) content: 400 g/l

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

according to Regulation (EC) No. 1907/2006



TESSAROL VARNISH FOR BOATS

Version	Revision Date:	SDS Number:	Date of last issue: 18.08.2020
1.2	19.03.2021	MAT000477093	Date of first issue: 17.08.2020
		GB / EN	

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226 H304 H336 H361d	:	Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Suspected of damaging the unborn child.
Full text of other abbreviatio	ns	
Asp. Tox.	:	Aspiration hazard
Flam. Liq.	:	Flammable liquids
Repr.	:	Reproductive toxicity
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
GB EH40	•	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;



TESSAROL VARNISH FOR BOATS

Version 1.2	Revision Date: 19.03.2021	SDS Number: MAT000477093	Date of last issue: 18.08.2020
1.2	19.03.2021	GB / EN	Date of first issue: 17.08.2020

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixture

Classification of the mixtur	e:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.