according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	MAT000402545 IE/EN	Date of first issue: 14.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: TESSAROL THINNER
Product code	: 40254511

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Professional and consumer use of coatings
stance/Mixture	PC9a Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company	: Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
Telephone Company	: 386 (1) 722 4383
Telefax Company	: 386 (1) 722 4310
Responsible/issuing person	: 386 (1) 722 4383 productsafety@helios.si

1.4 Emergency telephone number

- 01 809 2166 National Poisons Information Centre 01 809 2166
- 01 809 2566 Healtcare Professionals 01 809 2566
- 01 809 2566 Healtcare Professionals 01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H226: Flammable liquid and vapour. H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023		Number: 000402545 N	Date of last issue: - Date of first issue: 14.11.2023
Haza	rd pictograms	:		
Signa	al word	:	Danger	•
Haza	rd statements	:	H304 May be fatal i	quid and vapour. f swallowed and enters airways. rowsiness or dizziness.
Preca	autionary statements	:	label at hand.	vice is needed, have product container or each of children.
			Prevention:	
			flames and other ignit	om heat, hot surfaces, sparks, open ion sources. No smoking. loors or in a well-ventilated area.
			CENTER/ doctor. P331 Do NOT indu	se of fire: Use dry sand, dry chemical or
			Storage: P405 Store locked	up.
			Disposal: P501 Dispose of co disposal plant.	ontents/ container to an approved waste

Hazardous components which must be listed on the label:

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics n-butyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	MAT000402545 IE/EN	Date of first issue: 14.11.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Paint related material

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
hydrocarbons, C9-C11, n-alkanes,	-	Flam. Liq. 3; H226	>= 90 - <= 100
isoalkanes, cyclic, <2% aromatics		STOT SE 3; H336	
	919-857-5	(Central nervous	
	01-2119463258-33	system)	
		Asp. Tox. 1; H304	
n-butyl acetate	123-86-4	Flam. Liq. 3; H226	>= 1 - < 10
	204-658-1	STOT SE 3; H336	
	607-025-00-1	(Central nervous	
	01-2119485493-29	system)	
		EUH066	
		1	1

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Versio 1.0	n Revision Date: 14.11.2023	SDS Number: MAT00040254 IE/EN	Date of last issue: - 5 Date of first issue: 14.11.2023		
	ost important sympton isks	: May be May cau May be	effects, both acute and delayed May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.		
	dication of any immed reatment	: Treat sy	ntion and special treatment needed mptomatically. mptomatically.		
SECT	SECTION 5: Firefighting measures				
	tinguishing media uitable extinguishing m		resistant foam dioxide (CO2) mical		
	nsuitable extinguishing edia	: High vo	lume water jet		

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa- rately in closed containments. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
		Remove all sources of ignition.

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN	Date of last issue: - Date of first issue: 14.11.2023		
		Beware of vapo	onnel to safe areas. ours accumulating to form explosive concentra- can accumulate in low areas.		
6.2 Enviro	onmental precautio	ns			
	onmental precaution	s : Prevent produc Prevent further If the product co	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3 Metho	ds and material for	containment and clea	ning up		
Meth	ods for cleaning up	sorbent materia miculite) and pl	e, and then collect with non-combustible ab- al, (e.g. sand, earth, diatomaceous earth, ver- ace in container for disposal according to local ations (see section 13).		
See section	ence to other section ons: 7, 8, 11, 12 and N 7: Handling and	13.			
7.1 Preca	utions for safe han	dling			
Advic	e on safe handling	: Avoid formation Do not breathe Avoid exposure For personal pr Smoking, eating plication area. Take precaution Provide sufficie Open drum car Dispose of rinse regulations.	vapours/dust. - obtain special instructions before use. otection see section 8. g and drinking should be prohibited in the ap- nary measures against static discharges. nt air exchange and/or exhaust in work rooms. efully as content may be under pressure. e water in accordance with local and national		
	e on protection again nd explosion	Take necessary (which might ca	n a naked flame or any incandescent material. y action to avoid static electricity discharge ause ignition of organic vapours). Keep away es, hot surfaces and sources of ignition.		
Hygie	ene measures		not eat or drink. When using do not smoke. fore breaks and at the end of workday.		
7.2 Condi	tions for safe stora	ge, including any inco	mpatibilities		
Requ	irements for storage	· No smoking K	en container tightly closed in a dry and well-		

Requirements for storage areas and containers	:	No smoking. Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be care- fully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date 14.11.2023		umber: 0402545	Date of last issue: - Date of first issue: 14.11.	2023
7.3 Speci	fic end use(s)				
Spec	ific use(s)		For further informationsheet.	on, refer to the product tecl	nnical data
			Consult the technica stance/mixture.	l guidelines for the use of t	his sub-
	•	controls/pe	ersonal protectior	1	
8.1 Contr	ol parameters				
Οςςι	pational Exposi	ire Limits			
Com	ponents	CAS-No.	Value type (Form	Control parameters	Basis

Components	CAS-NO.	of exposure)	Control parameters	Basis	
n-butyl acetate	123-86-4	OELV - 8 hrs	50 ppm	IE OEL	
		(TWA)	241 mg/m3		
		OELV - 15 min	150 ppm	IE OEL	
		(STEL)	723 mg/m3		
		STEL	150 ppm	2019/1831/E	
			723 mg/m3	U	
	Further information: Indicative				
		TWA	50 ppm	2019/1831/E	
			241 mg/m3	U	
	Further information: Indicative				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
hydrocarbons, C9- C11, n-alkanes, isoal- kanes, cyclic, <2% aromatics	Workers	Inhalation	Long-term systemic effects	1500 mg/m3
	Consumers	Inhalation	Long-term systemic effects	900 mg/m3
	Workers	Dermal	Long-term systemic effects	300 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	300 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	300 mg/kg bw/day
n-butyl acetate	Workers	Inhalation	Acute systemic ef- fects	600 mg/m3
	Workers	Inhalation	Acute local effects	600 mg/m3
	Workers	Inhalation	Long-term systemic effects	48 mg/m3
	Workers	Inhalation	Long-term local ef- fects	300 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	300 mg/m3
	Consumers	Inhalation	Acute local effects	300 mg/m3

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

/ersion I.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN		Date of last issue: - Date of first issue: 14.11.2023		
		Consumers	Inhalation	Long-term systemic effects	12 mg/m3	
		Consumers	Inhalation	Long-term local ef- fects	35.7 mg/m3	
		Consumers	Dermal	Long-term systemic effects	3.4 mg/kg bw/day	
		Consumers	Dermal	Acute systemic ef- fects	6 mg/kg bw/day	
		Consumers	Oral	Long-term systemic effects	2 mg/kg bw/day	
		Consumers	Oral	Acute systemic ef- fects	2 mg/kg bw/day	
		Workers	Dermal	Long-term systemic effects	7 mg/kg bw/day	
		Workers	Dermal	Acute systemic ef- fects	11 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
n-butyl acetate	Soil	0.0903 mg/kg dry weight (d.w.)
	Marine water	0.018 mg/l
	Fresh water	0.18 mg/l
	Marine sediment	0.0981 mg/kg dry weight (d.w.)
	Fresh water sediment	0.981 mg/kg dry weight (d.w.)
	Sewage treatment plant	35.6 mg/l
	Intermittent use/release	0.36 mg/l

8.2 Exposure controls

Personal protective equipment	
Eye/face protection :	Equipment should conform to EN 166 Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection	
Gloves :	Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374
Remarks :	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Skin and body protection :	Impervious clothing Choose body protection according to the amount and con-

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN	Date of last issue: - Date of first issue: 14.11.2023
Resp	iratory protection	: Wear a full face A/P2 filter or be Self-contained o (EN 145)	closed-circuit breathing apparatus compressed erosol and mist formation use an approved

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	: :	liquid in accordance with the product description solvent-like No data available
Melting point/freezing point	:	Not applicable
Boiling point/boiling range	:	No data available
Upper explosion limit / Upper flammability limit	:	6 %(V) (calculation method (principal components, highest value))
Lower explosion limit / Lower flammability limit	:	0.7 %(V) (calculation method (principal components, highest value))
Flash point	:	43 °C (calculation method (principal components, lowest val- ue))
Decomposition temperature	:	No decomposition if stored and applied as directed. Hazardous decomposition products formed under fire condi- tions.
рН	:	No data available
Viscosity Viscosity, kinematic	:	< 20.5 mm2/s (40 °C)
Solubility(ies) Water solubility Solubility in other solvents	:	immiscible, partly soluble Description: miscible with most organic solvents
Partition coefficient: n- octanol/water	:	No data available
Density	:	0.75 - 0.77 g/cm3
9.2 Other information		
Oxidizing properties	:	Sustains combustion

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN	Date of last issue: - Date of first issue: 14.11.2023
VOC		: (Directive 2004/ 100 %	/42/EC)
SECTION	10: Stability and	l reactivity	
10.1 Reac	tivity		
No de	ecomposition if store	d and applied as directed	
	nical stability ecomposition if store	d and applied as directed	
10.3 Poss	ibility of hazardou	s reactions	
	rdous reactions		on if stored and applied as directed.
		Vapours may fo	rm explosive mixture with air.
10.4 Conc	litions to avoid		
Cond	itions to avoid	: Heat, flames an	d sparks.
10.5 Incor	npatible materials		
	ials to avoid	: Incompatible wi	th strong acids and bases.
10.6 Haza	rdous decomposit	ion products	
Heati		quired. ours which can be ignited. n dioxide and unburned hy	/drocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information. Components:

n-butyl acetate:		
Acute oral toxicity	: LD50 Oral (Rat)	: >= 10,760 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): >	= 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN	Date of last issue: - Date of first issue: 14.11.2023			
Resp	iratory or skin sen	sitisation				
-	sensitisation lassified based on a	vailable information.				
-	Respiratory sensitisation Not classified based on available information.					
	cell mutagenicity lassified based on a	vailable information.				
	nogenicity lassified based on a	vailable information.				
-	oductive toxicity lassified based on a	vailable information.				
	- single exposure cause drowsiness or					
-	oonents:					
-	ocarbons, C9-C11, ssment	n-alkanes, isoalkanes, : May cause drov	cyclic, <2% aromatics: vsiness or dizziness.			
	n-butyl acetate: Assessment : May cause drowsiness or dizziness.					
	- repeated exposi lassified based on a	re vailable information.				
-	Aspiration toxicity May be fatal if swallowed and enters airways.					
Com	oonents:					
-	hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics: May be fatal if swallowed and enters airways.					
11.2 Infor	mation on other ha	zards				
Endo	crine disrupting p	roperties				
Prod	uct:					
Asses	ssment	ered to have en REACH Article	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher.			
Furth	er information					

Product:

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN	Date of last issue: - Date of first issue: 14.11.2023		
Remarks :		tiredness, nause Concentrations s narcotic effects.	 Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin. 		
SECTION	N 12: Ecological i	nformation			
12.1 Toxi	city				
Com	Components:				
n-but	tyl acetate:	:			

: NOEC (Desmodesmus subspicatus (green algae)): > 200 mg/l

EC50 (Desmodesmus subspicatus (green algae)): >= 647.7

12.2 Persistence and degradability

Toxicity to microorganisms

Toxicity to algae/aquatic

plants

Components:

n-butyl acetate:

Biodegradability	:	Result: Biodegradable Biodegradation: 83 % Exposure time: 28 d Method: OECD Test Guideline 301D
Stability in water	:	Degradation half life: 78 d pH: 8 Hydrolyses slowly.
Photodegradation	:	Decomposes rapidly in contact with light.

mg/l

Exposure time: 72 h

Exposure time: 40 h

: IC50 (Tetrahymena pyriformis): 356 mg/l

12.3 Bioaccumulative potential

Components:	
n-butyl acetate: Bioaccumulation	: Bioconcentration factor (BCF): 15 Bioaccumulation is unlikely.
Partition coefficient: n- octanol/water	: log Pow: 1.81
12.4 Mobility in soil No data available	

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	MAT000402545	Date of first issue: 14.11.2023
		IE/EN	

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	No data available
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product Do not dispose of waste into sewer. 1 Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Contaminated packaging Empty remaining contents. 5 Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. Waste Code 08 00 00, WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 01 00, wastes from MFSU and removal of paint and varnish 08 01 11, waste paint and varnish containing organic solvents or other hazardoussubstances 15 00 00, WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED 15 01 00, packaging (including separately collected municipal packaging waste) 15 01 10, packaging containing residues of or contaminated by hazardoussubstances

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023		Number: 000402545 I	Date of last issue: - Date of first issue: 14.11.2023	
			HP3, Flammabl HP5, Specific T ty	e arget Organ Toxicity (STOT)/Aspiration Toxici-	
SECTION	14: Transport inf	orma	tion		
14.1 UN n	umber or ID number				
ADN		:	UN 1263		
ADR		:	UN 1263		
RID		:	UN 1263		
IMDG		:	UN 1263		
ΙΑΤΑ		:	UN 1263		
14.2 UN p	roper shipping name	е			
ADN		:	PAINT RELATED MATERIAL		
ADR		:	PAINT RELATED MATERIAL		
RID		:	PAINT RELATED MATERIAL		
IMDG		:	PAINT RELATED MATERIAL		
ΙΑΤΑ		:	Paint related material		
14.3 Trans	sport hazard class(e	s)			
			Class	Subsidiary risks	
ADN		:	3		
ADR		:	3		
RID		:	3		
IMDG		:	3		
ΙΑΤΑ		:	3		
14.4 Packi	ing group				
Class	ng group ification Code d Identification Numb s	: ber : :	III F1 30 3		
Packi Class Hazar Labels	ng group ification Code rd Identification Numb s el restriction code	er :	III F1 30 3 (D/E)		
RID Packi	ng group	:	III		

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023		Number: 000402545 I	Date of last issue: - Date of first issue: 14.11.2023
Ha	assification Code zard Identification Numb pels	: ber : :	F1 30 3	
Pa Lal	DG cking group pels iS Code	:	III 3 F-E, <u>S-E</u>	
Pa aire Pa Pa	FA (Cargo) cking instruction (cargo craft) cking instruction (LQ) cking group pels	:	366 Y344 III Flammable Liquids	
Pa gei Pa Pa	FA (Passenger) cking instruction (passer aircraft) cking instruction (LQ) cking group pels	n- : : :	355 Y344 III Flammable Liquids	
14.5 En	vironmental hazards			
	vironmentally hazardous	s :	no	
AD En	R vironmentally hazardous	s :	no	
RII En) vironmentally hazardous	3 :	no	
	DG rine pollutant	:	no	
14.6 Sp	ecial precautions for u	iser		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3 benzene (Number on list 72, 5, 29, 28)

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version 1.0	Revision Date: 14.11.2023	SDS Number: MAT000402545 IE/EN	Date of last issue: - Date of first issue: 14.11.2023
Conc Regu plete Regu tants Regu ment of dar REAC	ern for Authorisation lation (EC) No 1005/ the ozone layer lation (EU) 2019/102 (recast) lation (EC) No 649/2 and the Council con ngerous chemicals	of Substances of Very High (Article 59). 2009 on substances that de- 21 on persistent organic pollu- 012 of the European Parlia- cerning the export and import es subject to authorisation	: Not applicable
pean contro	so III: Directive 2012 Parliament and of th ol of major-accident erous substances.	e Council on the	FLAMMABLE LIQUIDS
Volati	le organic compoun		C pounds (VOC) content: 100 %

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

(STEL)

Full text of H-Statements					
H226 H304 H336 EUH066	:	Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.			
Full text of other abbreviations					
Asp. Tox.	:	Aspiration hazard			
Flam. Liq.	:	Flammable liquids			
STOT SĖ	:	Specific target organ toxicity - single exposure			
2019/1831/EU	:	Europe. Commission Directive 2019/1831/EU establishing a			
IE OEL	:	fifth list of indicative occupational exposure limit values Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1			
2019/1831/EU / TWA					
	·	Limit Value - eight hours			
2019/1831/EU / STEL	:	Short term exposure limit			
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)			
IE OEL / OELV - 15 min	:	Occupational exposure limit value (15-minute reference peri-			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

od)

according to Regulation (EC) No. 1907/2006



TESSAROL THINNER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	MAT000402545 IE/EN	Date of first issue: 14.11.2023

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	ne mixture:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.