

Spektra Sanitol

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2023	MAT000412243	Date of first issue: 21.11.2023
		LT/EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Spektra Sanitol
Product code	: 41224331
Unique Formula Identifier (UFI)	: AM61-90TM-6007-K94G

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: SU19Building and construction work
stance/Mixture	, PROC10, PROC11 Professional and consumer use of coat-
	ings, Roller application or brushing, Non industrial spraying PC9a Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company	: Helios TBLUS d Količevo 65 1230 Domžale Slovenia	.0.0.
Telephone Company	: 386 (1) 722 438	3
Telefax Company	: 386 (1) 722 431	0
Responsible/issuing person	: 386 (1) 722 438 productsafety@I	

1.4 Emergency telephone number

(+370 5) 2362052 APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURAS, SVEIKATOS APSAUGOS MINISTERIJOS (+370 5) 2362052 (+370 5) 236 2091 VšĮ Vilniaus greitosios pagalbos universitetinės ligoninės Ūmių apsinuodijimų sk (+370 5) 236 2091 112 Skubi pagalba 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Spektra Sanitol



Version 1.0	Revision Date: 21.11.2023		S Number:Date of last issue: -T000412243Date of first issue: 21.11.2023EN	
Serie	ous eye damage, Cate	egory	1	H318: Causes serious eye damage.
Shor gory	rt-term (acute) aquatic 1	haza	rd, Cate-	H400: Very toxic to aquatic life.
-	Long-term (chronic) aquatic hazard, Cat- egory 1		ard, Cat-	H410: Very toxic to aquatic life with long lasting effects.
2.2 Labe	l elements			
	elling (REGULATION ard pictograms	(EC) :	No 1272/20	08)
Sign	al word	:	Danger	
Haza	ard statements	:	H318 Ca	auses skin irritation. auses serious eye damage. ery toxic to aquatic life with long lasting effects.
Prec	autionary statements	:	label at ha	medical advice is needed, have product container or nd. eep out of reach of children.
			Preventio	n:
				void release to the environment. ear protective gloves/ eye protection/ face protection.
			Response	e:
			ter for seve easy to do	IF IN EYES: Rinse cautiously with wa- eral minutes. Remove contact lenses, if present and continue rinsing. Imediately call a POISON CENTER or doctor/ physi-
				ollect spillage.
			Disposal:	
			P501 Di disposal p	spose of contents/ container to an approved waste lant.
Haza	ardous components	whicł	n must be li	sted on the label:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Spektra Sanitol

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2023	MAT000412243	Date of first issue: 21.11.2023
		LT/EN	

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Waterborne paint
-----------------	---	------------------

Components

oomponento		1	
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Quaternary ammonium com-	68424-85-1	Acute Tox. 4; H302	>= 3 - < 5
pounds, benzyl-C12-C16 alkyl-	270-325-2	Skin Corr. 1B; H314	
dimethyl, chlorides	01-2119983287-23	Eye Dam. 1; H318	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 10	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Do not leave the victim unattended.
If inhaled	:	If breathed in, move person into fresh air.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
If swallowed	:	Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed



Spektra Sanitol

Version 1.0	Revision Date: 21.11.2023		Number:)00412243 N	Date of last issue: - Date of first issue: 21.11.2023
Risk	S	:	Causes skin irritatior Causes serious eye	
			Causes skin irritatior Causes serious eye	
4.3 Indic	ation of any immedia	te me	dical attention and s	pecial treatment needed
Trea	itment	:	Treat symptomatical	ly.
SECTIO	N 5: Firefighting m	easur	es	
5.1 Extin	guishing media			
	able extinguishing mec	lia :	cumstances and the	easures that are appropriate to local cir- surrounding environment. ohol-resistant foam, dry chemical or car-
5.2 Spec	ial hazards arising fro	om the	e substance or mixtu	re
-	-			ustion products are known
5.3 Advid	ce for firefighters			
Spec	cial protective equipme refighters	ent :	Wear self-contained essary.	breathing apparatus for firefighting if nec-
Furth	ner information	:	The product itself do	es not burn.
			Standard procedure	
			Use a water spray to	cool fully closed containers.
SECTIO	N 6: Accidental rele	ease i	neasures	
6 1 Porse	onal precautions, pro	tectiv	e equinment and em	ardancy procedures
	ional precautions, pro		Avoid contact with sk	
		·	Do not flush into surf	face water or sanitary sewer system. age or spillage if safe to do so.
6.2 Envir	onmental precaution	S		
Envi	ronmental precautions	:	Prevent product from	n entering drains.
6 3 Meth	ods and material for	contai	nment and cleaning	up.
	nods for cleaning up	:	Soak up with inert at acid binder, universa	osorbent material (e.g. sand, silica gel,

Keep in suitable, closed containers for disposal.



Spektra Sanitol

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2023	MAT000412243	Date of first issue: 21.11.2023
		LT/EN	

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Electrical installa- tions / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
Specific end use(s)		

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	: Eye wash bottle with pure water
	Tightly fitting safety goggles
	Wear face-shield and protective suit for abnormal processing
	problems.

according to Regulation (EC) No. 1907/2006



Spektra Sanitol

Version 1.0	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN		Date of last issue: - Date of first issue: 21.11.2023
Hand	protection			
Re	emarks	:		pecific workplace should be discussed f the protective gloves.
Skin a	and body protection	:		tion according to the amount and con- gerous substance at the work place.
Respi	ratory protection	:	No personal respirat quired.	ory protective equipment normally re-
Envir	onmental exposure	contro	Is	
Water	•	:	The product should r courses or the soil.	not be allowed to enter drains, water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	No information available.
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
рН	:	7 - 9 Concentration: 100 %
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	completely miscible
Solubility in other solvents	:	No data available

according to Regulation (EC) No. 1907/2006



Spektra Sanitol

Vei 1.0	rsion	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN		Date of last issue: - Date of first issue: 21.11.2023
	Partitic octano	on coefficient: n- I/water	:	No data available	
	Vapou	r pressure	:	No data available	
	Densit	у	:	1,0 - 1,1 g/cm3	
9.2	Other in Explos	nformation ives	:	Not applicable	
	Oxidizi	ing properties	:	No data available	
	Evapo	ration rate	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

a available
Ξ

10.5 Incompatible materials

 Materials to avoid
 : Incompatible with oxidizing agents.

 Incompatible with strong acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method



Spektra Sanitol

Vers 1.0	sion	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN	Date of last issue: - Date of first issue: 21.11.2023
	<u>Comp</u>	onents:		
	Quate	rnary ammonium	compounds, benzyl-C1	2-16-alkyldimethyl, chlorides:
	Acute	oral toxicity	: Assessment: TI single ingestion	ne component/mixture is moderately toxic after
	Skin c	orrosion/irritation	l	
	Cause	s skin irritation.		
	<u>Produ</u>	<u>ct:</u>		
	Remar	ks	: Extremely corro	osive and destructive to tissue.
	<u>Comp</u>	onents:		
	Quate	rnary ammonium	compounds, benzyl-C1	2-16-alkyldimethyl, chlorides:
	Result		: Corrosive after	3 minutes to 1 hour of exposure
	Seriou	is eye damage/eye	e irritation	
	Cause	s serious eye dama	age.	
	<u>Produ</u>	<u>ct:</u>		
	Remar	ks	: May cause irrev	versible eye damage.
	Respi	atory or skin sen	sitisation	
	Skin s	ensitisation		
	Not cla	ssified based on a	vailable information.	
	Respiratory sensitisation Not classified based on available information.			
	Germ	cell mutagenicity		
	Not cla	ssified based on a	vailable information.	
		ogenicity Issified based on a	vailable information.	
		ductive toxicity		
	•	•	vailable information.	
		- single exposure ssified based on a	vailable information.	
		- repeated exposu		
		• •	vailable information.	
	-	tion toxicity		
	Not cla	ssified based on a	vailable information.	

according to Regulation (EC) No. 1907/2006



Spektra Sanitol

Version 1.0	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN	Date of last issue: - Date of first issue: 21.11.2023
----------------	------------------------------	--------------------------------------	--

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides: Toxicity to fish (1.050) (Eish): >= 0.85 mg/l

Toxicity to daphnia and other aquatic invertebrates:LC50 (Daphnia (water flea)): >= 0,02 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:LC50 (algae): >= 0,08 mg/l Exposure time: 96 hM-Factor (Acute aquatic tox- icity):10Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):0,0125 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)Ecotoxicology Assessment Acute aquatic toxicity:Very toxic to aquatic life.Chronic aquatic toxicity:Very toxic to aquatic life with long lasting effects.	Toxicity to fish	:	LC50 (Fish): >= 0,85 mg/l Exposure time: 96 h
plantsExposure time: 96 hM-Factor (Acute aquatic tox- icity):10Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):0,0125 mg/l 		:	
icity) Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) Ecotoxicology Assessment Acute aquatic toxicity : Very toxic to aquatic life.		:	
aquatic invertebrates (Chron- ic toxicity)Exposure time: 21 d Species: Daphnia magna (Water flea)Ecotoxicology Assessment Acute aquatic toxicity:Very toxic to aquatic life.	· · ·	:	10
Acute aquatic toxicity : Very toxic to aquatic life.	aquatic invertebrates (Chron-	:	Exposure time: 21 d
	Ecotoxicology Assessment		
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.	Acute aquatic toxicity	:	Very toxic to aquatic life.
	Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

Quaternary ammonium co	mpounds, benzyl-C12-16-alkyldimethyl, chlorides:
Biodegradability	: Result: rapidly degradable





Version 1.0	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN	Date of last issue: - Date of first issue: 21.11.2023

Kinetic: 28 d: 95,5 % Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides:

Partition coefficient: n- : log Pow: 2,75 (20 °C) octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging :	Empty remaining contents. Dispose of as unused product.

according to Regulation (EC) No. 1907/2006





Version 1.0	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN	Date of last issue: - Date of first issue: 21.11.2023		
		Do not re-use	empty containers.		
Waste	e Code		08 01 20, aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19		
SECTION	14: Transport ir	formation			
14.1 UN n	umber or ID numb	er			
ADN		: UN 3082			
ADR		: UN 3082			
RID		: UN 3082			
IMDG	ì	: UN 3082			
ΙΑΤΑ		: UN 3082			
14.2 UN p	roper shipping nar	ne			
ADN		N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID, mmonium compounds, benzyl-C12-16- chlorides)		
ADR		N.O.S.	NTALLY HAZARDOUS SUBSTANCE, LIQUID, mmonium compounds, benzyl-C12-16- chlorides)		
RID		N.O.S. (Quaternary a	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides) 		
IMDG	i	N.O.S. (Quaternary a	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides) 		
ΙΑΤΑ		: Environmenta	lly hazardous substance, liquid, n.o.s. mmonium compounds, benzyl-C12-16-		
14.3 Trans	sport hazard class	(es)			
		Class	Subsidiary risks		
ADN		: 9			
ADR		: 9			
RID		: 9			
IMDG	ì	: 9			
ΙΑΤΑ		: 9			
14.4 Pack	ing group				

according to Regulation (EC) No. 1907/2006



Spektra Sanitol

Version 1.0	21.11.2023 I		Number: 00412243 I	Date of last issue: - Date of first issue: 21.11.2023
Classi	ng group fication Code d Identification Numbe	: : er : :	III M6 90 9	
Classi Hazar Labels	ng group fication Code d Identification Numbe d I restriction code	: : : :	III M6 90 9 (-)	
Classi	ng group fication Code d Identification Numbe	: : er : :	III M6 90 9	
IMDG Packir Labels EmS (:	III 9 F-A, S-F	
Packir aircraf Packir	ng instruction (LQ)	:	964 Y964 III Miscellaneous	
Packir ger air Packir	ng instruction (LQ) ng group	- :	964 Y964 III Miscellaneous	
14.5 Enviro	onmental hazards			
ADN Enviro ADR	nmentally hazardous	:	yes	
RID	nmentally hazardous	:	yes yes	
IMDG Marine	e pollutant	:	yes	
ΙΑΤΑ	(Passenger) nmentally hazardous	:	yes	
ΙΑΤΑ	(Cargo) nmentally hazardous	:	yes	



Spektra Sanitol

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2023	MAT000412243	Date of first issue: 21.11.2023
		LT/EN	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla ture	ation specific for the substance or mix-
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	ENVIRONMENTAL HAZARDS
5 1	l of 24 November 2010 on industrial I pollution prevention and control)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.



Spektra Sanitol

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2023	MAT000412243 LT/EN	Date of first issue: 21.11.2023

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H318 :	Causes serious eye damage.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Skin Corr. :	Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:



Spektra Sanitol

Version 1.0	Revision Date: 21.11.2023	SDS Number: MAT000412243 LT/EN	Date of last issue: - Date of first issue: 21.11.2023
Skin Ir	rrit 2	H315	Calculation method
•			
Eye D	am. 1	H318	Calculation method
Aquatic Acute 1		H400	Calculation method
Aquat	ic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.