

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837	Date of first issue: 22.11.2023
		IL/EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : EXTERIER PRIMER

Product code : 47983702

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Consumer uses, Widespread use by professional workers
Roller application or brushing
Coatings and paints, thinners, paint removers

Recommended restrictions : public use
on use

1.3 Details of the supplier of the safety data sheet

Company :

Telephone Company :

Responsible/issuing person :

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH208 Contains 2-methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1). May produce an allergic reaction.

SAFETY DATA SHEET

EXTERIER PRIMER

Version 1.0 Revision Date: 22.11.2023 SDS Number: MAT000479837 IL/EN Date of last issue: -
Date of first issue: 22.11.2023

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Waterborne paint

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0.0025 - < 0.025
2-methyl-2H-isothiazol-3-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0.0002 - < 0.0015
mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100	< 0.0002

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837	Date of first issue: 22.11.2023
		IL/EN	

		M-Factor (Chronic aquatic toxicity):	
		100	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.

In case of skin contact : Wash off with warm water and soap.
If on clothes, remove clothes.

In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
Never give anything by mouth to an unconscious person.
Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Will not burn
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Product is compatible with standard fire-fighting agents.

Unsuitable extinguishing media : No information available.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837 IL/EN	Date of first issue: 22.11.2023

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin and eyes.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place.

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from frost.

Store at the temperature from 5°C to 35°C.

Advice on common storage : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

SAFETY DATA SHEET

EXTERIER PRIMER

Version
1.0

Revision Date:
22.11.2023

SDS Number:
MAT000479837
IL/EN

Date of last issue: -
Date of first issue: 22.11.2023

sheet.

Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-(2-ethoxyethoxy)ethanol	Workers	Inhalation	Long-term systemic effects	61 mg/m3
	Workers	Inhalation	Long-term local effects	30 mg/m3
	Consumers	Inhalation	Long-term systemic effects	37 mg/m3
	Consumers	Inhalation	Long-term local effects	18 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	25 mg/kg bw/day
1,2-benzisothiazol-3(2H)-one	Consumers	Oral	Long-term systemic effects	50 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
titanium dioxide	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	10 mg/m3
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1)	Consumers	Oral	Long-term systemic effects	700 mg/kg bw/day
	Consumers	Inhalation	Acute local effects	0.04 mg/m3
	Workers	Inhalation	Long-term local effects	0.02 mg/m3
	Workers	Inhalation	Acute local effects	0.04 mg/m3
	Consumers	Inhalation	Long-term local effects	0.02 mg/m3
	Consumers	Oral	Long-term systemic effects	0.09 mg/kg bw/day

SAFETY DATA SHEET

EXTERIER PRIMER

Version
1.0

Revision Date:
22.11.2023

SDS Number:
MAT000479837
IL/EN

Date of last issue: -
Date of first issue: 22.11.2023

	Consumers	Oral	Acute systemic effects	0.11 mg/kg bw/day
Calcium carbonate	Workers	Inhalation	Long-term local effects	4.26 mg/m3
	Consumers	Inhalation	Long-term local effects	1.06 mg/m3

Predicted No Effect Concentration (PNEC)

according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value	
2-(2-ethoxyethoxy)ethanol	Soil	0.34 mg/kg dry weight (d.w.)	
	Marine water	0.198 mg/l	
	Fresh water	1.98 mg/l	
	Marine sediment	0.732 mg/kg dry weight (d.w.)	
	Fresh water sediment	7.32 mg/kg dry weight (d.w.)	
	Sewage treatment plant	500 mg/l	
Intermittent use/release		19.8 mg/l	
	1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
		Intermittent use/release	0.0011 mg/l
		Marine water	0.000403 mg/l
		Sewage treatment plant	1.03 mg/l
		Fresh water sediment	0.0499 mg/kg dry weight (d.w.)
Marine sediment		0.00499 mg/kg dry weight (d.w.)	
	Soil	3 mg/kg dry weight (d.w.)	
	titanium dioxide	Soil	100 mg/kg dry weight (d.w.)
		Marine water	0.0184 mg/l
		Fresh water	0.184 mg/l
		Marine sediment	100 mg/kg dry weight (d.w.)
		Fresh water sediment	1000 mg/kg dry weight (d.w.)
Sewage treatment plant		100 mg/l	
Intermittent use/release		0.193 mg/l	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	Soil	0.01 mg/kg dry weight (d.w.)	
	Marine water	0.00339 mg/l	
	Fresh water	0.00339 mg/l	
	Marine sediment	0.027 mg/kg dry weight (d.w.)	
	Fresh water sediment	0.027 mg/kg dry weight (d.w.)	
	Sewage treatment plant	0.23 mg/l	
Intermittent use/release		0.00339 mg/l	

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837 IL/EN	Date of first issue: 22.11.2023

Calcium carbonate	Sewage treatment plant	100 mg/l
-------------------	------------------------	----------

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Equipment should conform to EN 166

Hand protection

Gloves : Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374 |
butyl-rubber (> 0,6 mm; < 240 min); DIN EN374 |
Viton® (> 0,6 mm; < 240 min); DIN EN374 |
PE laminate (> 0,1 mm; < 240 min); DIN EN374 |

Remarks : Chemical-resistant gloves Take note of the information given by the producer concerning permeability, degradation and break through times, and of special work
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Long sleeved clothing

Protective measures : Handle in accordance with good industrial hygiene and safety practice.

Wash thoroughly after handling.

Avoid contact with skin, eyes and clothing.

Keep away from food, drink and animal feedingstuffs.

Environmental exposure controls

Soil : The product should not be allowed to enter drains, water courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : No data available

Odour : characteristic

Odour Threshold : No data available

pH : 8 - 9

Melting point/freezing point : 0.0 °C

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837	Date of first issue: 22.11.2023
		IL/EN	

Boiling point/boiling range	:	(calculation method (principal components, lowest value)) 0 °C (calculation method (principal components, lowest value)) Decomposition: yes
Flash point	:	Not applicable
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.2 g/cm ³
Solubility(ies)	:	
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	> 21 mm ² /s (40 °C)
Flow time	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Does not sustain combustion.

9.2 Other information

Surface tension	:	No data available
-----------------	---	-------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837 IL/EN	Date of first issue: 22.11.2023

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

2-methylisothiazol-3(2H)-one:

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : Test atmosphere: vapour
Assessment: The component/mixture is highly toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is toxic after single contact with skin.

Skin corrosion/irritation

Components:

1,2-benzisothiazol-3(2H)-one:

Result : irritating

2-methylisothiazol-3(2H)-one:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Components:

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

EXTERIER PRIMER

Version
1.0

Revision Date:
22.11.2023

SDS Number:
MAT000479837
IL/EN

Date of last issue: -
Date of first issue: 22.11.2023

Result : Corrosive

Respiratory or skin sensitisation

Components:

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

2-methylisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

2-methylisothiazol-3(2H)-one:

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Salvelinus namaycush (lake trout)): >= 10.85 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : LC50 (algae): >= 0.82 mg/l
Exposure time: 48 h

LC50 (algae): 0.018 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837 IL/EN	Date of first issue: 22.11.2023

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

12.2 Persistence and degradability

Components:

2-methylisothiazol-3(2H)-one:

Biodegradability : Result: Biodegradable

12.3 Bioaccumulative potential

Components:

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-octanol/water : log Pow: 1.3

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

EXTERIER PRIMER

Version
1.0

Revision Date:
22.11.2023

SDS Number:
MAT000479837
IL/EN

Date of last issue: -
Date of first issue: 22.11.2023

SECTION 14: Transport information

14.1 UN number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.4 Packing group

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837 IL/EN	Date of first issue: 22.11.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H311	: Toxic in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-

SAFETY DATA SHEET

EXTERIER PRIMER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.11.2023	MAT000479837	Date of first issue: 22.11.2023
		IL/EN	

tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IL / EN