

Version 1.0	Revision Date: 28.11.2023	SDS Number: MAT000401619IN/EN	Date of last issue: - Date of first issue: 28.11.2023
1. PRODU	ICT AND COMPAN	Y IDENTIFICATION	
Produ	uct name	: SPEKTRA DEC	OR ACTIVATOR
Produ	uct code	: 40161901	
	ifacturer or supplie		
Detai	Is of the supplier of	of the safety data sheet	
Comp	bany	: Helios TBLUS d. Količevo 65 Domžale 1230 Slovenia	0.0.
	ах	: 386 (1) 722 4383 : 386 (1) 722 4310 - : 386 (1) 722 4310 productsafety@h) 3
Emer	gency telephone n	umber	
एम्बुलें	स और आपातकाल 10	2	
Reco	mmended use of t	he chemical and restrict	ions on use
Reco	mmended use	Roller application	

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

Coatings and paints, thinners, paint removers

GHS Classification Short-term (acute) aquatic hazard	: Category 2	
Long-term (chronic) aquatic hazard	: Category 2	
GHS label elements		
Hazard pictograms		
Signal word Hazard statements	 None H411 Toxic to aquatic life with long lasting effect 	s.



Version 1.0	Revision Date: 28.11.2023	SDS Number: MAT000401619IN/EN		Date of last issue: - Date of first issue: 28.11.2023
Precau	utionary statements	:	label at hand. P102 Keep out of re	rice is needed, have product container or each of children. y and follow all instructions.
			Prevention: P273 Avoid release	to the environment.
			Response: P391 Collect spillag	e.
			Disposal: P501 Dispose of co disposal plant.	ntents/ container to an approved waste

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Waterborne paint

Components

Chemical name	CAS-No.	Concentration (% w/w)
copper sulfate pentahydrate	7758-99-8	>= 10 - < 20
ammonium chloride	12125-02-9	>= 1 - < 10

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

5. FIREFIGHTING MEASURES

Unsuitable extinguishing : High volume water jet



Ver 1.0	rsion	Revision Date: 28.11.2023		Number: 000401619IN/EN	Date of last issue: - Date of first issue: 28.11.2023	
	media Specific fighting	c hazards during fire	9- :	Do not allow run-off courses.	from fire fighting to enter drains or water	
	Hazard ucts	lous combustion pro	od- :	No hazardous comb	ustion products are known	
	Specifi ods	c extinguishing met	h- :	must not be discharg	ontaminated fire extinguishing water must	
	Special for firef	l protective equipme ighters	ent :	be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if necessary.		
6. <i>A</i>		NTAL RELEASE M	EASU	RES		
	tive equ	al precautions, prot uipment and emer- procedures	ec- :		kin and eyes. face water or sanitary sewer system. age or spillage if safe to do so.	
	Environmental precautions		s :	Prevent product from If the product contar respective authoritie	ninates rivers and lakes or drains inform	
	Methods and materials for containment and cleaning up		: up	acid binder, universa	bsorbent material (e.g. sand, silica gel, al binder, sawdust). sed containers for disposal.	
7. H		NG AND STORAGE				
		on protection again explosion	st :	Normal measures fo	or preventive fire protection.	
	Advice	on safe handling	:		ion see section 8. I drinking should be prohibited in the ap-	
	Conditi	ons for safe storage	e :	kept upright to preve Electrical installation	ns / working materials must comply with	
	Materials to avoid :		the technological sa No materials to be e	tety standards. specially mentioned.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

age stability

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
ammonium chloride	12125-02-9	TWA	10 mg/m3	ACGIH
		(Fumes)		

Further information on stor- : No decomposition if stored and applied as directed.



	28.11.2023	MAT0	00401619IN/EN	Date of	f first issue: 28.11.	2023
				STEL (Fumes)	20 mg/m3	ACGIH
Person	al protective equip	oment				
Respira	tory protection	:	No personal re quired.	spiratory prote	ective equipment n	ormally re-
Hand pr	otection		quirear			
Glov	es	:	butyl-rubber Viton® (> 0,6	(> 0,6 mm; < 2 5 mm; < 240 m	60 min); DIN EN3 240 min); DIN EN3 1in); DIN EN374 240 min); DIN EN3	374
Rem	arks	:	breakthrough t gloves. Also ta	ime which are ke into conside ich the produc	ns regarding perm provided by the su eration the specific t is used, such as act time.	upplier of the clocal condi-
Eye pro Skin and	tection d body protection	:	Equipment sho Protective suit			
Hygiene	emeasures	:	General indust	rial hygiene pr	actice.	
HYSICA	L AND CHEMICAL	PROF	PERTIES			
Appeara	ance	:	liquid			
Colour		:	in accordance	with the produ	uct description	
Odour		:	No information	n available.		
Odour T	hreshold	:	No data availa	able		
рН		:	8,5 - 10 Concentration	: 10 %		
Flash po	oint	:	Not applicable	;		
Flamma	ability (solid, gas)	:	Not applicable	;		
Density		:	0,99 - 1,01 g/d	cm3		
Solubilit Wate	y(ies) er solubility	:	completely mi	scible		
Solu	bility in other solver	nts :	No data availa	able		
Partitior octanol/ Viscosit		:	No data availa	able		
	osity, kinematic	:	> 20,5 mm2/s	(40 °C)		
VOC		:	(Directive 200 1 g/l	4/42/EC)		



Version 1.0	Revision Date: 28.11.2023	SDS Number: MAT000401619IN/EN	Date of last issue: - Date of first issue: 28.11.2023	
10. STABI	LITY AND REACTI	VITY		

Reactivity Chemical stability Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No hazards to be specially mentioned.	
Conditions to avoid Incompatible materials Hazardous decomposition products	:	No data available Incompatible with strong acids and bases. No decomposition if stored and applied as directed.	

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
---------------------	---	--

Components:

ammonium chloride:

Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after
		single ingestion.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

ammonium chloride:

Result : Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

SPEKTRA DECOR ACTIVATOR



ersion)	Revision Date: 28.11.2023		lumber:)0401619IN/EN	Date of last issue: - Date of first issue: 28.11.2023
STOT	- single exposure			
Not cla	assified based on a	vailable i	nformation.	
	 repeated exposi 			
Not cla	assified based on a	vailable i	nformation.	
-	ation toxicity			
	assified based on a	vailable i	nformation.	
Furthe	er information			
<u>Produ</u>				
Remai	rks	:	No data available	
2. ECOLC	GICAL INFORMA	TION		
Feete				
Ecoto	-			
<u>Comp</u>	onents:			
coppe	er sulfate pentahyo	drate:		
M-Fac icity)	tor (Acute aquatic t	ox- :	10	
M-Fac toxicity	tor (Chronic aquati /)	c :	1	
Ecoto	xicology Assessn	nent		
Acute	aquatic toxicity	:	Very toxic to aquat	ic life.
Chroni	ic aquatic toxicity	:	Very toxic to aquat	ic life with long lasting effects.
	tence and degrad	ability		
	cumulative potent	ial		
	a available			
Mobili	ty in soil			
	a available			
Other	adverse effects			
<u>Produ</u>	<u>ct:</u>			
-	onal ecological info	- :	unprofessional har	nazard cannot be excluded in the event of ndling or disposal. e with long lasting effects.

- **Disposal methods**
- Waste from residues
- : The product should not be allowed to enter drains, water

SAFETY DATA SHEET

SPEKTRA DECOR ACTIVATOR



Versio 1.0	n Revision Date: 28.11.2023		Number: 000401619IN/EN	Date of last issue: - Date of first issue: 28.11.2023
С	Contaminated packaging		courses or the soil. Empty containers should be taken to an approved waste h dling site for recycling or disposal.	
14. TR	ANSPORT INFORM	ATION		
In	nternational Regulati	ions		
U	UNRTDG UN number Proper shipping name		UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
P	lass acking group abels	:	(copper sulphate pe 9 III 9	entahydrate)
U	ATA-DGR N/ID No. roper shipping name	:	(copper sulphate pe	
P La P	lass acking group abels acking instruction (ca ircraft)	rgo :	 (copper sulphate pentahydrate) 9 III Miscellaneous 964 	
P ge	Packing instruction (passen- ger aircraft) Environmentally hazardous		964 yes	
IN U	IDG-Code IN number roper shipping name	:	UN 3082 ENVIRONMENTALI N.O.S.	LY HAZARDOUS SUBSTANCE, LIQUID,
P La E	lass acking group abels mS Code larine pollutant		(copper sulphate pe 9 III 9 F-A, S-F yes	manyurate)()

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	MAT000401619IN/EN	Date of first issue: 28.11.2023

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

16. OTHER INFORMATION

Revision Date Date format	:	28.11.2023 dd.mm.yyyy
Full text of other abbreviation		USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA ACGIH / STEL		8-hour, time-weighted average Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.11.2023	MAT000401619IN/EN	Date of first issue: 28.11.2023

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IN / EN