MOBIHEL 2K HARDENER 7750



Version 1.0	Revision Date: 18.12.2023		Number: 00479012AZ/EN	Date of last issue: - Date of first issue: 18.12.2023
1. PRO		(IDENI	IFICATION	
Pro	oduct name	:	MOBIHEL 2K HA	RDENER 7750
Pro	oduct code	:	47901201	
	nufacturer or supplie tails of the supplier o			
Co	mpany	:	Helios TBLUS d.o Količevo 65 Domžale 1230 Slovenia	.0.
Te E-r	lephone lefax nail address Responsi- /issuing person	:	386 (1) 722 4383 386 (1) 722 4310 386 (1) 722 4383 productsafety@he	ilios.si
En	Emergency telephone nur			
11:	2 - zəng mərkəzi			
	commended use of th	e chem		
	commended use strictions on use	:		nts, thinners, paint removers ustrial and professional use.
2. HAZ	ARDS IDENTIFICATIO	N		
	IS Classification	:	Category 3	
Ac	ute toxicity (Inhalation)	:	Category 5	
Ac	ute toxicity (Dermal)	:	Category 5	
Sk	in corrosion/irritation	:	Category 3	
Sk	in sensitisation	:	Category 1	

Specific target organ toxicity - : Category 3 (Respiratory system, Central nervous system) single exposure

Specific target organ toxicity - : Category 2 repeated exposure

GHS label elements

Hazard pictograms



MOBIHEL 2K HARDENER 7750



Version 1.0	Revision Date: 18.12.2023	SDS Number: MAT000479012AZ/EN	Date of last issue: - Date of first issue: 18.12.2023
Signa	l word	: Warning	
Hazar	rd statements	H313 + H333 N H316 Causes N H317 May cau H335 May cau H336 May cau	ble liquid and vapour. May be harmful in contact with skin or if inhaled. mild skin irritation. se an allergic skin reaction. se respiratory irritation. se drowsiness or dizziness. se damage to organs through prolonged or re- re.
Preca	utionary statements	and other igniti P233 Keep con P240 Ground a P241 Use expl ment. P242 Use non- P243 Take act P260 Do not b P271 Use only P272 Contamin the workplace. P280 Wear pro-	ay from heat, hot surfaces, sparks, open flames on sources. No smoking. Intainer tightly closed. and bond container and receiving equipment. osion-proof electrical/ ventilating/ lighting equip- -sparking tools. ion to prevent static discharges. reathe mist or vapours. outdoors or in a well-ventilated area. nated work clothing should not be allowed out of ptective gloves/ protective clothing/ eye protec- ection/ hearing protection.
		immediately all Get medical he P304 + P317 I P304 + P340 + and keep comf unwell. P333 + P317 I P362 + P364 T reuse. P370 + P378 I	 P353 + P317 IF ON SKIN (or hair): Take off I contaminated clothing. Rinse skin with water. Pap. F INHALED: Get medical help. P319 IF INHALED: Remove person to fresh air fortable for breathing. Get medical help if you fee f skin irritation or rash occurs: Get medical help. Take off contaminated clothing and wash it befor n case of fire: Use dry sand, dry chemical or nt foam to extinguish.
		tightly closed.	Store in a well-ventilated place. Keep container Store in a well-ventilated place. Keep cool. ked up.
		Disposal: P501 Dispose disposal plant.	of contents/ container to an approved waste

Other hazards which do not result in classification None known.

MOBIHEL 2K HARDENER 7750



Version 1.0	Revision Date: 18.12.2023	SDS Number: MAT000479012AZ/EN	Date of last issue: - Date of first issue: 18.12.2023			
3. COMPOSITION/INFORMATION ON INGREDIENTS						

Substance / Mixture	:	Mixture
4. FIRST AID MEASURES		
General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical
In case of skin contact	:	advice. If skin irritation persists, call a physician. If on skin, rinse well with water.
In case of eye contact	:	If on clothes, remove clothes. Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	If eye irritation persists, consult a specialist. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Take victim immediately to hospital. None known.
Notes to physician	:	Treat symptomatically.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa- rately in closed containments.

Use a water spray to cool fully closed containers. Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

for firefighters

6. ACCIDENTAL RELEASE MEASURES

MOBIHEL 2K HARDENER 7750



Version 1.0			Number: 000479012AZ/EN	Date of last issue: - Date of first issue: 18.12.2023
tive e	onal precautions, prote equipment and emer- y procedures	•C- :		of ignition.
Envir	onmental precautions	:		age or spillage if safe to do so. ninates rivers and lakes or drains inform
	ods and materials for inment and cleaning u	: ip	sorbent material, (e.	d then collect with non-combustible ab- g. sand, earth, diatomaceous earth, ver- n container for disposal according to local s (see section 13).
7. HANDL	ING AND STORAGE			
	e on protection agains nd explosion	st :	Take necessary acti (which might cause i	aked flame or any incandescent material. on to avoid static electricity discharge ignition of organic vapours). en flames, hot surfaces and sources of
Advic	e on safe handling	:	Avoid contact with sl For personal protect Smoking, eating and plication area. Take precautionary of Provide sufficient air Open drum carefully Dispose of rinse wat regulations. Persons susceptible allergies, chronic or	urs/dust. tain special instructions before use. kin and eyes.
Cond	litions for safe storage	:	No smoking. Keep container tight place. Containers which are kept upright to preve Observe label preca	utions. s / working materials must comply with
	er information on stor- conditions	:	Protect from moistur	
	er information on stor- stability	:	No decomposition if	stored and applied as directed.

MOBIHEL 2K HARDENER 7750



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.12.2023	MAT000479012AZ/EN	Date of first issue: 18.12.2023

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Personal protective equipment					
Respiratory protection	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.				
Filter type : Hand protection	Organic vapour type				
Gloves	Viton® (> 0,6 mm; < 240 min); DIN EN374 PE laminate (> 0,1 mm; < 240 min); DIN EN374				
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.				
Eye protection :	Equipment should conform to EN 166 Eye wash bottle with pure water Tightly fitting safety goggles				
Skin and body protection	Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.				
Hygiene measures					

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	-98,8 °C (calculation method (principal components, lowest value))
Boiling point/boiling range	:	117 °C (calculation method (principal components, lowest value))
Flash point	:	31 °C
Flammability (solid, gas)	:	Static-accumulating flammable liquid., Combustible Solids

HELIOS

MOBIHEL 2K HARDENER 7750

ersion .0	Revision Date: 18.12.2023	SDS Number: MAT000479012AZ/EN	Date of last issue: - Date of first issue: 18.12.2023
	r explosion limit / Upp nability limit	er : 10,5 %(V)	
	r explosion limit / Low nability limit	rer : 1,1 %(V)	
Relati	ve vapour density	: No data availab	le
Relati	ve density	: No data availab	le
Densi	ty	: 0,971 g/cm3	
	ility(ies) ater solubility	: partly miscible	
So	lubility in other solve	nts : Description: mis	scible with most organic solvents
	on coefficient: n-	: log Pow: 2,77 -	3,15
	ol/water ignition temperature	: 315 °C	
Decor	mposition temperatur		on if stored and applied as directed. omposition products formed under fire condi-
Visco Vis	sity scosity, kinematic	: > 20,5 mm2/s (40 °C)
Explo	sive properties	: Not applicable	
Oxidiz	zing properties	: Sustains combu	ustion

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	: :	Heat, flames and sparks. Incompatible with strong acids and bases. Adequate ventilation is required. Heating can release vapours which can be ignited. Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).

11. TOXICOLOGICAL INFORMATION

Skin corrosion/irritation

Product:

Remarks

: May cause skin irritation and/or dermatitis.

MOBIHEL 2K HARDENER 7750



ersion .0	Revision Date: 18.12.2023	SDS Number:Date of last issue: -MAT000479012AZ/ENDate of first issue: 18.12.202	23
Serio	ous eye damage/eye	ritation	
Prod	uct:		
Rema	arks	: Vapours may cause irritation to the eyes, respirato and the skin.	ry system
Resp	iratory or skin sen	sation	
Prod	uct:		
Rema	arks	: Causes sensitisation.	
Furth	er information		
Prod	uct:		
Rema	arks	 Symptoms of overexposure may be headache, diz tiredness, nausea and vomiting. Concentrations substantially above the TLV value narcotic effects. Solvents may degrease the skin. 	
2. ECOL	OGICAL INFORMA	N	
Ecoto	oxicity		
No da	ata available		
Persistence and degradability			
No da	ata available		
	ccumulative potent ata available		
Mobi	lity in soil		
No da	ata available		
Othe	r adverse effects		
Prod	uct:		
	ional ecological info	: No data available	
3. DISPC	SAL CONSIDERAT	NS	
-	osal methods	De pet diepene of words into a second	
Wast	e from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches v cal or used container. 	vith chemi-
		Send to a licensed waste management company.	
		: Empty remaining contents.	
Conta	aminated packaging		
Conta	aminated packaging	Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty d	





Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.12.2023	MAT000479012AZ/EN	Date of first issue: 18.12.2023

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels	:	UN 1263 PAINT 3 III 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	366
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	UN 1263 PAINT 3 III 3 F-E, <u>S-E</u> no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

16. OTHER INFORMATION

Revision Date : 18.12.2023

Full text of other abbreviations



MOBIHEL 2K HARDENER 7750

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.12.2023	MAT000479012AZ/EN	Date of first issue: 18.12.2023

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AZ / EN