according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name M WHITE SPIRIT

Product code 48085002

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Professional and consumer use of coatings

stance/Mixture PC9a: Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company : HGtrade d.o.o.

> Količevo 100 1230 Domžale Slovenia

: 01 7298 200 **Telephone Company**

: 01 7298 200 Responsible/issuing person

kemijskavarnost@hgtrade.si

1.4 Emergency telephone number

V nujnih primerih poklicati 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 Specific target organ toxicity - single ex-

posure, Category 3, Central nervous

system

Specific target organ toxicity - repeated

exposure, Category 1

Aspiration hazard, Category 1

H226: Flammable liquid and vapour. H336: May cause drowsiness or dizziness.

H372: Causes damage to organs through pro-

longed or repeated exposure.

H304: May be fatal if swallowed and enters air-

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger Hazard statements H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. Causes damage to organs through prolonged or H372 repeated exposure. Toxic to aquatic life with long lasting effects. H411 P101 If medical advice is needed, have product con-Precautionary statements tainer or label at hand. Keep out of reach of children. P102 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe mist or vapours. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. Response: P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage. Storage: P405 Store locked up.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

waste disposal plant.

Dispose of contents/ container to an approved

Disposal: P501

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
hydrocarbons, C9-C12, n-	Not Assigned	>= 90 - <= 100	
alkanes, isoalkanes, cyclic,	919-446-0		
aromatic content (2-25%)			

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version 2.0

Revision Date: 20.02.2024

SDS Number: MAT000480850

Date of first issue: 20.07.2021

Date of last issue: 09.10.2023

SI/EN

exposure.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media :

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

> Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: 2.0 20.02.2024

SDS Number: MAT000480850

Date of last issue: 09.10.2023 Date of first issue: 20.07.2021

SI/EN

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away

from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials

must comply with the technological safety standards.

Further information on stor- : No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

age stability

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

Consult the technical guidelines for the use of this sub-

stance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
hydrocarbons, C9- C12, n-alkanes, isoal- kanes, cyclic, aro- matic content (2-25%)	Workers	Inhalation	Long-term systemic effects	330 mg/m3
	Consumers	Inhalation	Long-term systemic effects	71 mg/m3
	Workers	Dermal	Long-term systemic effects	44 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	26 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	26 mg/kg bw/day

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Equipment should conform to EN 166

Eye wash bottle with pure water Tightly fitting safety goggles

Hand protection

Gloves : Nitrile rubber (> 0,1 mm; < 60 min); ISO EN374

Viton® (> 0,6 mm; < 240 min); ISO EN374 | PE laminate (> 0,1 mm; < 240 min); ISO EN374 |

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

cuts, abrasion, and the contact time.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Wear a full face respirator conforming to EN136 with Type

Respiratory protection : Wear a full face respirator conforming to EN136 with Type

A/P2 filter or better.

Self-contained closed-circuit breathing apparatus compressed

(EN 145)

In the case of aerosol and mist formation use an approved

respirator filter (EN 141).

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : in accordance with the product description

Odour : solvent-like

Odour Threshold : No data available

Melting point/freezing point : Not applicable

Boiling point/boiling range : 151 - 200 °C (calculation method (principal components, low-

est value))

Flash point : 38 °C

Decomposition temperature : No decomposition if stored and applied as directed.

Hazardous decomposition products formed under fire condi-

tions.

pH : No data available

Viscosity

Viscosity, kinematic : < 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility : immiscible, partly soluble

Solubility in other solvents : Description: miscible with most organic solvents

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : 2,31 hPa(calculation method (principal components, highest

value))

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

Density : 0,77 - 0,79 g/cm3

9.2 Other information

Oxidizing properties : Sustains combustion

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Incompatible with strong acids and bases.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Not classified due to lack of data.

Skin corrosion/irritation

Not classified based on available information.

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified based on available information.

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified based on available information.

Not classified due to lack of data.

Carcinogenicity

Not classified based on available information.

Not classified due to lack of data.

Reproductive toxicity

Not classified based on available information.

Not classified due to lack of data.

STOT - single exposure

May cause drowsiness or dizziness.

May cause drowsiness or dizziness.

Components:

hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aromatic content (2-25%):

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure.

Components:

hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aromatic content (2-25%):

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Aspiration toxicity

May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

Components:

hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aromatic content (2-25%):

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause

narcotic effects.

Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aromatic content (2-25%):

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Waste Code : 08 00 00, WASTES FROM THE MANUFACTURE,

FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00, wastes from MFSU and removal of paint and var-

nish

08 01 11, waste paint and varnish containing organic solvents

or other hazardoussubstances

15 00 00, WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED

15 01 00, packaging (including separately collected municipal

packaging waste)

15 01 10, packaging containing residues of or contaminated

by hazardoussubstances

HP3, Flammable

HP5, Specific Target Organ Toxicity (STOT)/Aspiration Toxici-

ty

HP14, Ecotoxic

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revis

Revision Date: 20.02.2024

SDS Number: MAT000480850

Date of last issue: 09.10.2023 Date of first issue: 20.07.2021

SI/EN

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3295
ADR : UN 3295
RID : UN 3295
IMDG : UN 3295
IATA : UN 3295

14.2 UN proper shipping name

ADN : HYDROCARBONS, LIQUID, N.O.S.

(hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aro-

matic content (2-25%))

ADR : HYDROCARBONS, LIQUID, N.O.S.

(hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aro-

matic content (2-25%))

RID : HYDROCARBONS, LIQUID, N.O.S.

(hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aro-

matic content (2-25%))

IMDG : HYDROCARBONS, LIQUID, N.O.S.

(hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aro-

matic content (2-25%))

IATA : Hydrocarbons, liquid, n.o.s.

(hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclic, aro-

matic content (2-25%))

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 3
ADR : 3
RID : 3
IMDG : 3
IATA : 3

14.4 Packing group

ADN

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

ADR

Packing group : III

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG

Packing group : III
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Conditions of restriction for the following entries should be considered:

Number on list 3

Not applicable

Not applicable

Not applicable

140t applicable

Not applicable

Not applicable

ENVIRONMENTAL HAZARDS

P5c FLAMMABLE LIQUIDS

Other regulations:

Chemicals Act

Environment Protection Act

Decree on waste

Decree on the management of packaging and packaging waste

Rules on the protection of workers from the risks related to exposure to chemical substances at work (Official Gazette of RS, no. 72/21)

E2

Rules on personal protective equipment used by workers at work

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



M WHITE SPIRIT

Version Revision Date: SDS Number: Date of last issue: 09.10.2023 2.0 20.02.2024 MAT000480850 Date of first issue: 20.07.2021

SI/EN

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.