SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : SPEKTRA latex matt

Manufacturer or supplier's details

Details of the supplier of the safety data sheet

Company : Helios TBLUS d.o.o.

Količevo 65 Domžale 1230 Slovenia

Telephone : 386 (1) 722 4383
Telefax : 386 (1) 722 4310
E-mail address Responsi- : 386 (1) 722 4383

ble/issuing person productsafety@helios.si

Emergency telephone number

Recommended use of the chemical and restrictions on use

Recommended use : Professional and consumer use of coatings

Roller application or brushing Non industrial spraying

Coatings and paints, thinners, paint removers

2. HAZARDS IDENTIFICATION

GHS Classification

Long-term (chronic) aquatic

hazard

Category 3

GHS-Labelling

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

Chemical nature : Waterborne paint

Components

Chemical name	CAS-No.	Classification	MAC value mg/m3 / TSEL value	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox.4; H302 Skin Irrit.2; H315 Eye Dam.1; H318 Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic2; H411	No data available	>= 0,025 - < 0,05
Zinc pyridinethione	13463-41-7	Acute Tox.3; H301 Acute Tox.2; H330 Eye Dam.1; H318 Repr.1B; H360D STOT RE1; H372 Aquatic Acute1; H400 Aquatic Chronic1; H410	No data available	>= 0,0025 - < 0,025
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	55965-84-9	Acute Tox.3; H301 Acute Tox.2; H330 Acute Tox.2; H310 Skin Corr.1C; H314 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic1; H410	No data available	>= 0,0002 - < 0,0015
Talc	14807-96-6		TWA: 0,1 mg/m3 Carcinogens or mutagens Data Source: 2004/37/EC	>= 1 - < 10

SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

TWA: 0,1 mg/m3 Carcinogens or mutagens Data Source: 2004/37/EC

Substances with a workplace exposure limit

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

General advice Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Remove contact lenses. In case of eye contact

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Notes to physician

None known.

Treat symptomatically.

5. FIREFIGHTING MEASURES

Flammable properties

Flash point : Not applicable Flammability (solid, gas) : Not applicable

Suitable extinguishing media Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

for firefighters essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Avoid contact with skin and eyes.

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains. Environmental precautions

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Containers which are opened must be carefully resealed and Conditions for safe storage

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally re-

quired.

Hand protection

Gloves Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374

> butyl-rubber (> 0,6 mm; < 240 min); DIN EN374 Viton® (> 0,6 mm; < 240 min); DIN EN374 PE laminate (> 0,1 mm; < 240 min); DIN EN374

Please observe the instructions regarding permeability and Remarks

> breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Equipment should conform to EN 166 Eye protection

Skin and body protection Protective suit

SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : in accordance with the product description

Odour : No information available.

Odour Threshold : No data available

pH : No data available

Flash point : Not applicable

Flammability (solid, gas) : Not applicable

Density : 1,35 - 1,57 g/cm3

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water Viscosity : No data available

Viscosity, kinematic : $> 20,5 \text{ mm2/s} (40 ^{\circ}\text{C})$

VOC : (Directive 2004/42/EC)

9 g/l

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed. Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac- : Stable under recommended storage conditions.

tions No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : Incompatible with strong acids and bases.

Hazardous decomposition : No decomposition if stored and applied as directed.

products

11. TOXICOLOGICAL INFORMATION

Further information

Product:

Remarks : No data available

SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SPEKTRA latex matt



Version 1.0

Revision Date: SDS Number: 28.11.2023

MAT0GA00_025

Date of last issue: -

Date of first issue: 28.11.2023

GE/EN

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

16. OTHER INFORMATION

Full text of H-Statements

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GE / EN

SPEKTRA latex matt



Version Revision Date: SDS Number: Date of last issue: -

1.0 28.11.2023 MAT0GA00_025 Date of first issue: 28.11.2023

GE/EN

Material codes (bulk) for 400642; 400673; 412830; 412831; 412977; 412978; 412979;

which the SDS is valid 934015