According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : HELIOS SPEKTRA EXTRA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Building and construction work

stance/Mixture Professional and consumer use of coatings, Roller application

or brushing, Non industrial spraying

Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company : Helios TBLUS d.o.o.

Količevo 65 1230 Domžale Slovenia

Telephone Company : 386 (1) 722 4383

Telefax Company : 386 (1) 722 4310

Responsible/issuing person : 386 (1) 722 4383

productsafety@helios.si

1.4 Emergency telephone number

Call 999 (or 112) for emergency medical attention

professionals only: National Poison Information Service (NPIS) 24h national number 0844 892

0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Waterborne paint

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---------------------------------|--|---|--------------------------|
| Polyethylene glycol oleyl ether | 9004-98-2 500-016-2 01-2120139360-66 | Skin Irrit. 2; H315 Aquatic Acute 1; H400 | >= 0,1 - < 0,25 |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 220-120-9 613-088-00-6 01-2120761540-60 | Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 ———— specific concentration limit Skin Sens. 1; H317 | >= 0,0025 - < 0,025 |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

| | | >= 0,05 % | |
|---|--|--|------------------------|
| Zinc pyrithione | 13463-41-7 236-671-3 | Acute Tox. 3; H301 Acute Tox. 2; H330 Eye Dam. 1; H318 Repr. 1B; H360D STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | >= 0,0025 - < 0,025 |
| | | M-Factor (Acute aquatic toxicity): 1.0001.000 M-Factor (Chronic aquatic toxicity): 1010 | |
| mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9 613-167-00-5 01-2120764691-48 | Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100100 M-Factor (Chronic aquatic toxicity): 100100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % | >= 0,0002 - < 0,0015 |
| | | Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 % | |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

| Substances with a workplace exposure | e limit : | |
|--------------------------------------|------------------|-------------|
| talc | 14807-96-6 | >= 1 - < 10 |
| | | |
| | 238-877-9 | |
| | 01-2120140278-58 | |

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version **Revision Date:** SDS Number: Date of last issue: 26.01.2021 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021 1.1

GB/EN

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13,

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

: General industrial hygiene practice. Hygiene measures

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

Containers which are opened must be carefully resealed and areas and containers kept upright to prevent leakage. Electrical installations / work-

ing materials must comply with the technological safety stand-

ards.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

Advice on common storage : No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

Consult the technical guidelines for the use of this sub-

stance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL):

| Substance name | End Use | Exposure routes | Potential health ef- Value fects | |
|------------------------------------|-----------|-----------------|--|----------------------|
| Calcium carbonate | Workers | Inhalation | Long-term local ef- fects | 4,26 mg/m3 |
| | Consumers | Inhalation | Long-term local ef- fects | 1,06 mg/m3 |
| titanium dioxide | Workers | Inhalation | Long-term local ef- fects | 10 mg/m3 |
| | Consumers | Oral | Long-term systemic effects | 700 mg/kg bw/day |
| Talc | Workers | Inhalation | Acute systemic effects | 2,16 mg/m3 |
| | Workers | Inhalation | Acute local effects | 3,6 mg/m3 |
| | Consumers | Inhalation | Acute systemic effects | 1,08 mg/m3 |
| | Consumers | Inhalation | Acute local effects | 1,8 mg/m3 |
| | Consumers | Dermal | Long-term local ef- fects | 2,27 mg/cm2 |
| | Workers | Dermal | Long-term local ef- fects | 4,54 mg/cm2 |
| | Consumers | Oral | Long-term systemic 160 mg/k effects bw/day | |
| | Consumers | Oral | Acute systemic effects | 160 mg/kg bw/day |
| | Workers | Dermal | Long-term systemic effects | 43,2 mg/kg bw/day |
| | Consumers | Dermal | Long-term systemic effects | 21,6 mg/kg bw/day |
| silicic acid, aluminum sodium salt | Workers | Inhalation | Long-term local ef- fects | 4 mg/m3 |
| (Z)-9-Octadecen-1-ol ethoxylated | Workers | Inhalation | Long-term systemic effects | 294 mg/m3 |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

| | Consumers | Inhalation | Long-term systemic effects | 87 mg/m3 |
|---|-----------|------------|------------------------------|-----------------------|
| | Workers | Dermal | Long-term systemic effects | 2080 mg/kg bw/day |
| | Consumers | Oral | Long-term systemic effects | 25 mg/kg bw/day |
| | Consumers | Dermal | Long-term systemic effects | 1250 mg/kg bw/day |
| 1,2-benzisothiazol- 3(2H)-one | Workers | Inhalation | Long-term systemic effects | 6,81 mg/m3 |
| | Workers | Dermal | Long-term systemic effects | 0,966 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 1,2 mg/m3 |
| | Consumers | Dermal | Long-term systemic effects | 0,345 mg/kg bw/day |
| reaction mass of: 5- chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1) | Consumers | Inhalation | Acute local effects | 0,04 mg/m3 |
| | Workers | Inhalation | Long-term local ef- fects | 0,02 mg/m3 |
| | Workers | Inhalation | Acute local effects | 0,04 mg/m3 |
| | Consumers | Inhalation | Long-term local ef- fects | 0,02 mg/m3 |
| | Consumers | Oral | Long-term systemic effects | 0,09 mg/kg bw/day |
| | Consumers | Oral | Acute systemic effects | 0,11 mg/kg bw/day |

Predicted No Effect Concentration (PNEC):

| Substance name | Environmental Compartment | Value |
|-------------------|---------------------------------|-----------------|
| Calcium carbonate | Sewage treatment plant 100 mg/l | |
| titanium dioxide | Soil | 100 mg/kg dry |
| | | weight (d.w.) |
| | Marine water | 0,0184 mg/l |
| | Fresh water | 0,184 mg/l |
| | Marine sediment | 100 mg/kg dry |
| | | weight (d.w.) |
| | Fresh water sediment | 1000 mg/kg dry |
| | | weight (d.w.) |
| | Sewage treatment plant | 100 mg/l |
| | Intermittent use/release | 0,193 mg/l |
| Talc | Marine water | 141,26 mg/l |
| | Fresh water | 597,97 mg/l |
| | Marine sediment | 3,13 mg/kg dry |
| | | weight (d.w.) |
| | Fresh water sediment | 31,33 mg/kg dry |
| | | weight (d.w.) |
| | Intermittent use/release | 597,97 mg/l |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

| (7) 0 Octodoson 1 ol othovydatad | Soil | 1 ma/ka dru |
|----------------------------------|---|------------------------------|
| (Z)-9-Octadecen-1-ol ethoxylated | 5011 | 1 mg/kg dry weight (d.w.) |
| | Marine water | 0,0019 mg/l |
| | Fresh water | 0,0019 mg/l |
| | Marine sediment | 86,9 mg/kg dry |
| | ivianne sediment | weight (d.w.) |
| | Fresh water sediment | 86,9 mg/kg dry |
| | Fresh water sediment | weight (d.w.) |
| | Sowage treatment plant | 10 mg/l |
| | Sewage treatment plant Intermittent use/release | |
| 4.2 hanningthianal 2/211) and | Fresh water | 0,1 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 1.00.1.1.0.0. | 0,00403 mg/l |
| | Intermittent use/release | 0,0011 mg/l |
| | Marine water | 0,000403 mg/l |
| | Sewage treatment plant | 1,03 mg/l |
| | Fresh water sediment | 0,0499 mg/kg dry |
| | | weight (d.w.) |
| | Marine sediment | 0,00499 mg/kg |
| | | dry weight (d.w.) |
| | Soil | 3 mg/kg dry |
| | | weight (d.w.) |
| reaction mass of: 5-chloro-2- | Soil | 0,01 mg/kg dry |
| methyl-4-isothiazolin-3-one and | | weight (d.w.) |
| 2-methyl-2H -isothiazol-3- one | | |
| (3:1) | | |
| | Marine water | 0,00339 mg/l |
| | Fresh water | 0,00339 mg/l |
| | Marine sediment | 0,027 mg/kg dry |
| | | weight (d.w.) |
| | Fresh water sediment | 0,027 mg/kg dry |
| | | weight (d.w.) |
| | Sewage treatment plant | 0,23 mg/l |
| | Intermittent use/release | 0,00339 mg/l |

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection

•

: Equipment should conform to EN 166

Gloves : Nitrile rubber (> 0,1 mm; < 60 min); DIN EN374

butyl-rubber (> 0,6 mm; < 240 min); DIN EN374 | Viton® (> 0,6 mm; < 240 min); DIN EN374 | PE laminate (> 0,1 mm; < 240 min); DIN EN374 |

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : in accordance with the product description

Odour : No information available.

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : 0,0 °C

(calculation method (principal components, lowest value))
Boiling point/boiling range : 100 °C (calculation method (principal components, lowest

value))

Flash point : Not applicable

Flammability (solid, gas) : Not applicable

Relative density : 0,95 (calculation method (principal components, highest val-

ue))

Density : 1,50 - 1,57 g/cm3

Solubility(ies)

Water solubility : completely miscible Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water Viscosity : No data available

Viscosity, kinematic : > 20,5 mm2/s (40 °C)

9.2 Other information

No data available

VOC : (Directive 2004/42/EC)

22 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Incompatible with strong acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Zinc pyridinethione:

Acute oral toxicity : Assessment: The component/mixture is toxic after single in-

gestion.

LD50 Oral (Rat): > 177 mg/kg

Acute inhalation toxicity : Test atmosphere: vapour

Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

(Z)-9-Octadecen-1-ol ethoxylated:

Result : irritating

1,2-benzisothiazol-3(2H)-one:

Result : irritating

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

Serious eye damage/eye irritation

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Result : Corrosive

Zinc pyridinethione:

Result : Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version 1.1

Revision Date: 15.03.2023

SDS Number: MAT0GA00_042 Date of last issue: 26.01.2021 Date of first issue: 26.01.2021

GB/EN

SECTION 12: Ecological information

12.1 Toxicity

Components:

(Z)-9-Octadecen-1-ol ethoxylated:

Ecotoxicology Assessment

Acute aquatic toxicity Very toxic to aquatic life.

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

Zinc pyridinethione:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): >= 0,0026

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): >= 0,0028 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): >= 0,028

mg/l

Exposure time: 120 h

M-Factor (Acute aquatic tox-

icity)

1.000

M-Factor (Chronic aquatic

toxicity)

10

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects.

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3one (3:1):

Toxicity to fish LC50 (Salvelinus namaycush (lake trout)): >= 10,85 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

LC50 (algae): >= 0,82 mg/l

Exposure time: 48 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version 1.1

Revision Date: 15.03.2023

SDS Number: MAT0GA00_042

GB/EN

Date of last issue: 26.01.2021 Date of first issue: 26.01.2021

Date of 1113t 133de. 20.01.2021

LC50 (algae): 0,018 mg/l Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

100

100

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-

octanol/water

log Pow: 1,3

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Waste Code : 08 00 00, WASTES FROM THE MANUFACTURE,

FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00, wastes from MFSU and removal of paint and var-

nish

08 01 11, waste paint and varnish containing organic solvents

or other hazardoussubstances

15 00 00, WASTE PACKAGING; ABSORBENTS, WIPING

CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED

15 01 00, packaging (including separately collected municipal

packaging waste)

15 01 10, packaging containing residues of or contaminated

by hazardoussubstances

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Conditions of restriction for the following entries should be considered:

Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

dor.

Zinc pyridinethione (Number on list

30)

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

UK REACH List of substances subject to authorisation

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Control of Major Accident Hazards Regulations

2015 (COMAH)

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

Volatile organic compounds : Directive 2004/42/EC

Volatile organic compounds (VOC) content: 22 g/l

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H310 : Fatal in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H360D : May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Repr. : Reproductive toxicity Skin Corr. : Skin corrosion Skin Irrit. : Skin sensitisation : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



HELIOS SPEKTRA EXTRA

Version Revision Date: SDS Number: Date of last issue: 26.01.2021 1.1 15.03.2023 MAT0GA00_042 Date of first issue: 26.01.2021

GB/EN

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Chronic 3 H412 Calculation method

479335; 479336; 479337

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN