according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TESSAROL ACRYLIC ENAMEL satin RAL----

Product code : Please see section 16 for detailed data

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : SU19: Building and construction work

stance/Mixture , PROC10, PROC11: Professional and consumer use of coat-

ings, Roller application or brushing, Non industrial spraying

PC9a: Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Company : Helios TBLUS d.o.o.

Količevo 65 1230 Domžale Slovenia

Telephone Company : 386 (1) 722 4383

Telefax Company : 386 (1) 722 4310

Responsible/issuing person : 386 (1) 722 4383

productsafety@helios.si

1.4 Emergency telephone number

01 809 2166 National Poisons Information Centre 01 809 2166

01 809 2566 Healtcare Professionals 01 809 2566

01 809 2566 Healtcare Professionals 01 809 2566

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

**Additional Labelling** 

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4-

isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1). May produce an

allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Waterborne paint

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
2-(2-butoxyethoxy)ethanol	112-34-5	Eye Irrit. 2; H319	>= 1 - < 10
	203-961-6		
	603-096-00-8		
	01-2119475104-44		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0.0025 - <
	220-120-9	Skin Irrit. 2; H315	0.025
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **TESSAROL ACRYLIC ENAMEL satin RAL----**

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

		H400 Aquatic Chronic 2; H411 ——————————————————————————————————	
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100  specific concentration limit Skin Corr. 1C; H314 >= 0.6 % Skin Irrit. 2; H315 0.06 - < 0.6 % Eye Irrit. 2; H319 0.06 - < 0.6 % Skin Sens. 1A; H317 >= 0.0015 % Eye Dam. 1; H318 >= 0.6 %	>= 0.0002 - < 0.0015

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

ucts

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin and eyes.

Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Electrical installations / working materials must comply with

the technological safety standards.

Advice on common storage :

No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

Consult the technical guidelines for the use of this sub-

stance/mixture.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **TESSAROL ACRYLIC ENAMEL satin RAL----**

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

titanium dioxide	13463-67-7	OELV - 8 hrs (TWA) (Respira- ble dust)	4 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m3	IE OEL
Propane-1,2-diol	57-55-6	OELV - 8 hrs (TWA) (particles)	10 mg/m3	IE OEL
		OELV - 8 hrs (TWA) (total (va- pour and parti- cles))	150 ppm 470 mg/m3	IE OEL
2-(2- butoxyeth- oxy)ethanol	112-34-5	STEL	15 ppm 101.2 mg/m3	2006/15/EC
	Further inforn	Further information: Indicative		
		TWA	10 ppm 67.5 mg/m3	2006/15/EC
	Further inform	nation: Indicative		
		OELV - 15 min (STEL)	15 ppm 101.2 mg/m3	IE OEL
		OELV - 8 hrs (TWA)	10 ppm 67.5 mg/m3	IE OEL

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
titanium dioxide	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Oral	Long-term systemic effects	700 mg/kg bw/day
2-(2- ethoxyethoxy)ethanol	Workers	Inhalation	Long-term systemic effects	61 mg/m3
	Workers	Inhalation	Long-term local ef- fects	30 mg/m3
	Consumers	Inhalation	Long-term systemic effects	37 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	18 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	50 mg/kg bw/day
2-(2- butoxyethoxy)ethanol	Workers	Inhalation	Long-term systemic effects	67.5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	67.5 mg/m3
	Workers	Inhalation	Acute local effects	101.2 mg/m3
	Consumers	Inhalation	Long-term systemic	40.5 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **TESSAROL ACRYLIC ENAMEL satin RAL----**

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

	1		effects	1
	Consumers	Inhalation	Long-term local effects	40.5 mg/m3
	Consumers	Inhalation	Acute local effects	60.7 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	50 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	5 mg/kg bw/day
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg bw/day
reaction mass of: 5- chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1)	Consumers	Inhalation	Acute local effects	0.04 mg/m3
, ,	Workers	Inhalation	Long-term local ef- fects	0.02 mg/m3
	Workers	Inhalation	Acute local effects	0.04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0.02 mg/m3
	Consumers	Oral	Long-term systemic effects	0.09 mg/kg bw/day
	Consumers	Oral	Acute systemic effects	0.11 mg/kg bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Soil	100 mg/kg dry
		weight (d.w.)
	Marine water	0.0184 mg/l
	Fresh water	0.184 mg/l
	Marine sediment	100 mg/kg dry weight (d.w.)
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Intermittent use/release	0.193 mg/l
2-(2-ethoxyethoxy)ethanol	Soil	0.34 mg/kg dry weight (d.w.)
	Marine water	0.198 mg/l
	Fresh water	1.98 mg/l
	Marine sediment	0.732 mg/kg dry weight (d.w.)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **TESSAROL ACRYLIC ENAMEL satin RAL----**

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

	Fresh water sediment	7.32 mg/kg dry weight (d.w.)
	Sewage treatment plant	500 mg/l
	Intermittent use/release	19.8 mg/l
2-(2-butoxyethoxy)ethanol	Soil	0.32 mg/kg dry weight (d.w.)
	Marine water	0.11 mg/l
	Fresh water	1.1 mg/l
	Marine sediment	0.44 mg/kg dry weight (d.w.)
	Fresh water sediment	4.4 mg/kg dry weight (d.w.)
	Sewage treatment plant	200 mg/l
	Intermittent use/release	11 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
,	Intermittent use/release	0.0011 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg dry weight (d.w.)
	Marine sediment	0.00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	Soil	0.01 mg/kg dry weight (d.w.)
	Marine water	0.00339 mg/l
	Fresh water	0.00339 mg/l
	Marine sediment	0.027 mg/kg dry weight (d.w.)
	Fresh water sediment	0.027 mg/kg dry weight (d.w.)
	Sewage treatment plant	0.23 mg/l
	Intermittent use/release	0.00339 mg/l

#### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : Equipment should conform to EN 166

Hand protection

Gloves : Nitrile rubber (> 0,1 mm; < 60 min); ISO EN374

butyl-rubber (> 0,6 mm; < 240 min); ISO EN374 | Viton® (> 0,6 mm; < 240 min); ISO EN374 | PE laminate (> 0,1 mm; < 240 min); ISO EN374 |

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: 2.0 18.01.2024

MAT0GA00\_105

Date of last issue: 28.11.2023 Date of first issue: 28.11.2023

IE/EN

tions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Skin and body protection Protective suit

Respiratory protection No personal respiratory protective equipment normally re-

quired.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour in accordance with the product description

Odour No information available.

Odour Threshold No data available

0.0 °C (calculation method (principal components, lowest val-Melting point/freezing point

Boiling point/boiling range 100 °C (calculation method (principal components, lowest

value))

Flammability Not applicable

Flash point Not applicable

рΗ No data available

Viscosity

Viscosity, kinematic > 20.5 mm2/s (40 °C)

Flow time > 60 s at 23 °C

> Cross section: 6 mm Method: ISO 2431

Solubility(ies)

Water solubility completely miscible

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: 2.0 18.01.2024

SDS Number: MAT0GA00\_105

Date of last issue: 28.11.2023 Date of first issue: 28.11.2023

IE/EN

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : 23 hPa(calculation method (principal components, highest

value)) (20 °C)

Density : 1.03 - 1.31 g/cm3

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Not applicable

# 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified based on available information.

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

## **Components:**

2-(2-butoxyethoxy)ethanol:

Acute oral toxicity : LD50 Oral (Rat): >= 6,560 mg/kg

Acute dermal toxicity : LD50 (Rabbit): >= 4,120 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Skin corrosion/irritation

Not classified based on available information.

Not classified due to lack of data.

**Components:** 

1,2-benzisothiazol-3(2H)-one:

Result : irritating

Serious eye damage/eye irritation

Not classified based on available information.

Not classified due to lack of data.

**Components:** 

2-(2-butoxyethoxy)ethanol:

Result : Eye irritation

1,2-benzisothiazol-3(2H)-one:

Result : Corrosive

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified due to lack of data.

**Components:** 

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

## Germ cell mutagenicity

Not classified based on available information. Not classified due to lack of data.

#### Carcinogenicity

Not classified based on available information. Not classified due to lack of data.

# Reproductive toxicity

Not classified based on available information. Not classified due to lack of data.

#### STOT - single exposure

Not classified based on available information. Not classified due to lack of data.

# STOT - repeated exposure

Not classified based on available information.

Not classified due to lack of data.

#### **Aspiration toxicity**

Not classified based on available information.

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

**Product:** 

Remarks : No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### 2-(2-butoxyethoxy)ethanol:

Toxicity to fish : LC50 (Fish): >= 2,500 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

Toxicity to daphnia and other : LC50 (Daphnia (water flea)): > 1,000 mg/l

aquatic invertebrates

Exposure time: 48 h

Toxicity to microorganisms : EC50 (Bacteria): > 5,000 mg/l

1,2-benzisothiazol-3(2H)-one:

**Ecotoxicology Assessment** 

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-

one (3:1):

Toxicity to fish : LC50 (Salvelinus namaycush (lake trout)): >= 10.85 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

LC50 (algae): >= 0.82 mg/l

Exposure time: 48 h

LC50 (algae): 0.018 mg/l Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

100

M-Factor (Chronic aquatic

toxicity)

100

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

**Components:** 

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-

log Pow: 1.3

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not release the product to the aquatic environment

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Waste Code : 08 00 00, WASTES FROM THE MANUFACTURE,

FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 01 00, wastes from MFSU and removal of paint and var-

nish

15 00 00, WASTE PACKAGING; ABSORBENTS, WIPING

CLOTHS, FILTER MATERIALS AND PROTECTIVE

**CLOTHING NOT OTHERWISE SPECIFIED** 

15 01 00, packaging (including separately collected municipal

packaging waste)

080112, waste paint and varnish other than those mentioned

in 08 01 11

150104, metallic packaging

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered:
 Number on list 75
 If you intend to use this product as

tattoo ink, please contact your vendor.

a

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

Not applicable

Not applicable

Volatile organic compounds : Directive 2004/42/EC

Volatile organic compounds (VOC) content: 130 g/l

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H310 : Fatal in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

2006/15/EC : Europe. Indicative occupational exposure limit values

IE OEL : Ireland. List of Chemical Agents and Carcinogens with Occu-

pational Exposure Limit Values - Code of Practice, Schedule 1

and 2

2006/15/EC / TWA : Limit Value - eight hours 2006/15/EC / STEL : Short term exposure limit

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference peri-

(STEL) oc

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# TESSAROL ACRYLIC ENAMEL satin RAL----

Version Revision Date: SDS Number: Date of last issue: 28.11.2023 2.0 18.01.2024 MAT0GA00\_105 Date of first issue: 28.11.2023

IE/EN

**Further information** 

Material codes (bulk) for 401620, 401621, 401622, 401623, 401624, 401625, 401626, which the SDS is valid 401627, 401628, 401629, 401789, 470595, 470596, 471697,

471698

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.