According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date: 27.02.2024	SDS Number:	Date of last issue: 25.03.2021
2.0		MAT0GA00_013	Date of first issue: 25.03.2021
		GB/EN	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	SPEKTRA Crépi Silicone B1 1,5 mm Z
	Product code	:	Please see section 16 for detailed data
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Building and construction work Professional and consumer use of coatings Fillers, putties, plasters, modelling clay
1.3	Details of the supplier of the	sa	fety data sheet
	Company	:	Helios TBLUS d.o.o. Količevo 65 1230 Domžale Slovenia
	Telephone Company	:	386 (1) 722 4383
	Telefax Company	:	386 (1) 722 4310
	Responsible/issuing person	:	386 (1) 722 4383 productsafety@helios.si

1.4 Emergency telephone number

Call 999 (or 112) for emergency medical attention professionals only: National Poison Information Service (NPIS) 24h national number 0844 892 0111

consumer: National Health Service (NHS) 24h national number, England & Scotland 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date:	SDS Number:	Date of last issue: 25.03.2021
2.0	27.02.2024	MAT0GA00_013 GB/EN	Date of first issue: 25.03.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	÷	P101 P102	If medical advice is needed, have product con- tainer or label at hand. Keep out of reach of children.
		Prevention	
		P261 P280	Avoid breathing mist or vapours. Wear protective gloves.
		Response: P302 + P35	2 IF ON SKIN: Wash with plenty of water.
		Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one

2-methylisothiazol-3(2H)-one

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Waterborne paint

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version 2.0	Revision Date: 27.02.2024	SDS Number: MAT0GA00_013 GB/EN	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021
		GB/EN	

	Index-No.		
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 specific concentra- tion limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - < 0,025
2-methyl-2H-isothiazol-3-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 Specific concentra- tion limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,01
mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0,0002

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date:	SDS Number:
2.0	27.02.2024	MAT0GA00_013
		GB/EN

Date of last issue: 25.03.2021 Date of first issue: 25.03.2021

		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentra- tion limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	
5-chloro-2-methyl-2H-isothiazol-3- one	26172-55-4 247-500-7	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	< 0,0005
Substances with a workplace exposu	re limit :		
Limestone	1317-65-3 215-279-6 EXEMPTED		>= 30 - < 50
calcium carbonate	471-34-1 207-439-9 01-2119486795-18		>= 20 - < 30
titanium dioxide	13463-67-7 236-675-5 01-2119489379-17		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid mea	sure	S
General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

2.0	27.02.2024		Number:)GA00_013 N	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021
In ca	se of skin contact	:		, immediately flush skin with plenty of water nated clothing and shoes.
In ca	se of eye contact	:	Remove contact l Protect unharmed If eye irritation pe	
lf swa	allowed	:	Never give anythi	tract clear. or alcoholic beverages. ng by mouth to an unconscious person. ist, call a physician.
1 2 Most	important symptoms	and e	effects, both acute	e and delaved
4.2 WUJU				-
Risks	3	:	May cause an all	ergic skin reaction.
Risks		: te me	May cause an all	ergic skin reaction. ergic skin reaction.
Risks 4.3 Indica		: te me	May cause an all	ergic skin reaction. I special treatment needed
Risks 4.3 Indica Treat	tion of any immediat	:	May cause an alle dical attention and Treat symptomati	ergic skin reaction. I special treatment needed
Risks 4.3 Indica Treat SECTIOI 5.1 Exting	ntion of any immediat ment N 5: Firefighting me guishing media itable extinguishing	easur	May cause an alle dical attention and Treat symptomati	ergic skin reaction. I special treatment needed cally.
Risks 4.3 Indica Treat SECTIOI 5.1 Exting Unsu media	ntion of any immediat ment N 5: Firefighting me guishing media itable extinguishing	easur	May cause an alle dical attention and Treat symptomati es High volume wate	ergic skin reaction. d special treatment needed cally. er jet
Risks 4.3 Indica Treat SECTIOI 5.1 Exting Unsu media 5.2 Speci	ation of any immediat ment N 5: Firefighting me guishing media itable extinguishing a al hazards arising fro	easur	May cause an allo dical attention and Treat symptomation es High volume wate	ergic skin reaction. d special treatment needed cally. er jet
Risks 4.3 Indica Treat SECTIOI 5.1 Exting Unsu media 5.2 Speci Haza ucts	ation of any immediat ment N 5: Firefighting me guishing media itable extinguishing a al hazards arising fro	easur	May cause an allo dical attention and Treat symptomation es High volume wate	ergic skin reaction. d special treatment needed cally. er jet
Risks 4.3 Indica Treat SECTION 5.1 Exting Unsu media 5.2 Speci Haza ucts 5.3 Advic Spec	Ition of any immediat ment N 5: Firefighting me guishing media itable extinguishing a al hazards arising fro rdous combustion pro-	easur : om the d- :	May cause an all dical attention and Treat symptomati es High volume wate substance or mi No hazardous col	ergic skin reaction. d special treatment needed cally. er jet

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Personal precautions : Avoid contact with skin and eyes. Do not flush into surface water or sanitary sewer system.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Prevent further leakage or spillage if safe to do so.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	i localationo ion care mananing	,	
	Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	General industrial hygiene practice.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
	Advice on common storage	:	No materials to be especially mentioned.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	For further information, refer to the product technical data sheet.
			Consult the technical guidelines for the use of this sub- stance/mixture.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Valde type (Form Control parameters Dasis	Components	CAS-No.	Value type (Form	Control parameters	Basis
---	------------	---------	------------------	--------------------	-------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date: 27.02.2024	SDS Number:	Date of last issue: 25.03.2021
2.0		MAT0GA00_013	Date of first issue: 25.03.2021
		GB/EN	

		of exposure)		
Limestone	1317-65-3	TWA (inhalable	10 mg/m3	GB EH40
		dust)		
		TWA (Respirable	4 mg/m3	GB EH40
		dust)		
Calcium carbonate	471-34-1	TWA (inhalable	10 mg/m3	GB EH40
		dust)	-	
		TWA (Respirable	4 mg/m3	GB EH40
		dust)		
titanium dioxide	13463-67-7	TWA (inhalable	10 mg/m3	GB EH40
		dust)		
		TWA (Respirable	4 mg/m3	GB EH40
		dust)	-	

Derived No Effect Level (DNEL):

according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
Calcium carbonate	Workers	Inhalation	Long-term local ef- fects	4,26 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1,06 mg/m3
titanium dioxide	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Oral	Long-term systemic effects	700 mg/kg bw/day
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg bw/day
reaction mass of: 5- chloro-2- methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3- one (3:1)	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0,02 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg bw/day
	Consumers	Oral	Acute systemic ef- fects	0,11 mg/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date:	SDS Number:	Date of last issue: 25.03.2021
2.0	27.02.2024	MAT0GA00_013 GB/EN	Date of first issue: 25.03.2021

Predicted No Effect Concentration (PNEC):

according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Calcium carbonate	Sewage treatment plant	100 mg/l
titanium dioxide	Soil	100 mg/kg dry weight (d.w.)
	Marine water	0,0184 mg/l
	Fresh water	0,184 mg/l
	Marine sediment	100 mg/kg dry weight (d.w.)
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Intermittent use/release	0,193 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Intermittent use/release	0,0011 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg dry weight (d.w.)
	Marine sediment	0,00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3- one (3:1)	Soil	0,01 mg/kg dry weight (d.w.)
	Marine water	0,00339 mg/l
	Fresh water	0,00339 mg/l
	Marine sediment	0,027 mg/kg dry weight (d.w.)
	Fresh water sediment	0,027 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,23 mg/l
	Intermittent use/release	0,00339 mg/l

8.2 Exposure controls

Personal protective equipmer	nt	
Eye/face protection Hand protection	:	Equipment should conform to EN 166
Remarks	:	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Skin and body protection	:	Protective suit

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version 2.0	Revision Date: 27.02.2024	SDS Number: MAT0GA00_013 GB/EN	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021

Respiratory protection

: No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	liquid in accordance with the product description No information available. No data available
рН	:	8 - 9,5 Concentration: 100 %
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Density	:	1,85 - 1,95 g/cm3
Solubility(ies) Water solubility Solubility in other solvents		completely miscible No data available
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, dynamic	:	20.000 - 30.000 mPa.s
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not applicable
Oxidizing properties	:	Not applicable
9.2 Other information No data available VOC	:	(Directive 2004/42/EC) 25 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date: 27.02.2024	SDS Number:	Date of last issue: 25.03.2021
2.0		MAT0GA00_013	Date of first issue: 25.03.2021
		GB/EN	

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility o	f hazardous	reactions
--------------------	-------------	-----------

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available

Conditions to avoid	•	NO Gala av

10.5 Incompatible materials

Materials to avoid	:	Not applicable
--------------------	---	----------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information. Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after
		single ingestion.

2-methylisothiazol-3(2H)-one:

Acute oral toxicity :	:	Assessment: The component/mixture is toxic after single in- gestion.
Acute inhalation toxicity :	:	Test atmosphere: vapour Assessment: The component/mixture is highly toxic after short term inhalation.
Acute dermal toxicity :	:	Assessment: The component/mixture is toxic after single con- tact with skin.
Limestone:		
Acute inhalation toxicity :	:	Assessment: The substance or mixture has no acute inhala- tion toxicity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version	Revision Date: 27.02.2024	SDS Number:	Date of last issue: 25.03.2021
2.0		MAT0GA00_013	Date of first issue: 25.03.2021
		GB/EN	

Skin corrosion/irritation

Not classified based on available information. Not classified due to lack of data.

Components:

<u>Components:</u>	
1,2-benzisothiazol-3(2H)-one:	
Result : irritating	
2-methylisothiazol-3(2H)-one:	
Result : Corrosive after 3 minutes to 1 hour of exposure	
5-Chloro-2-methyl-2H-isothiazol-3-one:	
Result : irritating	
Serious eye damage/eye irritation	
Not classified based on available information. Not classified due to lack of data.	
Components:	
1,2-benzisothiazol-3(2H)-one:	
Result : Corrosive	
5-Chloro-2-methyl-2H-isothiazol-3-one:	
Result : Corrosive	
Respiratory or skin sensitisation	
Skin sensitisation	
May cause an allergic skin reaction.	
Skin sensitisation	
May cause an allergic skin reaction.	
Respiratory sensitisation	
Not classified based on available information.	
Respiratory sensitisation Not classified due to lack of data.	
Components:	
1,2-benzisothiazol-3(2H)-one:	
Result : Probability or evidence of skin sensitisation in humans	;
2-methylisothiazol-3(2H)-one:	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Revision Date: 27.02.2024	SDS Number: MAT0GA00_013 GB/EN	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021

Result

: Probability or evidence of skin sensitisation in humans

5-Chloro-2-methyl-2H-isothiazol-3-one:

Result

: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information. Not classified due to lack of data.

Carcinogenicity

Not classified based on available information. Not classified due to lack of data.

Reproductive toxicity

Not classified based on available information. Not classified due to lack of data.

STOT - single exposure

Not classified based on available information. Not classified due to lack of data.

STOT - repeated exposure

Not classified based on available information. Not classified due to lack of data.

Aspiration toxicity

Not classified based on available information. Not classified due to lack of data.

Further information

Product:

Remarks

: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

2-methylisothiazol-3(2H)-one:

M-Factor (Acute aquatic tox- : 10 icity)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

GB/EN	Version 2.0	Revision Date: 27.02.2024	SDS Number: MAT0GA00_013 GB/EN	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021
-------	----------------	---------------------------	--------------------------------------	---

M-Factor (Chronic aquatic toxicity)	:	1
Ecotoxicology Assessmen	t	
Acute aquatic toxicity	:	Very toxic to aquatic life.
reaction mass of: 5-chloro- one (3:1):	•2- m	nethyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-
Toxicity to fish	:	LC50 (Salvelinus namaycush (lake trout)): >= 10,85 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	LC50 (algae): >= 0,82 mg/l Exposure time: 48 h
		LC50 (algae): 0,018 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic toxicity)	:	100
12.2 Persistence and degradabi	ility	
0		
Components:		
<u>Components:</u> 2-methylisothiazol-3(2H)-oi	ne:	
	n e: :	Result: Biodegradable
2-methylisothiazol-3(2H)-oi	ne: :	Result: Biodegradable
2-methylisothiazol-3(2H)-oi Biodegradability	ne: :	Result: Biodegradable
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential <u>Components:</u>	:	Result: Biodegradable
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential	: ne:	
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential <u>Components:</u> 1,2-benzisothiazol-3(2H)-or Partition coefficient: n-	: 1e: :	log Pow: 1,3
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential <u>Components:</u> 1,2-benzisothiazol-3(2H)-or Partition coefficient: n- octanol/water	: 1e: :	log Pow: 1,3
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential <u>Components:</u> 1,2-benzisothiazol-3(2H)-or Partition coefficient: n- octanol/water 5-Chloro-2-methyl-2H-isoth Partition coefficient: n-	: ne: : niazo	log Pow: 1,3 JI-3-one:
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential <u>Components:</u> 1,2-benzisothiazol-3(2H)-or Partition coefficient: n- octanol/water 5-Chloro-2-methyl-2H-isoth Partition coefficient: n- octanol/water 12.4 Mobility in soil	: : iiazo :	log Pow: 1,3 bl-3-one: log Pow: -0,71 - 0,75
2-methylisothiazol-3(2H)-or Biodegradability 12.3 Bioaccumulative potential <u>Components:</u> 1,2-benzisothiazol-3(2H)-or Partition coefficient: n- octanol/water 5-Chloro-2-methyl-2H-isoth Partition coefficient: n- octanol/water 12.4 Mobility in soil No data available	: : iiazo :	log Pow: 1,3 bl-3-one: log Pow: -0,71 - 0,75

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version 2.0	Revision Date: 27.02.2024	SDS Number: MAT0GA00_013 GB/EN	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021
		OD/EN	

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:		
Endocrine disrupting poten- tial	:	This substance/mixture does not contain components consid- ered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).
Additional ecological infor- mation	:	No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

	Product	:	Do not release the product to the aquatic environment
	Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
	Waste Code	:	08 01 19, aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances

SECTION 14: Transport information

14.1 UN number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		

: Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version 2.0	Revision Date: 27.02.2024	SDS Number: MAT0GA00_013 GB/EN	Date of last issue: 25.03.2021 Date of first issue: 25.03.2021

ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered Number on list 3	
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable	
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable	
	Not applicable	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version 2.0 Revision Date: 27.02.2024

SDS Number: MAT0GA00_013 GB/EN Date of last issue: 25.03.2021 Date of first issue: 25.03.2021

Volatile organic compounds

: Directive 2004/42/EC Volatile organic compounds (VOC) content: 25 g/l

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H311	: Toxic in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. :	:	Acute toxicity
Aquatic Acute :	:	Short-term (acute) aquatic hazard
Aquatic Chronic :	:	Long-term (chronic) aquatic hazard
Eye Dam. :	:	Serious eye damage
Skin Corr. :	:	Skin corrosion
Skin Irrit. :	:	Skin irritation
Skin Sens. :	:	Skin sensitisation
GB EH40 :	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA :	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Agency

which the SDS is valid

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SPEKTRA Crépi Silicone B1 1,5 mm Z

Version 2.0 Revision Date: 27.02.2024

SDS Number: MAT0GA00_013 GB/EN Date of last issue: 25.03.2021 Date of first issue: 25.03.2021

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixture: Classification procedure: Skin Sens. 1 H317 Calculation method Material codes (bulk) for : 474145; 474146; 474147; 474148; 474149; 474151; 474152;

474153

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.