

## **MOBIHEL PASSIVATOR**

Version 1.0	Revision Date: 16.11.2023	SDS Number: MAT000480790 AU/EN	Date of last issue: - Date of first issue: 16.11.2023
SECTION	1. PRODUCT A	ND COMPANY IDENTIFIC	ATION
Produ	uct name	: MOBIHEL PAS	SSIVATOR
Produ	uct code	: 48079001	

#### Manufacturer or supplier's details Details of the supplier of the safety data sheet

Company	:	Helios Coatings Australia Pty Ltd 50 Clapham Road SEFTON NSW 2162 Australia
Telephone E-mail address Responsi- ble/issuing person		61 2 9645 3188 61 2 9645 3188 info@helioscoatings.com.au

#### **Emergency telephone number**

112 (mobile) Ambulance 000, Poisons Information Centre: 131 126

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
propylene glycol n-propyl ether	1569-01-3	< 10
dihydrogen hexafluorotitanate(2-)	17439-11-1	< 1
methanol	67-56-1	< 1

#### SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.



# **MOBIHEL PASSIVATOR**

Versic 1.0	on	Revision Date: 16.11.2023		DS Number: AT000480790 J/EN		Date of last issue: - Date of first issue: 16.11.2023			
	In case of skin contact					t, immediately flush skin with plenty of water. nated clothing and shoes. lenses.			
		-			Protect unharmed eye. If eye irritation persists, consult a specialist. Keep respiratory tract clear.				
	If swallowed				Do not give milk Never give anyth	ing by mouth to an unconscious person. ist, call a physician.			
а	Most important symptoms and effects, both acute and delayed				None known.				
		o physician		:	Treat symptomatically.				
SECT	ION 5.	FIREFIGHTING	G MEAS	SUR	ES				
S	Suitable extinguishing media		nedia		cumstances and	g measures that are appropriate to local cir- the surrounding environment.			
	lazardo icts	ous combustion	s combustion prod- :		Product is compatible with standard fire-fighting ager None known.				
	Specific extinguishing meth- ods		neth-		<ul> <li>Standard procedure for chemical fires.</li> <li>Use extinguishing measures that are appropriate to I cumstances and the surrounding environment.</li> </ul>				
~	Special protective equipment : for firefighters			Wear self-contained breathing apparatus for firefighting if ne essary.					

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes. Do not flush into surface water or sanitary sewer system.
Environmental precautions	:	Try to prevent the material from entering drains or water courses.
		If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Neutralize with chalk, alkali solution or ammonia. Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.
Hygiene measures Conditions for safe storage	:	General industrial hygiene practice. Store between 5 and 25 °C in a dry, well ventilated place



# **MOBIHEL PASSIVATOR**

Version 1.0	on Revision SDS Nu Date: MAT000 16.11.2023 AU/EN			Date of last issue: - Date of first issue: 16.11.2023
Materials to avoid			Electrical inst the technolog	burces of heat, ignition and direct sunlight. tallations / working materials must comply with gical safety standards. to be especially mentioned. near acids.
	her information on stability	stor- :	No decompo	sition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL		
	Further inform					
		STEL	250 ppm 328 mg/m3	AU OEL		
	Further information: Skin absorption					
		TWA	200 ppm	ACGIH		
		STEL	250 ppm	ACGIH		

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

#### Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. In the case of dust or aerosol formation use respirator with an approved filter. Respirator with a half face mask Equipment should conform to EN-136; EN-143; EN-149; EN- 529		
Filter type : Hand protection	Combined particulates and organic vapour type		
Remarks :	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.		



# **MOBIHEL PASSIVATOR**

Version 1.0	Revision Date: 16.11.2023	SDS Numbe MAT000480 AU/EN		Date of last issue: - Date of first issue: 16.11.2023				
	protection and body protection	: on :		ipment should conform to EN 166 ective suit				
SECTION	N 9. PHYSICAL AN	ND CHEM	ICAL	PROPERTIES				
Арре	earance	:	liqu	liquid				
Colo	ur	:	am	ber				
Odo	ur	:	sliç	ht				
Odo	ur Threshold	:	No	data available				
pН		:		- 2.5 ncentration: 100 %				
Melti	ing point/freezing p	ooint :		°C lculation method (principal components, lowest value))				
Boili	ng point/boiling rar	ige :		) °C lculation method (principal components, lowest value))				
Flasl	h point	:	No	No data available				
Evap	poration rate	:	No	applicable				
Burn	ing rate	:	No	data available				
Self-	ignition	:	No	data available				
	er explosion limit / mability limit	Upper :	No	data available				
	er explosion limit / mability limit	Lower :	No	data available				
Vapo	our pressure	:	No	data available				
Rela	tive vapour density	/ :	No	data available				
Rela	tive density	:	No	data available				
Dens	sity	:	1.0	17 g/cm3				
	bility(ies) /ater solubility	:	COI	npletely miscible				
S	olubility in other so	olvents :	No	data available				
	tion coefficient: n-	:	No	data available				
	nol/water omposition tempera	ature :	No	data available				
Self-	Accelerating deco	mposi- :	No	data available				

Version



Date of last issue: -

# **MOBIHEL PASSIVATOR**

Revision

SDS Number:

.0	Date: 16.11.2023	MAT0004 AU/EN	480790	Date of first issue: 16.11.2023
tion to Visco	emperature (SAD	T)		
	scosity, kinematic	:	> 20.5 mm2	2/s ( 40 °C)
Explo	osive properties	:	Not applica	ble
Oxidi	zing properties	:	No data available	
ECTION	10. STABILITY A	ND REAC	TIVITY	
Poss tions	nical stability ibility of hazardous	: s reac- :	No decomp Stable unde No hazards	osition if stored and applied as directed. osition if stored and applied as directed. er recommended storage conditions. to be specially mentioned.
Incon	litions to avoid npatible materials Irdous decomposit Jots		No data ava Not applica No data ava	ble
SECTION	11. TOXICOLOG	ICAL INFO	ORMATION	
Acut	e toxicity			
Prod	uct:			
Acute	e oral toxicity	:		y estimate: > 2,000 mg/kg culation method
Acute	e inhalation toxicity	y :	Exposure tin Test atmosp	y estimate: > 20 mg/l ne: 4 h here: vapour culation method
Acute	e dermal toxicity	:		y estimate: > 2,000 mg/kg culation method
<u>Com</u>	ponents:			
dihyo	drogen hexafluor	otitanate(	2-):	
Acute	e oral toxicity	:	Assessment gestion.	: The component/mixture is toxic after single in-
Acute	e inhalation toxicity	<b>y</b> :	Assessment inhalation.	: The component/mixture is toxic after short term
Acute	e dermal toxicity	:	Assessment tact with skir	: The component/mixture is toxic after single con- n.
meth	anol:			
Acute	e oral toxicity	:	Assessment gestion.	: The component/mixture is toxic after single in-



# MOBIHEL PASSIVATOR

rsion	Revision Date: 16.11.2023	SDS Number: MAT000480790 AU/EN	Date of last issue: - Date of first issue: 16.11.2023	
Acute	inhalation toxicit		e: vapour e component/mixture is toxic after short term	
Acute dermal toxicity :		: Assessment: Th tact with skin.	Assessment: The component/mixture is toxic after single con- tact with skin.	
Skin	corrosion/irritat	on		
Com	oonents:			
dihyd	Irogen hexafluo	rotitanate(2-):		
Result : Corrosive after 3 minutes to 1 hour of exposure			3 minutes to 1 hour of exposure	
Serio	us eye damage/	eye irritation		
<u>Com</u>	oonents:			
Propy	ylene Glycol Mo	nopropylether:		
Resul	lt	: Eye irritation		
Chro	nic toxicity			
STOT	- single exposu	ire		
<u>Com</u>	oonents:			
meth	anol:			
Asses	ssment	: Causes damage	e to organs.	
Furth	er information			
Produ	uct:			
Rema	arke	: No data availabl	e	

Ecotoxicity No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

#### Components:

**methanol:** Partition coefficient: n- : log Pow: -0.77 octanol/water



# **MOBIHEL PASSIVATOR**

Version 1.0	Date:	SDS Number: MAT000480790 AU/EN	Date of last issue: - Date of first issue: 16.11.2023
	i <b>lity in soil</b> ata available		
Othe	r adverse effects		
matio	ional ecological info on		
SECTION	13. DISPOSAL CO	INSIDERATIONS	
Disp	osal methods		
Conta	aminated packaging	g : Empty containers s dling site for recycli	hould be taken to an approved waste han- ng or disposal.
SECTION	14. TRANSPORT	INFORMATION	
Inter	national Regulatio	ns	
UNR UN n Prop Class Subs Pack Labe IATA UN/II Prop Class Subs Pack Labe Pack aircra Pack	TDG umber er shipping name s idiary risk ing group ls -DGR D No. er shipping name s idiary risk ing group ls ing instruction (carg	<ul> <li>Not applicable</li> </ul>	
IMDC UN n Prop Class Subs Pack Labe EmS	G-Code umber er shipping name s idiary risk ing group	<ul> <li>Not applicable</li> </ul>	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

ADG



## MOBIHEL PASSIVATOR

Version 1.0	Revision Date: 16.11.2023	SDS Number: MAT000480790 AU/EN	Date of last issue: - Date of first issue: 16.11.2023
Prop Clas Subs Pack Labe	sidiary risk king group	<ul> <li>Not applicable</li> </ul>	
-	ial precautions for pplicable	or user	

#### SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6 Scheduling of Medicines and Poisons

Prohibition/Licensing Requirements

: methanol Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

#### **SECTION 16. OTHER INFORMATION**

Revision Date Date format	:	16.11.2023 dd.mm.yyyy		
Full text of other abbreviations				
ACGIH ACGIH BEI AU OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Australia. Workplace Exposure Standards for Airborne Con- taminants.		
ACGIH / TWA ACGIH / STEL AU OEL / TWA AU OEL / STEL	: : :	8-hour, time-weighted average Short-term exposure limit Exposure standard - time weighted average Exposure standard - short term exposure limit		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



## **MOBIHEL PASSIVATOR**

Version	Revision	SDS Number:	Date of last issue: -
1.0	Date: 16.11.2023	MAT000480790 AU/EN	Date of first issue: 16.11.2023

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN